

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS ID: 2116J02 Issue date: 5/9/2024 Version: 1.0

SECTION 1: Identification		
1.1. Identification		
Product form Substance name CAS-No. Product code Formula	 Substance Hexafluoro-4-iodobutyryl fluoride 6044-18-4 2116-J-02 C4F7IO 	
1.2. Recommended use and restrictions or	use	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development	
1.3. Supplier		
SynQuest Laboratories, Inc. Inc. P.O. Box 309 Alachua, FL, Alachua, 32615 United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone number		
Emergency number	: (844) 523-4086 (3E Company - Account 10069)	
SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture		
GHS US classification		
Acute toxicity (oral) Category 4 Acute toxicity (dermal) Category 3 Acute toxicity (inhalation) Category 3 Skin corrosion/irritation Category 1B Serious eye damage/eye irritation Category 1 Specific target organ toxicity – Single exposure, Cat	H302 Harmful if swallowed H311 Toxic in contact with skin H331 Toxic if inhaled H314 Causes severe skin burns and eye damage H318 Causes serious eye damage egory 3, H335 May cause respiratory irritation	

Respiratory tract irritation

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)

Signal word (GHS US) Hazard statements (GHS US)



: Danger

: H302 - Harmful if swallowed H311+H331 - Toxic in contact with skin or if inhaled H314 - Causes severe skin burns and eye damage

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	H318 - Causes serious eye damage
	H335 - May cause respiratory irritation
Precautionary statements (GHS US)	: P260 - Do not breathe fumes, mist, spray, vapors.
	P264 - Wash skin thoroughly after handling
	P270 - Do not eat, drink or smoke when using this product.
	P271 - Use only outdoors or in a well-ventilated area.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
	P301+P312 - If swallowed: Call a POISON CENTER or doctor/ physician if you feel unwell
	P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting.
	P302+P352 - If on skin: Wash with plenty of soap and water
	P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse
	skin with water/shower.
	P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P310 - Immediately call a POISON CENTER or doctor/ physician
	P311 - Call a POISON CENTER or doctor/physician
	P321 - Specific treatment (see supplemental first aid instructions on this label)
	P322 - Specific treatment (see supplemental first aid instruction on this label)
	P330 - Rinse mouth.
	P361+P364 - Take off immediately all contaminated clothing and wash it before reuse.
	P363 - Wash contaminated clothing before reuse.
	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
	P405 - Store locked up.
	P501 - Dispose of contents/container to an approved waste disposal plant

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Substance type

: Mono-constituent

Name	Product identifier	%	GHS US classification
Hexafluoro-4-iodobutyryl fluoride (Main constituent)	CAS-No.: 6044-18-4	≤ 100	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First-aid measures

4.1. Description of first aid measures	
First-aid measures general	: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention.
First-aid measures after skin contact	: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Get immediate medical advice/attention.
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.
4.2. Most important symptoms and effects	(acute and delayed)
Potential Adverse human health effects and symptoms Symptoms/effects	 Absorption of excessive F- can result in acute systemic fluorosis with hypocalcemia, interference with various metabolic functions and organ damage (heart, liver, kidneys). The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.
Symptoms/effects after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguishing	media	
Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.	
5.2. Specific hazards arising from the chemical		
Fire hazard Explosion hazard	 Thermal decomposition generates: Carbon oxides. Hydrogen fluoride. Hydrogen iodide. Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers. 	
5.3. Special protective equipment and precautions for fire-fighters		
Firefighting instructions Protection during firefighting	 In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection". 	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.	
6.1.1. For non-emergency personnel Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.
6.2. Environmental precautions	

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.	
Methods for cleaning up	Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion- proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.	
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
6.4. Reference to other sections		

No additional information available

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	 Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities
Technical measures Storage conditions Incompatible materials Storage area	 Comply with applicable regulations. Keep container closed when not in use. Refer to Section 10 on Incompatible Materials. Store in dry, cool, well-ventilated area. Light sensitive.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls

: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

protective gloves. 29 CFR 1910.138: Hand Protection

Eye protection:

Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection

Personal protective equipment symbol(s):



Other information:

Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 80 – 83 °C (@ 760 mm Hg)
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Molecular mass	: 323.936
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.3. Possibility of hazardous reactions
No additional information available
10.4. Conditions to avoid
Keep away from heat, sparks and flame.
10.5. Incompatible materials
Strong oxidizing agents.
10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological informati	on
11.1. Information on toxicological effects	
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	Harmful if swallowed.Toxic in contact with skin.Toxic if inhaled.
Hexafluoro-4-iodobutyryl fluoride (6044-	18-4)
ATE US (oral)	500 mg/kg body weight
ATE US (dermal)	300 mg/kg body weight
ATE US (gases)	700 ppmV/4h
ATE US (vapors)	3 mg/l/4h
ATE US (dust, mist)	0.5 mg/l/4h
Skin corrosion/irritation	Causes severe skin burns.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Potential Adverse human health effects and symptoms	: Absorption of excessive F- can result in acute systemic fluorosis with hypocalcemia, interference with various metabolic functions and organ damage (heart, liver, kidneys).
Symptoms/effects	: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.
Symptoms/effects after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough,

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

shortness of breath, headache, nausea.

Safety Data Sheet

12.2. Persistence and degradability		
Hexafluoro-4-iodobutyryl fluoride (604	44-18-4)	
Persistence and degradability	Not readily biodegradable. May cause long-term adverse effects in the environment. PBT - Persistent, Bioaccumulative and Toxic.	
12.3. Bioaccumulative potential		
Hexafluoro-4-iodobutyryl fluoride (604	44-18-4)	
Bioaccumulative potential	Perfluorinated alkanes (PFAs, "forever chemicals") are long lasting, widely used chemicals tha break down slowly over time. The potential hazards of PFAs are under investigation and have not been established.	
12.4. Mobility in soil		
No additional information available		
12.5. Other adverse effects		
No additional information available		

SECTION 13: Disposal considerations	
13.1. Disposal methods	
Waste treatment methods	: Prevent runoff from entering drains, sewers or waterways. See the EPA's Interim Guidance on PFAS Destruction and Disposal.
Sewage disposal recommendations	: See the EPA's Interim Guidance on PFAS Destruction and Disposal.
Product/Packaging disposal recommendations	: See the EPA's Interim Guidance on PFAS Destruction and Disposal.
Additional information	: EPA's Interim Guidance on PFAS Destruction and Disposal (Dec. 18, 2020
	https://downloads.regulations.gov/EPA-HQ-OLEM-2020-0527-0002/content.pdf). The National
	Defense Authorization Act for Fiscal Year 2020, Public Law No: 116-92 (hereafter, "FY 2020
	NDAA"), was signed into law on December 19, 2019. Section 7361 of the FY 2020 NDAA directs
	the U.S. Environmental Protection Agency (EPA) to publish interim guidance on the destruction
	and disposal of perfluoroalkyl and polyfluoroalkyl substances (PFAS) and materials containing
	PFAS. This interim guidance fulfills that direction. EPA will review the interim guidance at least
	every 3 years and revise it, if appropriate based on the availability of new information or other factors.
Ecological information	: This material is considered to be a "Forever chemical". Prevent any possible release to the
	environment. Do not discharge into drains. Take all necessary measures to prevent accidental
	discharge of products into drains and waterways due to the rupture of containers or transfer
	systems, or emergency response.

SECTION 14: Transport information		
14.1. UN number		
DOT NA No UN-No. (TDG) UN-No. (IMDG) UN-No. (IATA)	: UN2922 : UN2922 : 2922 : 2922	
14.2. UN proper shipping name		
Proper Shipping Name (DOT) Proper Shipping Name (TDG) Proper Shipping Name (IMDG)	 Corrosive liquids, toxic, n.o.s. CORROSIVE LIQUID, TOXIC, N.O.S. CORROSIVE LIQUID, TOXIC, N.O.S. 	
5/0/0004 (I)		

Safety Data Sheet

Proper Shipping Name (IATA)	: Corrosive liquid, toxic, n.o.s.
14.3. Transport hazard class(es)	
DOT Transport hazard class(es) (DOT) Hazard labels (DOT)	: 8 (6.1) : 8, 6.1
TDG Transport hazard class(es) (TDG) Hazard labels (TDG)	$\begin{array}{c} : 8 (6.1) \\ : 8, 6.1 \\ \hline \\ 8 \\ \hline \\ 8 \\ \hline \\ 8 \\ \hline \\ 8 \\ \hline \\ 6 \\ \hline \end{array}$
IMDG Transport hazard class(es) (IMDG) Hazard labels (IMDG)	$\begin{array}{c} : 8 (6.1) \\ : 8, 6.1 \\ \hline \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ $
IATA Transport hazard class(es) (IATA) Hazard labels (IATA)	$\begin{array}{c} : 8 (6.1) \\ : 8, 6.1 \\ \hline \\ 8 \\ \hline \\ 8 \\ \hline \\ 6 \\ \hline \end{array}$
14.4. Packing group	
Packing group (DOT) Packing group (TDG) Packing group (IMDG) Packing group (IATA)	: III : III : III : III
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
DOT UN-No.(DOT)	: UN2922

Safety Data Sheet

 IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HD2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T7 - 4 178.274(d)(2) Normal
: 154
: 203
: 241
: 5L
: 60 L
: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
: 40 - Stow "clear of living quarters"
 UN2922 16 - 1) The technical name of the most dangerous substance related to the primary class must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(i)(A) of Part 3, Documentation. The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4, Dangerous Goods Safety Marks. 2) subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical: a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S; b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S; c) UN3140, ALKALOID SALTS, LIQUID, N.O.S; or ALKALOIDS, LIQUID, N.O.S; d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S. An example in Canada is the "Food and Drugs Act".
: 5L
: E1
: 5L
: 154
 223, 274 5 L E1 P001 IBC03 T7 TP1, TP28 F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Stowage category (IMDG) Stowage and handling (IMDG) Properties and observations (IMDG)	 B SW2 Causes burns to skin, eyes and mucous membranes. Toxic if swallowed, by skin contact or by inhalation.
ΙΑΤΑ	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y841
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 852
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 856
CAO max net quantity (IATA)	: 60L
Special provision (IATA)	: A3, A803
ERG code (IATA)	: 8P

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:		
Hexafluoro-4-iodobutyryl fluoride CAS-No. 6044-18-4 100%		100%
15.2. International regulations		
CANADA No additional information available		

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

Full text of H-phra	Full text of H-phrases	
H302	Harmful if swallowed	
H311	Toxic in contact with skin	
H314	Causes severe skin burns and eye damage	
H318	Causes serious eye damage	
H331	Toxic if inhaled	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases		
H335	May cause respiratory irritation	
NFPA health h	azard	: 3 - Materials that, under emergency conditions, can cause serious or permanent injury.
NFPA fire haz	ard	: 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.
NFPA reactivit	у	: 1 - Materials that in themselves are normally stable but can become unstable at elevated temperatures and pressures.
Hazard Rating		
Health		: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability		: 0 Minimal Hazard - Materials that will not burn
Physical		: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.

Safety Data Sheet (SDS), USA

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.