

Safety Data Sheet 2117601

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 01/04/2019 Version: 1.0

**SECTION 1: Identification** 1.1. Identification Product form : Substance Substance name : Chloropentafluoroacetone CAS No : 79-53-8 Product code : 2117-6-01 Formula : C3CIF5O Synonyms : 1-Chloro-1,1,3,3,3-pentafluoropropan-2-one Other means of identification : MFCD00042218 Relevant identified uses of the substance or mixture and uses advised against 1.2. : Laboratory chemicals Use of the substance/mixture Manufacture of substances Scientific research and development 1.3. Details of the supplier of the safety data sheet SynQuest Laboratories, Inc. P.O. Box 309

Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com

1.4. **Emergency telephone number** 

Emergency number

: (844) 523-4086 (3E Company - Account 10069)

### **SECTION 2: Hazard(s) identification** 2.1. **Classification of the substance or mixture**

## **Classification (GHS-US)**

· · · · · · · · · · · · · · · · · · ·		
Simple Asphy	H380 - May displace oxygen and cause rapid suffocation	
Liquefied gas	H280 - Contains gas under pressure; may explode if heat	ed
Acute Tox. 3 (Oral)	H301 - Toxic if swallowed	
Acute Tox. 2 (Dermal)	H310 - Fatal in contact with skin	
Acute Tox. 2 (Inhalation)	H330 - Fatal if inhaled	
Skin Irrit. 2	H315 - Causes skin irritation	
Eye Dam. 1	H318 - Causes serious eye damage	
STOT SE 3	H335 - May cause respiratory irritation	
Aquatic Acute 1	H400 - Very toxic to aquatic life	
Aquatic Chronic 1	H410 - Very toxic to aquatic life with long lasting effects	

Full text of H-phrases: see section 16

#### 2.2. Label elements

## **GHS-US** labeling

Hazard	pictograms	(GHS-US)
--------	------------	----------

Signal word (CHS US)	GHS04	GHS05	GHS06	GHS07	GHS09
Signal word (GHS-US)	: Danger				
Hazard statements (GHS-US)	H315 - Causes H318 - Causes H335 - May cau H380 - May disp	wallowed	h skin or if inhal ge ation cause rapid suf	focation	
Precautionary statements (GHS-US)	P264 - Wash sk	reathe fumes, gas et in eyes, on skir in thoroughly afte at, drink or smoke	n, or on clothing r handling		
01/04/2019	EN (English US)		SD	S ID: 2117601	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P27 P28 P28 P30 P30 P30 P30 P30 P31 P32 P32 P33 P33 P33 P33 P33 P33 P34 P34 P34 P34	<ul> <li>71 - Use only outdoors or in a w</li> <li>73 - Avoid release to the enviror</li> <li>30 - Wear protective gloves/prot</li> <li>34 - In case of inadequate venti</li> <li>b1+P310 - If swallowed: Immedi</li> <li>b2+P352 - If on skin: Wash with</li> <li>b4+P340 - If inhaled: Remove p</li> <li>b5+P351+P338 - If in eyes: Rins</li> <li>ses, if present and easy to do. C</li> <li>10 - Immediately call a POISON</li> <li>20 - Specific treatment is urgent</li> <li>21 - Specific treatment (see sup</li> <li>30 - Rinse mouth</li> <li>32+P313 - If skin irritation occur</li> <li>52+P364 - Take off contaminate</li> <li>collect spillage</li> <li>33+P233 - Store in a well-ventila</li> <li>5 - Store locked up</li> <li>10+P403 - Protect from sunlight</li> <li>10 - Dispose of contents/contain</li> </ul>	ament ective clothing/eye protect lation wear respiratory pr ately call a poison center plenty of soap and water erson to fresh air and kee se cautiously with water for continue rinsing CENTER or doctor/ physic (see supplemental first aid plemental first aid instruct s: Get medical advice/attr traminated clothing d clothing and wash it be g before reuse ated place. Keep contained Store in a well-ventilated	rotection /doctor/ ep comfortable for breathing or several minutes. Remove contact sician aid instructions on this label) tions on this label) ention efore reuse er tightly closed d place
2.3. Other hazards				
Other hazards not contributin classification	ig to the : Ris	k of explosion if heated under c	onfinement.	
2.4. Unknown acute to	oxicity (GHS US)			
lot applicable				
ECTION 3: Composi	tion/information on i	ngredients		
.1. Substance				
ubstance type	: Moi	no-constituent	L.	<u> </u>
Name		Product identifier	%	Classification (GHS-US)
Chloropentafluoroacetone (Main constituent)		(CAS No) 79-53-8	<= 100	Simple Asphy, H380 Liquefied gas, H280 Acute Tox. 3 (Oral), H301 Acute Tox. 2 (Dermal), H310 Acute Tox. 2 (Inhalation), H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
ull text of H-phrases: see se	ection 16			
.2. Mixture				
ot applicable				
ECTION 4: First aid I				
.1. Description of first-aid measures general	: In c	ase of accident or if you feel un are possible). Move the affected		<b>•</b> •
irst-aid measures after inha		nove person to fresh air and ke piration. Get immediate medical		ing. If not breathing, give artificial
irst-aid measures after skin		sh with plenty of soap and wate		
rst-aid measures after eye	tho	roughly with water for at least 1	5 minutes. Get immediate	
rst-aid measures after inge	give			ely. Do NOT induce vomiting. Never outh out with water. Get immediate
2. Most important sy	ymptoms and effects, bot	h acute and delayed		
ymptoms/injuries		e most important known sympton ) and/or in section 11.	ms and effects are descri	ibed in the labelling (see section
	lation : May			
Symptoms/injulies	2.2)			

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.
5.2. Special hazards arising from the subs	stance or mixture
Fire hazard	: Thermal decomposition generates: Carbon oxides. Hydrogen chloride. Hydrogen fluoride.
Explosion hazard	: Contains gas under pressure; may explode if heated. Use water spray or fog for cooling exposed containers.
5.3. Advice for firefighters	
Firefighting instructions	: In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.
Protection during firefighting	: Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".
<b>SECTION 6: Accidental release measu</b>	ures
6.1. Personal precautions, protective equi	ipment and emergency procedures
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. May cause suffocation by reducing oxygen available for breathing. Do not breathe gas, fumes, vapor or spray.
6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.
6.2. Environmental precautions	
Avoid release to the environment. Notify authoritie	s if product enters sewers or public waters.
6.3. Methods and material for containmen	t and cleaning up
For containment	: Stop leak if safe to do so.
Methods for cleaning up	: Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Pressurized container: Do not pierce or burn, even after use. Close valve after each use and when empty.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, gas, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.
Safe handling of the gas receptacle	: Securely chain cylinders when in use and protect against physical damage.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities
	: Comply with applicable regulations.
Storage conditions	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C. Keep container closed when not in use.
•	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area. Light sensitive.

# SECTION 8: Exposure controls/personal protection

#### 8.1. **Control parameters**

No additional information available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2.	Exposure controls	
Approp	oriate engineering controls	Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Systems under pressure should be regularily checked for leakage. Oxygen detectors should be used when asphyxiating gases may be released. Gas detectors should be used when toxic gases may be released.
Hand p	protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye pr	otection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin a	nd body protection	: Wear suitable protective clothing.
Respir	atory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Therm	al hazard protection	: Cold insulating gloves.
Other i	information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical ar	nd chemical properties
Physical state	: Gas
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 7.8 °C (@ 760 mm Hg)
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 182.477 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

## 9

Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 182.477 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
The product is stable at normal handling and sto	prage conditions.

#### 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. **Conditions to avoid**

Protect from sunlight. Do not expose to temperatures exceeding 50 °C. Keep away from heat, sparks and flame.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 10.5. **Incompatible materials**

# Strong bases. Strong oxidizing agents.

#### Hazardous decomposition products 10.6.

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

# SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

### Acute toxicity

: Oral: Toxic if swallowed. Dermal: Fatal in contact with skin. Inhalation: Fatal if inhaled.

Chloropentafluoroacetone (79-53-8)		
LC50 inhalation rat (ppm)	125 ppm (Exposure time: 3 h)	
ATE US (oral)	100.000 mg/kg body weight	
ATE US (dermal)	50.000 mg/kg body weight	
ATE US (gases)	100.000 ppmV/4h	
ATE US (vapors)	0.500 mg/l/4h	
ATE US (dust, mist)	0.050 mg/l/4h	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye damage.	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	
Symptoms/injuries after inhalation	: May cause drowsiness or dizziness.	

SECT	ION 12: Ecological information
12.1.	Toxicity
No addi	tional information available
12.2.	Persistence and degradability
No addi	tional information available
12.3.	Bioaccumulative potential
No addi	tional information available
12.4.	Mobility in soil
No addi	tional information available
12.5.	Other adverse effects

No additional information available

SECTION 13: Disposal considerat	ons
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.
SECTION 14: Transport information	

## **Department of Transportation (DOT)** In accordance with DOT Transport document description : UN3162 Liquefied gas, toxic, n.o.s. Inhalation Hazard Zone B, 2.3 5/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

UN-No.(DOT)	UN3162
Proper Shipping Name (DOT)	Liquefied gas, toxic, n.o.s. Inhalation Hazard Zone B
Transport hazard class(es) (DOT)	2.3 - Class 2.3 - Poisonous gas 49 CFR 173.115
Hazard labels (DOT)	2.3 - Poison gas
	INHALATION HAZARD
Dangerous for the environment	Yes
Marine pollutant	Yes
DOT Packaging Non Bulk (49 CFR 173.xxx)	304
OOT Packaging Bulk (49 CFR 173.xxx)	314;315
DOT Symbols	G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	<ul> <li>2 - This material is poisonous by inhalation (see 171.8 of this subchapter) in Hazard Zone B (see 173.116(a) or 173.133(a) of this subchapter), and must be described as an inhalation hazard under the provisions of this subchapter.</li> <li>B9 - Bottom outlets are not authorized.</li> <li>B14 - Each bulk packaging, except a tank car or a multi-unit-tank car tank, must be insulated with an insulating material so that the overall thermal conductance at 15.5 C (60 F) is no mor than 1.5333 kilojoules per hour per square meter per degree Celsius (0.075 Btu per hour per square foot per degree Fahrenheit) temperature differential. Insulating materials must not promote corrosion to steel when wet.</li> </ul>
DOT Packaging Exceptions (49 CFR 173.xxx)	None
DOT Quantity Limitations Passenger aircraft/rail 49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	Forbidden
DOT Vessel Stowage Location	D - The material must be stowed "on deck only" on a cargo vessel and on a passenger vesse carrying a number of passengers limited to not more than the larger of 25 passengers or one passenger per each 3 m of overall vessel length, but the material is prohibited on passenger vessels in which the limiting number of passengers is exceeded.
DOT Vessel Stowage Other	40 - Stow "clear of living quarters"
Other information	No supplementary information available.
DG	
No additional information available	
Fransport by sea	
JN-No. (IMDG)	3162
Proper Shipping Name (IMDG)	LIQUEFIED GAS, TOXIC, N.O.S.
Class (IMDG)	2 - Gases
Air transport	9409
JN-No. (IATA)	3162
Proper Shipping Name (IATA)	Liquefied gas, toxic, n.o.s.
Class (IATA)	2
SECTION 15: Regulatory information	
I5.1. US Federal regulations All components of this product are listed, or exc	ed from listing, on the United States Environmental Protection Agency Toxic
Substances Control Act (TSCA) inventory except	or:
Chloropentafluoroacetone	CAS No 79-53-8 100%

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

## 15.2. International regulations

**CANADA** 

No additional information available

### **EU-Regulations**

No additional information available

### National regulations

No additional information available

## 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

## **SECTION 16: Other information**

Full text of H-phrases:

Acute toxicity (dermal) Category 2
Acute toxicity (inhalation) Category 2
Acute toxicity (oral) Category 3
Hazardous to the aquatic environment - Acute Hazard Category 1
Hazardous to the aquatic environment - Chronic Hazard Category 1
Serious eye damage/eye irritation Category 1
Gases under pressure Liquefied gas
Simple Asphyxiant
Skin corrosion/irritation Category 2
Specific target organ toxicity (single exposure) Category 3
Contains gas under pressure; may explode if heated
Toxic if swallowed
Fatal in contact with skin
Causes skin irritation
Causes serious eye damage
Fatal if inhaled
May cause respiratory irritation
May displace oxygen and cause rapid suffocation
Very toxic to aquatic life
Very toxic to aquatic life with long lasting effects

### NFPA health hazard

: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.

NFPA fire hazard NFPA reactivity

- given. : 0 - Materials that will not burn.
- : 0 Normally stable, even under fire exposure conditions, and are not reactive with water.

HMIS III Rating Health

Flammability

Physical

- : 4 Severe Hazard Life-threatening, major or permanent damage may result from single or repeated overexposures
  - \* Chronic (long-term) health effects may result from repeated overexposure
- : 0 Minimal Hazard Materials that will not burn
- : 0 Minimal Hazard Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.

0

0