

Safety Data Sheet 2117701 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 10/12/2016 Version: 1.0

SECTION 1: Identification		
1.1. Identification		
Product form	: Substance	
Substance name	: 3-Chloro-1,1,1-trifluoroacetone	
CAS No	: 431-37-8	
Product code	: 2117-7-01	
Formula	: C3H2CIF3O	
Other means of identification	: MFCD01631508	
1.2. Relevant identified uses of the su	ubstance or mixture and uses advised against	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development	
1.3. Details of the supplier of the safe	ety data sheet	
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.		
1.4. Emergency telephone number	· (0.44) 500 4000 (0E Company) Account (00000)	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)	
SECTION 2: Hazard(s) identification	on	
2.1. Classification of the substance o		
Classification (GHS-US)		
Acute Tox. 4 (Dermal)H312 - Harmful inAcute Tox. 4 (Inhalation)H332 - Harmful inSkin Irrit. 2H315 - Causes sEye Dam. 1H318 - Causes s	in contact with skin if inhaled skin irritation serious eye damage	
Acute Tox. 4 (Dermal)H312 - Harmful inAcute Tox. 4 (Inhalation)H332 - Harmful inSkin Irrit. 2H315 - Causes sEye Dam. 1H318 - Causes sSTOT SE 3H335 - May cause	in contact with skin if inhaled skin irritation	
Acute Tox. 4 (Dermal)H312 - Harmful inAcute Tox. 4 (Inhalation)H332 - Harmful inSkin Irrit. 2H315 - Causes sEye Dam. 1H318 - Causes sSTOT SE 3H335 - May causFull text of H-phrases: see section 16	in contact with skin if inhaled skin irritation serious eye damage	
Acute Tox. 4 (Dermal)H312 - Harmful inAcute Tox. 4 (Inhalation)H332 - Harmful inSkin Irrit. 2H315 - Causes sEye Dam. 1H318 - Causes sSTOT SE 3H335 - May causFull text of H-phrases: see section 162.2.Label elements	in contact with skin if inhaled skin irritation serious eye damage	
Acute Tox. 4 (Dermal)H312 - Harmful inAcute Tox. 4 (Inhalation)H332 - Harmful inSkin Irrit. 2H315 - Causes sEye Dam. 1H318 - Causes sSTOT SE 3H335 - May causFull text of H-phrases: see section 162.2.Label elementsGHS-US labeling	in contact with skin if inhaled skin irritation serious eye damage	
Acute Tox. 4 (Dermal) H312 - Harmful in Acute Tox. 4 (Inhalation) H332 - Harmful in Skin Irrit. 2 H315 - Causes s Eye Dam. 1 H318 - Causes s STOT SE 3 H335 - May caus Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	in contact with skin if inhaled skin irritation serious eye damage	
Acute Tox. 4 (Dermal)H312 - Harmful inAcute Tox. 4 (Inhalation)H332 - Harmful inSkin Irrit. 2H315 - Causes sEye Dam. 1H318 - Causes sSTOT SE 3H335 - May causFull text of H-phrases: see section 162.2.Label elementsGHS-US labelingHazard pictograms (GHS-US)	in contact with skin if inhaled skin irritation serious eye damage se respiratory irritation : CHS02 CHS02 CHS05 CHS05 CHS05 CHS07 CHS07 CHS07	
Acute Tox. 4 (Dermal)H312 - Harmful inAcute Tox. 4 (Inhalation)H322 - Harmful inSkin Irrit. 2H315 - Causes sEye Dam. 1H318 - Causes sSTOT SE 3H335 - May causFull text of H-phrases: see section 162.2.Label elements	in contact with skin if inhaled skin irritation serious eye damage se respiratory irritation : : : : : : : : : : : : : : : : : : :	

3-Chloro-1,1,1-trifluoroacetone Safety Data Sheet

	P302+P352 - If or P303+P361+P353 skin with water/sh P304+P340 - If inl P305+P351+P338 lenses, if present P310 - Immediate P321 - Specific tra P330 - Rinse mou P332+P313 - If sk P362+P364 - Tak P370+P378 - In ca P403+P233 - Stor P403+P235 - Stor P405 - Store locke	a skin: Wash with plenty 3 - If on skin (or hair): Ta ower haled: Remove person to 3 - If in eyes: Rinse cauti and easy to do. Continue ly call a POISON CENTI eatment (see supplement th in irritation occurs: Get r e off contaminated clothing ase of fire: Use dry sand re in a well-ventilated plate re in a well-ventilated plate	of soap and wate ke off immediate o fresh air and ke ously with water e rinsing ER or doctor/ ph tal first aid instru- medical advice/a ing and wash it b l, dry chemical ou ice. Keep cool	ely all contaminated clothing. Rinse eep comfortable for breathing for several minutes. Remove contact ysician ictions on this label) ttention before reuse r alcohol-resistant foam to extinguish her tightly closed
2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
SECTION 3: Composition/information	on on ingredients			
3.1. Substance				
Substance type	: Mono-constituent			
Name	Product ic	lentifier	%	Classification (GHS-US)
3-Chloro-1,1,1-trifluoroacetone (Main constituent)	(CAS No) 43'	1-37-8	<= 100	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16	I		I	
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general		nt or if you feel unwell, se Move the affected persor		ce immediately (show the label he contaminated area.
First-aid measures after inhalation		o fresh air and keep com nmediate medical advice		thing. If not breathing, give artificial
First-aid measures after skin contact	: Wash with plenty medical advice/att		ove contaminate	d clothing and shoes. Get immediate
First-aid measures after eye contact		eyes thoroughly with wa to do. Continue rinsing.		5 minutes. Remove contact lenses, if nedical advice/attention.
First-aid measures after ingestion		omiting. Never give anyth tter. Get immediate med		an unconscious person. Rinse tion.
4.2. Most important symptoms and effe	ects, both acute and d	elayed		
Symptoms/injuries	: The most importa 2.2) and/or in sect		effects are desc	cribed in the labelling (see section
Symptoms/injuries after inhalation		ctive to tissue of the muc	uous membrane	es and upper respiratory tract. Cough,

4.3.	Indication of any immediate medical attention and special treatment needed
_	

Treat symptomatically.

SECT	ION 5: Firefighting measures	
5.1.	Extinguishing media	
Suitable	extinguishing media	: Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.

shortness of breath, headache, nausea.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.2. Special hazards arisin	Special hazards arising from the substance or mixture			
Fire hazard	: Thermal decomposition generates: Carbon oxides. Hydrogen chloride. Hydrogen fluoride.			
Explosion hazard	: Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers. May form flammable/explosive vapor-air mixture.			
5.3. Advice for firefighters				
Firefighting instructions	: In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.			
Protection during firefighting	: Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".			

SECT	ION 6: Accidental release meas	sures	
6.1.	Personal precautions, protective equipment and emergency procedures		
Genera	I measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.	
6.1.1.	For non-emergency personnel		
Emerge	ency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.	
6.1.2.	For emergency responders		
Protect	ive equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
Emerge	ency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.	
6.2.	Environmental precautions		
Avoid release to the environment. Notify authorities if product enters sewers or public waters.			
6.3.	Methods and material for containment and cleaning up		
-	talaan aat	Other leads if a standard and Dilla for an annual standard with an annual standard standard	

For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".

6.4. **Reference to other sections**

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includin	ng any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Moisture sensitive. Keep contents under inert gas.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage temperature	: 2 - 8 °C Use explosion proof refrigerator
Storage area	: Store in dry, well-ventilated area.

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	 In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and c	chemical properties
Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 71 - 72 °C
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.45 g/ml (@ 20 °C)
Molecular mass	: 146.50 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Refractive index	: 1.344 (@ 20 °C)

SECTION	DN 10: Stability and reactivity			
10.1.	Reactivity			
No additi	No additional information available			
10.2.	Chemical stability			
The prod	uct is stable at normal handling and storage conditions.			
10.3.	Possibility of hazardous reactions			
No additi	onal information available			
10.4.	Conditions to avoid			
Keep aw	ay from heat, sparks and flame.			
10.5.	Incompatible materials			
Strong a	sids. Strong oxidizing agents.			

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazardous decomposition products 10.6.

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Oral: Harmful if swallowed. Dermal: Harmful in contact with skin. Inhalation: Harmful if inhaled.
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECTION 12: Ecological information
I2.1. Toxicity
No additional information available
12.2. Persistence and degradability
No additional information available
12.3. Bioaccumulative potential
No additional information available
12.4. Mobility in soil
No additional information available
12.5. Other adverse effects
No additional information available

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.	
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Additional information	: Recycle the material as far as possible.	
SECTION 14: Transport informat	ion	

Department of Transportation (DOT) In accordance with DOT	
Transport document description	: UN1993 Flammable liquids, n.o.s., 3, III
UN-No.(DOT)	: UN1993
Proper Shipping Name (DOT)	: Flammable liquids, n.o.s.
Transport hazard class(es) (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard labels (DOT)	: 3 - Flammable liquid
	3
Packing group (DOT)	: III - Minor Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. B52 - Notwithstanding the provisions of 173.24b of this subchapter, non-reclosing pressure relief devices are authorized on DOT 57 portable tanks. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HD2, 31HD2 and 31HH2). Additional Requirement: Only liquids
	 with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T4 - 2.65 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
ſDG	
No additional information available	
Fransport by sea	
JN-No. (IMDG)	: 1993
Proper Shipping Name (IMDG)	: FLAMMABLE LIQUID, N.O.S.
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
JN-No. (IATA)	: 1993
Proper Shipping Name (IATA)	: Flammable liquid, n.o.s.
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Minor Danger
SECTION 15: Regulatory information	
15.1. US Federal regulations	

Substances Control Act (TSCA) inventory except for:

3-Chloro-1,1,1-trifluoroacetone	CAS No 431-37-8	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Acute toxicity (dermal) Category 4	
Acute toxicity (inhalation) Category 4	
Acute toxicity (oral) Category 4	
Serious eye damage/eye irritation Category 1	
Flammable liquids Category 3	
Skin corrosion/irritation Category 2	
Specific target organ toxicity (single exposure) Category 3	
Flammable liquid and vapor	
Harmful if swallowed	
Harmful in contact with skin	
Causes skin irritation	
Causes serious eye damage	
Harmful if inhaled	
May cause respiratory irritation	

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.