

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS ID: 2118307 Issue date: 08.02.2016 Revision date: 18.12.2023 Version: 1.1

SECTION 1: Identification	
1.1. Identification	
Product form Substance name CAS-No. Product code Formula Synonyms Other means of identification	 Substance 1,1,1,2,2,3,3-Heptafluoro-7,7-dimethyl-4,6-octanedione 17587-22-3 2118-3-07 C10H11F702 HFOD; 2,2-Dimethyl-6,6,7,7,8,8,8-Heptafluoro-3,5-octanedione MFCD00000435
1.2. Recommended use and restrictions on	use
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Supplier	
SynQuest Laboratories, Inc. Inc. P.O. Box 309 Alachua, FL, Alachua, 32615 United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mixt	ture
GHS US classification Flammable liquids Category 3 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Specific target organ toxicity – Single exposure, Cat Respiratory tract irritation Full text of H statements : see section 16	H226 Flammable liquid and vapor H315 Causes skin irritation H319 Causes serious eye irritation regory 3, H335 May cause respiratory irritation
2.2. GHS Label elements, including precau	tionary statements
GHS US labeling Hazard pictograms (GHS US)	

Signal word (GHS US) Hazard statements (GHS US) Warning
 H226 - Flammable liquid and vapor H315 - Causes skin irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	H319 - Causes serious eye irritation
	H335 - May cause respiratory irritation
Precautionary statements (GHS US)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
	P233 - Keep container tightly closed.
	P240 - Ground/Bond container and receiving equipment.
	P241 - Use explosion-proof electrical/ventilating/lighting equipment
	P242 - Use only non-sparking tools.
	P243 - Take precautionary measures against static discharge.
	P261 - Avoid breathing fumes, mist, spray, vapors.
	P264 - Wash skin thoroughly after handling
	P271 - Use only outdoors or in a well-ventilated area.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
	P302+P352 - If on skin: Wash with plenty of soap and water
	P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse
	skin with water/shower.
	P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P312 - Call a POISON CENTER or doctor/physician if you feel unwell
	P321 - Specific treatment (see supplemental first aid instructions on this label)
	P332+P313 - If skin irritation occurs: Get medical advice/attention.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
	P362+P364 - Take off contaminated clothing and wash it before reuse.
	P370+P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish
	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
	P403+P235 - Store in a well-ventilated place. Keep cool.
	P405 - Store locked up.
	P501 - Dispose of contents/container to an approved waste disposal plant

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Substance type

: Mono-constituent

Name	Product identifier	%	GHS US classification
1,1,1,2,2,3,3-Heptafluoro-7,7-dimethyl-4,6-octanedione (Main constituent)	CAS-No.: 17587-22-3	≤ 100	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get medical advice/attention.
First-aid measures after skin contact	: Wash with plenty of soap and water. Get medical advice/attention.
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get medical advice/attention.
4.2. Most important symptoms and effects (acute and delayed)
Symptoms/effects	: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures			
5.1. Suitable (and unsuitable) extinguishi	ng media		
Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.		
5.2. Specific hazards arising from the chemical			
Fire hazard Explosion hazard	 Thermal decomposition generates: Carbon oxides. Hydrogen fluoride. Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers. May form flammable/explosive vapor-air mixture. 		
5.3. Special protective equipment and pre	ecautions for fire-fighters		
Firefighting instructions Protection during firefighting	 In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection". 		

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective	equipment and emergency procedures	
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.	
6.1.1. For non-emergency personnel		
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.	
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion- proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.	
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
6.4. Reference to other sections		

No additional information available

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed Precautions for safe handling	 Handle empty containers with care because residual vapors are flammable. Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	g any incompatibilities
Technical measures Storage conditions Incompatible materials Storage area	 Comply with applicable regulations. Keep container closed when not in use. Keep away from ignition sources. Refer to Section 10 on Incompatible Materials. Store in dry, cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters	
1,1,1,2,2,3,3-Heptafluoro-7,7-dimethyl-4,6-oct	anedione (17587-22-3)
No additional information available	
8.2. Appropriate engineering controls	
Appropriate engineering controls :	Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
8.3. Individual protection measures/Personal	protective equipment
Hand protection:	
protective gloves. 29 CFR 1910.138: Hand Protection	
Eye protection:	
Chemical goggles or safety glasses. Face shield. 29 C	CFR 1910.133: Eye and Face Protection

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection

Personal protective equipment symbol(s):



Other information:

Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 46 – 47 °C (@ 5 mm Hg)
Flash point	: 53 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Density	: 1,273 g/ml (@ 25 °C)
Molecular mass	: 296,18 g/mol
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

Refractive index

: 1,379 (@ 20 °C)

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

0.2. Chemical stability
e product is stable at normal handling and storage conditions.
0.3. Possibility of hazardous reactions
additional information available
0.4. Conditions to avoid
ep away from heat, sparks and flame.
0.5. Incompatible materials
rong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects	: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability		
1,1,1,2,2,3,3-Heptafluoro-7,7-dimethyl-4,6-octanedione (17587-22-3)		
Persistence and degradability	Not readily biodegradable. May cause long-term adverse effects in the environment. PBT - Persistent, Bioaccumulative and Toxic.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

1,1,1,2,2,3,3-Heptafluoro-7,7-dimethyl-4,6-octanedione (17587-22-3)		
Bioaccumulative potential	Perfluorinated alkanes (PFAs, "forever chemicals") are long lasting, widely used chemicals tha break down slowly over time. The potential hazards of PFAs are under investigation and have not been established.	
12.4. Mobility in soil		
No additional information available		
12.5. Other adverse effects		
No additional information available		

SECTION 13: Disposal considerations	
13.1. Disposal methods	
Waste treatment methods Sewage disposal recommendations	 Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. See the EPA's Interim Guidance on PFAS Destruction and Disposal.
Product/Packaging disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information Ecology - waste materials	 Recycle the material as far as possible. This material is considered to be a "Forever chemical". Prevent any possible release to the
	environment. Do not discharge into drains. Take all necessary measures to prevent accidental
	discharge of products into drains and waterways due to the rupture of containers or transfer systems, or emergency response.

SECTION 14: Transport information	
14.1. UN number	
DOT NA No UN-No. (TDG) UN-No. (IMDG) UN-No. (IATA)	 UN1224 Not applicable 1224 1224
14.2. UN proper shipping name	
Proper Shipping Name (DOT) Proper Shipping Name (TDG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	 Ketones, liquid, n.o.s. Not applicable KETONES, LIQUID, N.O.S. Ketones, liquid, n.o.s.
14.3. Transport hazard class(es)	
DOT Transport hazard class(es) (DOT) Hazard labels (DOT)	: 3 : 3
TDG Transport hazard class(es) (TDG)	: Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

IMDG Transport hazard class(es) (IMDG) Hazard labels (IMDG)	: 3 : 3
IATA Transport hazard class(es) (IATA) Hazard labels (IATA)	$\begin{array}{c} 3 \\ \vdots \\ 3 \\ \end{array}$
14.4. Packing group	
Packing group (DOT) Packing group (TDG) Packing group (IMDG) Packing group (IATA)	: III : Not applicable : III : III
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
DOT UN-No.(DOT) DOT Special Provisions (49 CFR 172.102) DOT Packaging Exceptions (49 CFR 173.xxx) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49	 UN1224 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31H21 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T4 - 2.65 178.274(d)(2) Normal
CFR 175.75) DOT Vessel Stowage Location	 220 L A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TDG

No data available

IMDG	
Special provision (IMDG)	: 223, 274
Limited quantities (IMDG)	: 5L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS
EmS-No. (Spillage)	: S-D - SPILLAGE SCHEDULE Delta - FLAMMABLE LIQUIDS
Stowage category (IMDG)	: A
ΙΑΤΑ	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
Special provision (IATA)	: A3
ERG code (IATA)	: 3L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

CANADA

1,1,1,2,2,3,3-Heptafluoro-7,7-dimethyl-4,6-octanedione (17587-22-3)

Listed on the Canadian NDSL (Non-Domestic Substances List)

EU-Regulations

1,1,1,2,2,3,3-Heptafluoro-7,7-dimethyl-4,6-octanedione (17587-22-3)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

1,1,1,2,2,3,3-Heptafluoro-7,7-dimethyl-4,6-octanedione (17587-22-3)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date : 18.12.2023

Full text of H-p	hrases		
H226	Flammable liquid and vapor		
H315	Causes skin irritation	Causes skin irritation	
H319	Causes serious eye irritation		
H335	May cause respiratory irritation		
NFPA health haz NFPA fire hazaro NFPA reactivity		 3 - Materials that, under emergency conditions, can cause serious or permanent injury. 2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur. 0 - Material that in themselves are normally stable, even under fire conditions. 	
Hazard Rating Health Flammability		 2 Moderate Hazard - Temporary or minor injury may occur 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II IIIA) 	

: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Safety Data Sheet (SDS), USA

Physical