

Safety Data Sheet 2121302 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 05/24/2017 Version: 1.0

| SECTION 1: Identification | | | |
|---|---|--|---------------------------------------|
| | | | |
| | . Cultatanaa | | |
| Product form | : Substance | | |
| Substance name | : Trifluoroacetic acid, bioc | nemical grade | |
| CAS No | : 76-05-1 | | |
| Product code | : 2121-3-02 | | |
| Formula | : C2HF3O2 | | |
| Synonyms | : TFA; 2,2,2-Trifluoroetha | noic acid | |
| Other means of identification | : MFCD00004169 | | |
| 1.2. Relevant identified uses of | of the substance or mixture and uses | advised against | |
| Use of the substance/mixture | : Laboratory chemicals Manufacture of substand Scientific research and d | | |
| 1.3. Details of the supplier of | the safety data sheet | | |
| SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synqu | 7 <u>uestlabs.com</u> | | |
| 1.4. Emergency telephone nu | Imber | | |
| Emergency number | : (844) 523-4086 (3E Con | ipany - Account 10069) | |
| SECTION 2: Hazard(s) ident | tification | | |
| 2.1. Classification of the subs | | | |
| Classification (GHS-US) | | | |
| Skin Corr. 1A Eye Dam. 1 STOT SE 3 Aquatic Acute 3 | H332 - Harmful if inhaled H314 - Causes severe skin burns and H318 - Causes serious eye damage H335 - May cause respiratory irritation H402 - Harmful to aquatic life H412 - Harmful to aquatic life with long | | |
| | | | |
| 2.2. Label elements | | | |
| GHS-US labeling | | | |
| Hazard pictograms (GHS-US) | : GHS05 GH | 507 | |
| Signal word (GHS-US) | : Danger | | |
| Hazard statements (GHS-US) | H335 - May cause respi | kin burns and eye damage | |
| Precautionary statements (GHS-US) | P264 - Wash skin thorou P270 - Do not eat, drink P271 - Use only outdoor P273 - Avoid release to P280 - Wear protective P301+P312 - If swallow P301+P330+P331 - If sv P303+P361+P353 - If or skin with water/shower | ighly after handling or smoke when using this product s or in a well-ventilated area | you feel unwell ed clothing. Rinse |
| 05/24/2017 | EN (English US) | SDS ID: 2121302 | Page 1 |

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | lens P31/ P32 P33/ P36: P40: P40: P40: | 54P351+P338 - If in eyes: Rinse cau es, if present and easy to do. Continu continue <licontinue< li=""> continue continue continue<!--</th--><th>ue rinsing FER or doctor/ phy ntal first aid instruc re reuse ace. Keep contain</th><th>ctions on this label) er tightly closed</th></licontinue<> | ue rinsing FER or doctor/ phy ntal first aid instruc re reuse ace. Keep contain | ctions on this label) er tightly closed |
|---|---|--|---|---|
| 2.3. Other hazards | | | | |
| No additional information available | | | | |
| 2.4. Unknown acute toxicity (GHS U | JS) | | | |
| Not applicable | | | | |
| SECTION 3: Composition/inform | ation on i | ngredients | | |
| 3.1. Substance | | | | |
| Substance type | : Mon | o-constituent | | |
| Name | | Product identifier | % | Classification (GHS-US) |
| Trifluoroacetic acid, biochemical grade (Main constituent) | | (CAS No) 76-05-1 | <= 100 | Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 3, H402 Aquatic Chronic 3, H412 |
| Full text of H-phrases: see section 16 | | | | |
| 3.2. Mixture | | | | |
| Not applicable | | | | |
| SECTION 4: First aid measures | | | | |
| 4.1. Description of first aid measure | es | | | |
| First-aid measures general | | ase of accident or if you feel unwell, s re possible). Move the affected perso | | |
| First-aid measures after inhalation | | nove person to fresh air and keep cor iration. Get immediate medical advic | | hing. If not breathing, give artificial |
| First-aid measures after skin contact | med | h with plenty of soap and water. Ren ical advice/attention. | | - |
| First-aid measures after eye contact | pres | ediately flush eyes thoroughly with w ent and easy to do. Continue rinsing | . Get immediate m | edical advice/attention. |
| First-aid measures after ingestion | | NOT induce vomiting. Never give any th out with water. Get immediate me | | |
| 4.2. Most important symptoms and | effects, both | acute and delayed | | |
| Symptoms/injuries | | most important known symptoms an and/or in section 11. | d effects are desci | ibed in the labelling (see section |
| Symptoms/injuries after inhalation | | erial is destructive to tissue of the mu tness of breath, headache, nausea. | cuous membranes | and upper respiratory tract. Cough, |
| | edical attention | on and special treatment needed | | |
| Treat symptomatically. | | | | |
| SECTION 5: Firefighting measur | es | | | |
| 5.1. Extinguishing media | | hal maintant farm. Or days all with the | | |
| Suitable extinguishing media | | hol resistant foam. Carbon dioxide. E opriate for surrounding fire. | ory powder. Water | spray. Use extinguishing media |
| 5.2. Special hazards arising from the | | | | |
| Fire hazard | | mal decomposition generates: Carbo | , , | |
| | • Risk | of explosion if heated under confine | ment. Use water s | pray or fog for cooling exposed |
| Explosion hazard | | ainers. | | |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 5.3. Advice for firefighters | |
|---|---|
| Firefighting instructions | : In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. |
| Protection during firefighting | : Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection". |
| SECTION 6: Accidental release | se measures |
| 6.1. Personal precautions, prot | ective equipment and emergency procedures |
| General measures | : Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray. |
| 6.1.1. For non-emergency persor | nel |
| Emergency procedures | : Only qualified personnel equipped with suitable protective equipment may intervene. |
| 6.1.2. For emergency responders | 5 |
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures | : Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. |
| 6.2. Environmental precautions | 3 |
| Avoid release to the environment. Notif | y authorities if product enters sewers or public waters. |
| 6.3. Methods and material for c | ontainment and cleaning up |
| For containment | : Stop leak if safe to do so. Dike for recovery or absorb with appropriate material. |
| Methods for cleaning up | : Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area. |
| Other information | : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". |
| 6.4. Reference to other section | S |
| No additional information available | |
| SECTION 7: Handling and sto | brage |
| 7.1. Precautions for safe handli | ing |
| Precautions for safe handling | Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. |
| Hygiene measures | : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |
| 7.2. Conditions for safe storage | e, including any incompatibilities |
| Technical measures | : Comply with applicable regulations. |
| Storage conditions | : Keep container closed when not in use. Hygroscopic. Keep contents under inert gas. |
| Incompatible materials | : Refer to Section 10 on Incompatible Materials. |
| Storage area | : Store in dry, cool, well-ventilated area. |
| | |

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

| 8.2. Exposure controls | |
|----------------------------------|--|
| Appropriate engineering controls | : Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. |
| Hand protection | : Protective gloves. 29 CFR 1910.138: Hand Protection. |
| Eye protection | : Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection. |
| Skin and body protection | : Wear suitable protective clothing. |
| Respiratory protection | In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection. |
| Other information | : Safety shoes. 29 CFR 1910.136: Foot Protection. |
| | |

Trifluoroacetic acid, biochemical grade Safety Data Sheet

| SECTION 9: Physical and chemica | al properties |
|--|---|
| 0.1. Information on basic physical an | d chemical properties |
| Physical state | : Liquid |
| Color | : No data available |
| Ddor | : No data available |
| Odor threshold | : No data available |
| Н | : No data available |
| <i>I</i> leting point | : -15.4 °C |
| Freezing point | : No data available |
| Boiling point | : 72.4 °C |
| lash point | : No data available |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| lammability (solid, gas) | : No data available |
| Explosion limits | : No data available |
| Explosive properties | : No data available |
| Dxidizing properties | : No data available |
| /apor pressure | : 97.5 mm Hg (@ 20 °C) |
| Relative density | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Specific gravity / density | : 1.489 g/ml (@ 20 °C) |
| Aolecular mass | : 114.02 g/mol |
| Solubility | : No data available |
| og Pow | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| /iscosity | : No data available |
| /iscosity, kinematic | : No data available |
| iscosity, dynamic | : No data available |
| 0.2. Other information | |
| Refractive index | : 1.385 (@ 25 °C) |
| SECTION 10: Stability and reactiv | ity |
| 0.1. Reactivity | |
| xothermically soluble in water. Reacts viole | ntly with: Alkali metals. |
| 0.2. Chemical stability | |
| he product is stable at normal handling and | storage conditions. |
| 0.3. Possibility of hazardous reaction | IS |
| No additional information available | |
| 0.4. Conditions to avoid | |
| Keep away from heat, sparks and flame. | |
| 0.5. Incompatible materials | |
| | ded metals (Al, Mg, Zn). Steel. Oxidizing agents. Strong bases. Strong oxidizing agents. |
| 0.6. Hazardous decomposition produ | Icts |
| | hazardous decomposition products should not be produced. Hazardous decomposition products in case |

| SECTION 11: Toxicological information | | | |
|--|---|--|--|
| 11.1. Information on toxicological effects | | | |
| Acute toxicity | : Oral: Harmful if swallowed. Inhalation:dust,mist: Harmful if inhaled. | | |
| Skin corrosion/irritation Serious eye damage/irritation | Causes severe skin burns and eye damage.Causes serious eye damage. | | |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Respiratory or skin sensitization | : Not classified |
|--|---|
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| Specific target organ toxicity (single exposure) | : May cause respiratory irritation. |
| Specific target organ toxicity (repeated exposure) | : Not classified |
| Aspiration hazard | : Not classified |
| Symptoms/injuries after inhalation | : Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea. |

| SECT | ON 12: Ecological information |
|---------|-------------------------------|
| 12.1. | Toxicity |
| No addi | tional information available |
| 12.2. | Persistence and degradability |
| No addi | tional information available |
| 12.3. | Bioaccumulative potential |
| No addi | tional information available |
| 12.4. | Mobility in soil |
| No addi | tional information available |
| 12.5. | Other adverse effects |

No additional information available

| SECTION 13: Disposal considerat | tions |
|--|---|
| 13.1. Waste treatment methods | |
| Waste treatment methods | : Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. |
| Waste disposal recommendations | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Additional information | : Recycle the material as far as possible. |
| SECTION 14: Transport information | on |

Department of Transportation (DOT)

| Department of Transportation (DC |
|----------------------------------|
| In accordance with DOT |
| Transport document description |

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx)

- : UN2699 Trifluoroacetic acid, 8, I
- : UN2699
- : Trifluoroacetic acid
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



- : I Great Danger
- : 201
- : 243

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| DOT Special Provisions (49 CFR 172.102) | A3 - For combination packaging, if glass inner packaging (including ampoules) are used, they must be packed with absorbent material in tightly closed metal receptacles before packing in outer packaging. A6 - For combination packaging, if plastic inner packaging are used, they must be packed in tightly closed metal receptacles before packing in outer packaging. A7 - Steel packaging must be corrosion-resistant or have protection against corrosion. B4 - MC 300, MC 301, MC 302, MC 303, MC 305, and MC 306 and DOT 406 cargo tanks are not authorized. N3 - Glass inner packaging are permitted in combination or composite packaging only if the hazardous material is free from hydrofluoric acid. N34 - Aluminum construction materials are not authorized for any part of a packaging which is normally in contact with the hazardous material. N36 - Aluminum or aluminum alloy construction materials are permitted only for halogenated hydrocarbons that will not react with aluminum. T10 - 4 6 mm Prohibited 178.275(g)(3). TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (ff) and the maximum mean bulk temperature during tilling (ff) and the maximum mean bulk temperature during tilling (ff) and the maximum mean bulk temperature during filling (ff) and the maximum mean bulk temperature of the liquid at 15 C (59 F) and 50 C (122 F), respectively. TP12 - This material is considered highly corrosive to steel. |
|---|--|
| DOT Packaging Exceptions (49 CFR 173.xxx) | : None |
| DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) | |
| DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) | : 2.5 L |
| DOT Vessel Stowage Location | : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded. |
| DOT Vessel Stowage Other | : 12 - Keep as cool as reasonably practicable,40 - Stow "clear of living quarters" |
| Emergency Response Guide (ERG) Number | : 154 |
| Other information | : No supplementary information available. |
| TDG | |
| No additional information available | |
| Transport by sea | |
| UN-No. (IMDG) | : 2699 |
| Proper Shipping Name (IMDG) | : TRIFLUOROACETIC ACID |
| Class (IMDG) | : 8 - Corrosive substances |
| Packing group (IMDG) | : I - substances presenting high danger |
| Air transport | |
| UN-No. (IATA) | : 2699 |
| Proper Shipping Name (IATA) | : Trifluoroacetic acid |
| Class (IATA) | : 8 - Corrosives |
| Packing group (IATA) | : I - Great Danger |
| SECTION 15: Regulatory information | |
| 15.1. US Federal regulations | |
| Trifluoroacetic acid, biochemical grade (76-0 | 5-1) |

Listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations

CANADA

Trifluoroacetic acid, biochemical grade (76-05-1)

Listed on the Canadian DSL (Domestic Sustances List)

EU-Regulations

No additional information available

National regulations

Trifluoroacetic acid, biochemical grade (76-05-1)

Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIOC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

| 15.3. US State regulations | |
|--|---|
| Trifluoroacetic acid, biochemical grade (76-05-1 | |
| State or local regulations | U.S New Jersey - Right to Know Hazardous Substance List |

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

| Acute toxicity (inhalation:dust,mist) Category 4 |
|--|
| Acute toxicity (oral) Category 4 |
| Hazardous to the aquatic environment - Acute Hazard Category 3 |
| Hazardous to the aquatic environment - Chronic Hazard Category 3 |
| Serious eye damage/eye irritation Category 1 |
| Skin corrosion/irritation Category 1A |
| Specific target organ toxicity (single exposure) Category 3 |
| Harmful if swallowed |
| Causes severe skin burns and eye damage |
| Causes serious eye damage |
| Harmful if inhaled |
| May cause respiratory irritation |
| Harmful to aquatic life |
| Harmful to aquatic life with long lasting effects |
| |

NFPA health hazard

NFPA fire hazard

NFPA reactivity

: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.

: 0 - Materials that will not burn.

: 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.



Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| HMIS III Rating | |
|-----------------|--|
| Health | : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given |
| | * - Chronic (long-term) health effects may result from repeated overexposure |
| Flammability | : 0 Minimal Hazard - Materials that will not burn |
| Physical | : 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors. |

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.