

SECTION 1: Identification

1.1. Identification

| | |
|-------------------------------|--|
| Product form | : Substance |
| Substance name | : 11H-Eicosfluoroundecanoic acid |
| CAS-No. | : 1765-48-6 |
| Product code | : 2121-3-27 |
| Formula | : C11H2F20O2 |
| Synonyms | : 11H-Perfluoroundecanoic acid; 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11-Eicosfluoroundecanoic acid |
| Other means of identification | : MFCD00042431 |

1.2. Recommended use and restrictions on use

| | |
|------------------------------|--|
| Use of the substance/mixture | : Laboratory chemicals Manufacture of substances Scientific research and development |
|------------------------------|--|

1.3. Supplier

SynQuest Laboratories, Inc. Inc.
 P.O. Box 309
 Alachua, FL, Alachua, 32615
 United States of America
 T (386) 462-0788 - F (386) 462-7097
info@synquestlabs.com - www.synquestlabs.com

1.4. Emergency telephone number

| | |
|------------------|---|
| Emergency number | : (844) 523-4086 (3E Company - Account 10069) |
|------------------|---|

SECTION 2: Hazard(s) identification


2.1. Classification of the substance or mixture

GHS US classification

| | | |
|---|------|---|
| Acute toxicity (oral) Category 4 | H302 | Harmful if swallowed |
| Skin corrosion/irritation Category 1B | H314 | Causes severe skin burns and eye damage |
| Serious eye damage/eye irritation Category 1 | H318 | Causes serious eye damage |
| Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation | H335 | May cause respiratory irritation |
| Full text of H statements : see section 16 | | |

2.2. GHS Label elements, including precautionary statements

GHS US labeling

| | |
|----------------------------|---|
| Hazard pictograms (GHS US) | :  |
| Signal word (GHS US) | : Danger |
| Hazard statements (GHS US) | : H302 - Harmful if swallowed H314 - Causes severe skin burns and eye damage |

11H-Eicosafuoroundecanoic acid

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | |
|-----------------------------------|--|
| Precautionary statements (GHS US) | H318 - Causes serious eye damage H335 - May cause respiratory irritation : P260 - Do not breathe dust, mist, spray. P264 - Wash skin thoroughly after handling P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 - If swallowed: Call a POISON CENTER or doctor/ physician if you feel unwell P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting. P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/ physician P321 - Specific treatment (see supplemental first aid instructions on this label) P330 - Rinse mouth. P363 - Wash contaminated clothing before reuse. P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up. P501 - Dispose of contents/container to an approved waste disposal plant |
|-----------------------------------|--|

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Substance type : Mono-constituent

| Name | Product identifier | % | GHS US classification |
|--|--------------------|-------|---|
| 11H-Eicosafuoroundecanoic acid (Main constituent) | CAS-No.: 1765-48-6 | ≤ 100 | Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 |

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures

Not applicable

SECTION 4: First-aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures general | : In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention. |
| First-aid measures after skin contact | : Wash with plenty of soap and water. Remove contaminated clothing and shoes. Get immediate medical advice/attention. |

11H-Eicosfluoroundecanoic acid

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | |
|--------------------------------------|---|
| First-aid measures after eye contact | : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention. |
| First-aid measures after ingestion | : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention. |

4.2. Most important symptoms and effects (acute and delayed)

| | |
|-----------------------------------|---|
| Symptoms/effects | : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11. |
| Symptoms/effects after inhalation | : Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea. |

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

| | |
|------------------------------|--|
| Suitable extinguishing media | : Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire. |
|------------------------------|--|

5.2. Specific hazards arising from the chemical

| | |
|-------------|--|
| Fire hazard | : Thermal decomposition generates: Carbon oxides. Hydrogen fluoride. |
|-------------|--|

5.3. Special protective equipment and precautions for fire-fighters

| | |
|--------------------------------|--|
| Firefighting instructions | : In case of fire: Evacuate area. |
| Protection during firefighting | : Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection". |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| | |
|------------------|---|
| General measures | : Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe dust. |
|------------------|---|

6.1.1. For non-emergency personnel

| | |
|----------------------|---|
| Emergency procedures | : Only qualified personnel equipped with suitable protective equipment may intervene. |
|----------------------|---|

6.1.2. For emergency responders

| | |
|----------------------|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
|----------------------|---|

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

| | |
|-------------------------|--|
| For containment | : Stop leak if safe to do so. |
| Methods for cleaning up | : Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust. |
| Other information | : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". |

6.4. Reference to other sections

No additional information available

11H-Eicosfluoroundecanoic acid

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Comply with applicable regulations.
- Storage conditions : Keep container closed when not in use.
- Incompatible materials : Refer to Section 10 on Incompatible Materials.
- Storage area : Store in dry, cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

11H-Eicosfluoroundecanoic acid (1765-48-6)

No additional information available

8.2. Appropriate engineering controls

- Appropriate engineering controls : Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

protective gloves. 29 CFR 1910.138: Hand Protection

Eye protection:

Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection

Personal protective equipment symbol(s):



Other information:

Safety shoes. 29 CFR 1910.136: Foot Protection.

11H-Eicosaflluoroundecanoic acid

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|---------------------|
| Physical state | : Solid |
| Color | : No data available |
| Odor | : No data available |
| Odor threshold | : No data available |
| pH | : No data available |
| Melting point | : 102 – 104 °C |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapor pressure | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Relative density | : No data available |
| Molecular mass | : 546,1 g/mol |
| Solubility | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosion limits | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

11H-Eicosfluoroundecanoic acid

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

| 11H-Eicosfluoroundecanoic acid (1765-48-6) | |
|--|-----------------------|
| LD50 oral rat | 518 mg/kg |
| ATE US (oral) | 518 mg/kg body weight |

Skin corrosion/irritation : Causes severe skin burns.
Serious eye damage/irritation : Causes serious eye damage.
Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : May cause respiratory irritation.
STOT-repeated exposure : Not classified
Aspiration hazard : Not classified
Viscosity, kinematic : No data available
Symptoms/effects : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.
Symptoms/effects after inhalation : Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

| 11H-Eicosfluoroundecanoic acid (1765-48-6) | |
|--|---|
| Persistence and degradability | Not readily biodegradable. May cause long-term adverse effects in the environment. PBT - Persistent, Bioaccumulative and Toxic. |

12.3. Bioaccumulative potential

| 11H-Eicosfluoroundecanoic acid (1765-48-6) | |
|--|---|
| Bioaccumulative potential | Perfluorinated alkanes (PFAs, "forever chemicals") are long lasting, widely used chemicals that break down slowly over time. The potential hazards of PFAs are under investigation and have not been established. |

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

11H-Eicosaflluoroundecanoic acid

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerations

13.1. Disposal methods

| | |
|--|---|
| Waste treatment methods | : Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. |
| Sewage disposal recommendations | : See the EPA's Interim Guidance on PFAS Destruction and Disposal. |
| Product/Packaging disposal recommendations | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Additional information | : Recycle the material as far as possible. |
| Ecology - waste materials | : This material is considered to be a "Forever chemical". Prevent any possible release to the environment. Do not discharge into drains. Take all necessary measures to prevent accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems, or emergency response. |

SECTION 14: Transport information

14.1. UN number

| | |
|---------------|------------------|
| DOT NA No | : UN3261 |
| UN-No. (TDG) | : Not applicable |
| UN-No. (IMDG) | : 3261 |
| UN-No. (IATA) | : 3261 |

14.2. UN proper shipping name

| | |
|-----------------------------|--|
| Proper Shipping Name (DOT) | : Corrosive solid, acidic, organic, n.o.s. |
| Proper Shipping Name (TDG) | : Not applicable |
| Proper Shipping Name (IMDG) | : CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. |
| Proper Shipping Name (IATA) | : Corrosive solid, acidic, organic, n.o.s. |

14.3. Transport hazard class(es)

DOT

| | |
|----------------------------------|-----|
| Transport hazard class(es) (DOT) | : 8 |
| Hazard labels (DOT) | : 8 |



TDG

| | |
|----------------------------------|------------------|
| Transport hazard class(es) (TDG) | : Not applicable |
|----------------------------------|------------------|

IMDG

| | |
|-----------------------------------|-----|
| Transport hazard class(es) (IMDG) | : 8 |
| Hazard labels (IMDG) | : 8 |



IATA

| | |
|-----------------------------------|-----|
| Transport hazard class(es) (IATA) | : 8 |
| Hazard labels (IATA) | : 8 |

11H-Eicosfluoroundecanoic acid

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations



14.4. Packing group

| | |
|----------------------|------------------|
| Packing group (DOT) | : II |
| Packing group (TDG) | : Not applicable |
| Packing group (IMDG) | : II |
| Packing group (IATA) | : II |

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

DOT

| | |
|--|--|
| UN-No.(DOT) | : UN3261 |
| DOT Special Provisions (49 CFR 172.102) | : IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle. IP4 - Flexible, fiberboard or wooden IBCs must be sift-proof and water-resistant or be fitted with a sift-proof and water-resistant liner. T3 - 2.65 178.274(d)(2) Normal..... 178.275(d)(2) TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter. |
| DOT Packaging Exceptions (49 CFR 173.xxx) | : 154 |
| DOT Packaging Non Bulk (49 CFR 173.xxx) | : 212 |
| DOT Packaging Bulk (49 CFR 173.xxx) | : 240 |
| DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) | : 15 kg |
| DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) | : 50 kg |
| DOT Vessel Stowage Location | : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded. |

TDG

No data available

IMDG

| | |
|----------------------------|--------|
| Special provision (IMDG) | : 274 |
| Limited quantities (IMDG) | : 1 kg |
| Excepted quantities (IMDG) | : E2 |

11H-Eicosfluoroundecanoic acid

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | |
|---------------------------------|--|
| Packing instructions (IMDG) | : P002 |
| IBC packing instructions (IMDG) | : IBC08 |
| IBC special provisions (IMDG) | : B21, B4 |
| Tank instructions (IMDG) | : T3 |
| Tank special provisions (IMDG) | : TP33 |
| EmS-No. (Fire) | : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE |
| EmS-No. (Spillage) | : S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES |
| Stowage category (IMDG) | : B |

IATA

| | |
|--|------------|
| PCA Excepted quantities (IATA) | : E2 |
| PCA Limited quantities (IATA) | : Y844 |
| PCA limited quantity max net quantity (IATA) | : 5kg |
| PCA packing instructions (IATA) | : 859 |
| PCA max net quantity (IATA) | : 15kg |
| CAO packing instructions (IATA) | : 863 |
| CAO max net quantity (IATA) | : 50kg |
| Special provision (IATA) | : A3, A803 |
| ERG code (IATA) | : 8L |

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

CANADA

11H-Eicosfluoroundecanoic acid (1765-48-6)

Listed on the Canadian NDSL (Non-Domestic Substances List)

EU-Regulations

11H-Eicosfluoroundecanoic acid (1765-48-6)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

11H-Eicosfluoroundecanoic acid (1765-48-6)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 18.12.2023

11H-Eicosaflluoroundecanoic acid

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Full text of H-phrases | |
|------------------------|---|
| H302 | Harmful if swallowed |
| H314 | Causes severe skin burns and eye damage |
| H318 | Causes serious eye damage |
| H335 | May cause respiratory irritation |

NFPA health hazard


: 3 - Materials that, under emergency conditions, can cause serious or permanent injury.

NFPA fire hazard

: 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.

NFPA reactivity

: 0 - Material that in themselves are normally stable, even under fire conditions.



Hazard Rating

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given

Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Safety Data Sheet (SDS), USA