

2,2-Difluoropropionic acid Safety Data Sheet 2121352 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 01/07/2015 Version: 1.0

SECTION 1: Identification			
1.1. Identification			
Product form	: Substance		
Substance name			
CAS No	: 2,2-Difluoropropionic acid : 373-96-6		
Product code	: 2121-3-52		
Formula	: C3H4F2O2		
Other means of identification	: MFCD03093764		
1.2. Relevant identified uses of the subs		vised against	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and dev	elopment	
1.3. Details of the supplier of the safety	data sheet		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com	<u>n</u>		
1.4. Emergency telephone number			
Emergency number	: (844) 523-4086 (3E Compa	ny - Account 10069)	
SECTION 2: Hazard(s) identification			
2.1. Classification of the substance or m	nixture		
Classification (GHS-US)			
Flam. Sol. 1H228 - Flammable solidSkin Corr. 1BH314 - Causes severe skin burEye Dam. 1H318 - Causes serious eye darSTOT SE 3H335 - May cause respiratory iFull text of H-phrases: see section 16	nage		
2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)	: GHS02 GHS05	GHS07	
Signal word (GHS-US)	: Danger		
Hazard statements (GHS-US)	: H228 - Flammable solid H314 - Causes severe skin H335 - May cause respirato		
Precautionary statements (GHS-US)	 P210 - Keep away from hea P240 - Ground/bond contai P241 - Use explosion-proof P260 - Do not breathe dust P264 - Wash skin thorough P271 - Use only outdoors of P280 - Wear protective glov P301+P330+P331 - If swall P303+P361+P353 - If on sl skin with water/shower P304+P340 - If inhaled: Re P305+P351+P338 - If in ey lenses, if present and easy P310 - Immediately call a P 	At/sparks/open flames/hot surfaces. No smoking ner and receiving equipment electrical/ventilating/lighting equipment (fume/gas/mist/vapors/spray ly after handling r in a well-ventilated area res/protective clothing/eye protection/face protection owed: rinse mouth. Do NOT induce vomiting cin (or hair): Take off immediately all contaminated c move person to fresh air and keep comfortable for b es: Rinse cautiously with water for several minutes. to do. Continue rinsing OISON CENTER or doctor/ physician see supplemental first aid instructions on this label)	lothing. Rinse reathing
12/06/2016	EN (English US)	SDS ID: 2121352	Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P370+P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish
P403+P233 - Store in a well-ventilated place. Keep container tightly closed
P405 - Store locked up

P501 - Dispose of contents/container to an approved waste disposal plant

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Substance type : Mono-constituent

Name	Product identifier	%	Classification (GHS-US)
2,2-Difluoropropionic acid (Main constituent)	(CAS No) 373-96-6	<= 100	Flam. Sol. 1, H228 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16			
3.2. Mixture			
Not applicable			
SECTION 4: First aid measures			
1.1. Description of first aid measures	5		
First-aid measures general	: In case of accident or if you feel unw where possible). Move the affected p		
First-aid measures after inhalation	: Remove person to fresh air and keep respiration. Get immediate medical a		thing. If not breathing, give artificial
First-aid measures after skin contact	: Wash with plenty of soap and water. medical advice/attention.	Remove contaminate	d clothing and shoes. Get immediate
First-aid measures after eye contact	: Immediately flush eyes thoroughly win present and easy to do. Continue ring		
First-aid measures after ingestion	: Do NOT induce vomiting. Never give mouth out with water. Get immediate		
1.2. Most important symptoms and e	ffects, both acute and delayed		
Symptoms/injuries	: The most important known symptoms 2.2) and/or in section 11.	s and effects are desc	ribed in the labelling (see section
Symptoms/injuries after inhalation	: Material is destructive to tissue of the shortness of breath, headache, naus		es and upper respiratory tract. Cough
4.3. Indication of any immediate med	lical attention and special treatment need	ed	
Freat symptomatically.			
SECTION 5: Firefighting measure	S		
5.1. Extinguishing media			
Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxid appropriate for surrounding fire.	de. Dry powder. Wate	r spray. Use extinguishing media
5.2. Special hazards arising from the	substance or mixture		
Fire hazard	: Thermal decomposition generates: C	arbon oxides. Hydrog	jen fluoride.
Explosion hazard	: When mixed with air and exposed to explode if confined.	an ignition source, du	ist may burn in the open air or
5.3. Advice for firefighters			
Firefighting instructions	: In case of fire: Evacuate area. Fight f	fire remotely due to th	e risk of explosion.
Protection during firefighting	: Wear gas tight chemically protective apparatus. For further information ref		
SECTION 6: Accidental release m	easures		
6.1. Personal precautions, protective	e equipment and emergency procedures		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1. For non-emergency personnel		
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Avoid raising dust. When mixed with air and exposed to an ignition source, dust may burn in the open air or explode if confined. Eliminate every possible source of ignition.	
6.2. Environmental precautions		

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containn		ment and cleaning up
For con	tainment	: Stop leak if safe to do so.
Method	s for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.
Other ir	formation	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4.	Reference to other sections	

No additional information available

SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Additional hazards when processed	: When mixed with air and exposed to an ignition source, dust may burn in the open air or explode if confined.		
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.		
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, including	ng any incompatibilities		
Technical measures	: Comply with applicable regulations.		
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Hygroscopic. Keep contents under inert gas.		
Incompatible materials	: Refer to Section 10 on Incompatible Materials.		
Storage area	: Store in dry, cool, well-ventilated area.		

SECTI	SECTION 8: Exposure controls/personal protection			
8.1.	Control parameters			
No additi	ional information available			
8.2.	Exposure controls			
Appropria	ate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.		

Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	 In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1.	Information on basic phys	ical and chemical properties
Physica	I state	: Solid
Appeara	ance	: Low melting solid.
Color		: No data available
Odor		: No data available
Odor th	reshold	: No data available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

рН	:	No data available
Melting point	:	38 - 44 °C
Freezing point	:	No data available
Boiling point	:	140 - 141 °C
Flash point	:	65 °C
Relative evaporation rate (butyl acetate=1)	:	No data available
Flammability (solid, gas)	:	No data available
Explosion limits	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available
Vapor pressure	:	No data available
Relative density	:	No data available
Relative vapor density at 20 °C	:	No data available
Molecular mass	:	110.06 g/mol
Solubility	:	No data available
Log Pow	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available

9.2. **Other information**

No additional information available

SECTION 10: Stability and reactivity				
10.1. Reactivity				
No additional information available				
10.2. Chemical stability				
The product is stable at normal handling and storage conditions.				
10.3. Possibility of hazardous reactions				
No additional information available				
10.4. Conditions to avoid				
Keep away from heat, sparks and flame.				
10.5. Incompatible materials				
Bases. Strong oxidizing agents.				
10.6. Hazardous decomposition products				
Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.				
SECTION 11: Toxicological information				

11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Skin corrosion/irritation Serious eye damage/irritation	Causes severe skin burns and eye damage.Causes serious eye damage.
Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity	 Not classified Not classified Not classified
Reproductive toxicity Specific target organ toxicity (single exposure)	: Not classified : May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- Aspiration hazard : Not classified
 - Symptoms/injuries after inhalation

: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECT	ION 12: Ecological information
12.1.	Toxicity
No add	itional information available
12.2.	Persistence and degradability
No add	itional information available
12.3.	Bioaccumulative potential
No add	itional information available
12.4.	Mobility in soil
No add	itional information available
12.5.	Other adverse effects

No additional information available

SECTION 13: Disposal considerations				
13.1. Waste treatment methods				
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.			
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.			
Additional information	: Recycle the material as far as possible.			

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

Proper Shipping Name (DOT)

Transport hazard class(es) (DOT)

UN-No.(DOT)

Hazard labels (DOT)

: UN3261 Corrosive solid, acidic, organic, n.o.s., 8, III

- : UN3261
- : Corrosive solid, acidic, organic, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols

: III - Minor Danger

: 213

- : 240
- : G Identifies PSN requiring a technical name

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	 IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner. T1 - 1.5 178.274(d)(2) Normal 178.275(d)(2) TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 154
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 25 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 100 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3261
Proper Shipping Name (IMDG)	: CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 3261
Proper Shipping Name (IATA)	: Corrosive solid, acidic, organic, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger
SECTION 15: Regulatory information	
15.1. US Federal regulations	

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

2,2-Difluoropropionic acid

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

CAS No 373-96-6

15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

National regulations No additional information available 100%

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Γ	Eye Dam. 1	Serious eye damage/eye irritation Category 1
	Flam. Sol. 1	Flammable solids Category 1
Skin Corr. 1B		Skin corrosion/irritation Category 1B
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3
	H228	Flammable solid
	H314	Causes severe skin burns and eye damage
	H318	Causes serious eye damage
	H335	May cause respiratory irritation
NFPA fire hazard		 given. 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur. 1 - Normally stable, but can become unstable at elevated
	-	temperatures and pressures or may react with water with some release of energy, but not violently.
HMIS II	rating	
Health		: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability		 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)
Physical		: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.