

Safety Data Sheet 2121364 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 11/11/2015 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: 4,4,4-Trifluoro-2,2-dimethylbutyric acid
CAS No	: 939399-07-2
Product code	: 2121-3-64
Formula	: C6H9F3O2
Other means of identification	: MFCD09998070
1.2. Relevant identified uses of the substa	ance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the safety da	ata sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mix	xture
Classification (GHS-US)	
STOT SE 3 H335 - May cause respiratory irri Full text of H-phrases: see section 16 2.2. Label elements	itation
GHS-US labeling	
Hazard pictograms (GHS-US)	CHS05 CHS07
o ()	: Danger
Hazard statements (GHS-US)	: H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation
Precautionary statements (GHS-US)	 P260 - Do not breathe fumes, mist, spray, vapors P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/ physician P321 - Specific treatment (see supplemental first aid instructions on this label) P363 - Wash contaminated clothing before reuse P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up P501 - Dispose of contents/container to an approved waste disposal plant

4,4,4-Trifluoro-2,2-dimethylbutyric acid Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulation

77 No. 58 / Monday, March 26, 2012 / Rules and Regulations а

cording to Federal Register / Vol. 77, N	o. 58 / Monday, March 26	, 2012 / Rules and Regulations		
2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity	(GHS US)			
Not applicable				
SECTION 3: Composition/	information on ir	ngredients		
3.1. Substance				
Substance type	: Mon	o-constituent		
Name		Product identifier	%	Classification (GHS-US)
4,4,4-Trifluoro-2,2-dimethylbutyric acio (Main constituent)	3	(CAS No) 939399-07-2	<= 100	Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section	16		·	
3.2. Mixture				
Not applicable				
SECTION 4: First aid meas	sures			
4.1. Description of first aid	measures			
First-aid measures general	wher	se of accident or if you feel un e possible). Move the affected	personnel away from the	e contaminated area.
First-aid measures after inhalation	resp	ration. Get immediate medical	advice/attention.	ning. If not breathing, give artificial
First-aid measures after skin conta		h with plenty of soap and wate cal advice/attention.	r. Remove contaminated	clothing and shoes. Get immediate
First-aid measures after eye contac		ediately flush eyes thoroughly ent and easy to do. Continue r		minutes. Remove contact lenses, if edical advice/attention.
First-aid measures after ingestion		: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.		
4.2. Most important sympto	ms and effects, both	acute and delayed		
Symptoms/injuries : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.				
Symptoms/injuries after inhalation		rial is destructive to tissue of t tness of breath, headache, nau		and upper respiratory tract. Cough,
4.3. Indication of any imme	diate medical attentio	on and special treatment nee	ded	
Treat symptomatically.				
SECTION 5: Firefighting m	neasures			
5.1. Extinguishing media				
Suitable extinguishing media		hol resistant foam. Carbon dio: opriate for surrounding fire.	xide. Dry powder. Water	spray. Use extinguishing media
5.2. Special hazards arising	from the substance	or mixture		
Fire hazard	: Ther	mal decomposition generates:	Carbon oxides. Hydroge	en fluoride.
Explosion hazard		of explosion if heated under co ainers.	onfinement. Use water s	oray or fog for cooling exposed
5.3. Advice for firefighters				
Firefighting instructions	: In ca	se of fire: Evacuate area. Figh	t fire remotely due to the	risk of explosion.
Protection during firefighting	: Wea appa	r gas tight chemically protectiv iratus. For further information r	e clothing in combination refer to section 8: "Expos	with self contained breathing ure controls/personal protection".
SECTION 6: Accidental re	lease measures			
6.1. Personal precautions,	protective equipment	and emergency procedures		
6.1.1. For non-emergency per	rsonnel			
No additional information available				
6.1.2. For emergency respon	ders			
NU LEVEL LEVEL OF THE PLAN				

No additional information available

6.2. **Environmental precautions**

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3.	Methods and material for containment and cleaning up		
No add	litional information available		
6.4.	Reference to other sections		
No add	litional information available		
SECT	ION 7: Handling and storage		
7.1.	Precautions for safe handling		
Precau	tions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.	
Hygier	e measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2.	Conditions for safe storage, includi	ng any incompatibilities	
Techni	cal measures	: Comply with applicable regulations.	
Storag	e conditions	: Keep container closed when not in use. Hygroscopic. Keep contents under inert gas.	
Incom	patible materials	: Refer to Section 10 on Incompatible Materials.	
Storag	e area	: Store in dry, cool, well-ventilated area.	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	chemical properties
Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
PH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 86.4 °C (@ 6 mm Hg)
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 170.13 g/mol
Solubility	: No data available
Log Pow	: No data available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and rea	ctivity
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
The product is stable at normal handling	and storage conditions.
10.3. Possibility of hazardous rea	ctions
No additional information available	
10.4. Conditions to avoid	
No additional information available	
10.5. Incompatible materials	
Bases. Oxidizing agents. Reducing agen	nts.
10.6. Hazardous decomposition p	products
Under normal conditions of storage and fire, see Section 5.	use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of
SECTION 11: Toxicological in	formation
11.1. Information on toxicologica	l effects

Acute toxicity	: Not classified
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity	 Causes severe skin burns and eye damage. Causes serious eye damage. Not classified Not classified Not classified
Reproductive toxicity Specific target organ toxicity (single exposure)	 Not classified May cause respiratory irritation.
Specific target organ toxicity (repeated exposure) Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECTION 12: Ecological information			
12.1.	Toxicity		
No addit	ional information available		
12.2.	Persistence and degradability		
No addit	ional information available		
12.3.	Bioaccumulative potential		
No addit	No additional information available		
12.4.	Mobility in soil		
No additional information available			
12.5.	Other adverse effects		
No additional information available			

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.
SECTION 14: Transport information	
Department of Transportation (DOT)	
In accordance with DOT	
Transport document description	: UN3265 Corrosive liquid, acidic, organic, n.o.s., 8, III
UN-No.(DOT)	: UN3265
Proper Shipping Name (DOT)	: Corrosive liquid, acidic, organic, n.o.s.
Transport hazard class(es) (DOT)	: 8 - Class 8 - Corrosive material 49 CFR 173.136
Hazard labels (DOT)	: 8 - Corrosive
	8
Packing group (DOT)	: III - Minor Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 241
DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	: IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquic with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 5 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table
	2 for UN2672). T7 - 4 178.274(d)(2) Normal 178.275(d)(3) TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = $97 / 1 + a$ (tr - tf) Where: tr is the maximum mean bulk temperatur during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 154
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3265
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
	. 3265
UN-No. (IATA)	: 3265

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proper Shipping Name (IATA)	: Corrosive liquid, acidic, organic, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

4,4,4-Trifluoro-2,2-dimethylbutyric acid CAS No 939399-07-2 100%	0		
	4		100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

E	ye Dam. 1	Serious eye damage/eye irritation Category 1
S	kin Corr. 1B	Skin corrosion/irritation Category 1B
S	STOT SE 3	Specific target organ toxicity (single exposure) Category 3
Н	1314	Causes severe skin burns and eye damage
Н	1318	Causes serious eye damage
Н	1335	May cause respiratory irritation
residual injury given. NFPA fire hazard : 0 - Materials th NFPA reactivity : 0 - Normally statements		 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given. 0 - Materials that will not burn. 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III R	Rating	
Health		: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammabi	lity	: 0 Minimal Hazard - Materials that will not burn
		: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.