

Safety Data Sheet 21219X0

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 01/14/2020 Version: 1.0

| SECTION 1: Identification | |
|--|--|
| 1.1. Identification | |
| Product form | : Substance |
| Substance name | : 6-Bromohexanoic acid |
| CAS No | : 4224-70-8 |
| Product code | : 2121-9-X0 |
| Formula | : C6H11BrO2 |
| Synonyms | : 6-Bromocaproic acid |
| Other means of identification | : MFCD00004422 |
| 1.2. Relevant identified uses of the substa | ance or mixture and uses advised against |
| Use of the substance/mixture | : Laboratory chemicals Manufacture of substances Scientific research and development |
| 1.3. Details of the supplier of the safety d | ata sheet |
| SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com | |
| 1.4. Emergency telephone number | |
| Emergency number | : (844) 523-4086 (3E Company - Account 10069) |
| SECTION 2: Hazard(s) identification | |
| 2.1. Classification of the substance or mi | xture |
| Classification (GHS-US) | |
| Skin Corr. 1BH314 - Causes severe skin burnEye Dam. 1H318 - Causes serious eye damSTOT SE 3H335 - May cause respiratory irrFull text of H-phrases: see section 16 | age |
| 2.2. Label elements | |
| GHS-US labeling | |
| Hazard pictograms (GHS-US) | : GHS05 GHS07 |
| Signal word (GHS-US) | : Danger |
| Hazard statements (GHS-US) | H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation |
| Precautionary statements (GHS-US) | P260 - Do not breathe dust, fumes, mist, spray, vapors P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P251 - P251 - P251 |

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/ physician

P321 - Specific treatment (see supplemental first aid instructions on this label) P363 - Wash contaminated clothing before reuse

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P501 - Dispose of contents/container to an approved waste disposal plant

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| according to Federal Register / Vol. 77, No. 58 / Monday, Ma | rch 26, 2012 / Rules and Regulations | | | |
|---|---|------------------------------------|--|--|
| 2.3. Other hazards | | | | |
| No additional information available | | | | |
| 2.4. Unknown acute toxicity (GHS US) | | | | |
| Not applicable | | | | |
| SECTION 3: Composition/information | on ingredients | | | |
| 3.1. Substance | | | | |
| Substance type : | Mono-constituent | | | |
| Name | Product identifier | % | Classification (GHS-US) | |
| 6-Bromohexanoic acid (Main constituent) | (CAS No) 4224-70-8 | <= 100 | Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 | |
| Full text of H-phrases: see section 16 | | | | |
| 3.2. Mixture | | | | |
| Not applicable | | | | |
| SECTION 4: First aid measures | | | | |
| 4.1. Description of first aid measures | | en e d'a el e de de s | ware a distant of the south solution is | |
| First-aid measures general : | In case of accident or if you feel unwell, seek where possible). Move the affected personnel | | | |
| First-aid measures after inhalation : | Remove person to fresh air and keep comfort respiration. Get immediate medical advice/att | | g. If not breathing, give artificial | |
| First-aid measures after skin contact : | Wash with plenty of soap and water. Remove medical advice/attention. | contaminated c | lothing and shoes. Get immediate | |
| First-aid measures after eye contact : | Immediately flush eyes thoroughly with water present and easy to do. Continue rinsing. Get | for at least 15 m immediate med | inutes. Remove contact lenses, if ical advice/attention. | |
| First-aid measures after ingestion : | Do NOT induce vomiting. Never give anything mouth out with water. Get immediate medical | | | |
| 4.2. Most important symptoms and effects | both acute and delayed | | | |
| Symptoms/injuries : | The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11. | | | |
| Symptoms/injuries after inhalation : | Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea. | | | |
| 4.3. Indication of any immediate medical a | tention and special treatment needed | | | |
| Treat symptomatically. | | | | |
| SECTION 5: Firefighting measures | | | | |
| 5.1. Extinguishing media | | | | |
| Suitable extinguishing media : Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire. | | | | |
| 5.2. Special hazards arising from the subs | ance or mixture | | | |
| Fire hazard : | Thermal decomposition generates: Carbon or | ides. Hydrogen | bromide. | |
| 5.3. Advice for firefighters | | | | |
| 0 0 | In case of fire: Evacuate area. | | | |
| Protection during firefighting : | otection during firefighting : Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection". | | | |
| SECTION 6: Accidental release measu | res | | | |
| 6.1. Personal precautions, protective equip | ment and emergency procedures | | | |
| General measures : | : Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe dust. Do not breathe gas, fumes, vapor or spray. | | | |
| 6.1.1. For non-emergency personnel | | | | |
| Emergency procedures : | Only qualified personnel equipped with suitab | le protective equ | lipment may intervene. | |
| 6.1.2. For emergency responders | | | | |
| | Do not attempt to take action without suitable refer to section 8: "Exposure controls/personal | | ment. For further information | |

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 6.2. Environmental precautions | |
|---|--|
| Avoid release to the environment. Notif | y authorities if product enters sewers or public waters. |
| 6.3. Methods and material for c | ontainment and cleaning up |
| For containment | : Stop leak if safe to do so. Dike for recovery or absorb with appropriate material. |
| Methods for cleaning up | Minimize generation of dust. Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area. |
| Other information | : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". |
| 6.4. Reference to other sections | S |
| No additional information available | |
| SECTION 7: Handling and sto | prage |
| 7.1. Precautions for safe handli | ing |
| Precautions for safe handling | Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. |
| Hygiene measures | : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |
| 7.2. Conditions for safe storage | e, including any incompatibilities |
| Technical measures | : Comply with applicable regulations. |
| Storage conditions | : Keep container closed when not in use. |
| Incompatible materials | : Refer to Section 10 on Incompatible Materials. |
| Storage area | : Store in dry, cool, well-ventilated area. |

8.1. **Control parameters**

No additional information available

| 8.2. Exposure controls | |
|----------------------------------|---|
| Appropriate engineering controls | : Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. |
| Hand protection | : Protective gloves. 29 CFR 1910.138: Hand Protection. |
| Eye protection | : Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection. |
| Skin and body protection | : Wear suitable protective clothing. |
| Respiratory protection | : In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection. |
| Other information | : Safety shoes. 29 CFR 1910.136: Foot Protection. |

SECTION 9: Physical and chemical properties

| Oxidizing properties | : No data available | |
|---|-----------------------------|--|
| Explosive properties | : No data available | |
| Explosion limits | : No data available | |
| Flammability (solid, gas) | : No data available | |
| Relative evaporation rate (butyl acetate=1) | : No data available | |
| Flash point | : 95 °C | |
| Boiling point | : 165 - 170 °C (@ 20 mm Hg) | |
| Freezing point | : No data available | |
| Melting point | : 31 - 34 °C | |
| PH | : No data available | |
| Odor threshold | : No data available | |
| Odor | : No data available | |
| Color | : No data available | |
| Appearance | : Low melting solid. | |
| Physical state | : Solid | |
| 9.1. Information on basic physical and | d chemical properties | |

0

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Vapor pressure | : No data available |
|---------------------------------|-------------------------|
| Relative density | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Specific gravity / density | : 1.4157 g/ml (@ 30 °C) |
| Molecular mass | : 195.054 g/mol |
| Solubility | : No data available |
| Log Pow | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| 9.2. Other information | |
| Refractive index | : 1.476 (@ 30 °C) |

| SECTI | ION 10: Stability and reactivity |
|----------|--|
| 10.1. | Reactivity |
| No addit | tional information available |
| 10.2. | Chemical stability |
| The proc | duct is stable at normal handling and storage conditions. |
| 10.3. | Possibility of hazardous reactions |
| No addit | tional information available |
| 10.4. | Conditions to avoid |
| Keep aw | vay from heat, sparks and flame. |
| 10.5. | Incompatible materials |
| Strong o | oxidizing agents. |
| 10.6. | Hazardous decomposition products |
| Lindor n | armal conditions of storage and use hazardous decomposition products should not be produced. Hazardous decomposition products in access of |

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information . .

| 11.1. | Information | on toxicolog | gical effects |
|-------|-------------|--------------|---------------|
| | | | |

| Acute toxicity | : Not classified |
|--|---|
| Skin corrosion/irritation | : Causes severe skin burns and eye damage. |
| Serious eye damage/irritation | : Causes serious eye damage. |
| Respiratory or skin sensitization | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| Specific target organ toxicity (single exposure) | : May cause respiratory irritation. |
| Specific target organ toxicity (repeated exposure) | : Not classified |
| Aspiration hazard | : Not classified |
| Symptoms/injuries after inhalation | : Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea. |

| SECTIO | DN 12: Ecological information |
|------------|-------------------------------|
| 12.1. | Toxicity |
| No additio | onal information available |
| 12.2. | Persistence and degradability |
| No additio | onal information available |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 12.3. | Bioaccumulative potential | | | |
|--------|-------------------------------|--|--|--|
| No add | itional information available | | | |
| | | | | |
| 12.4. | Mobility in soil | | | |
| No add | itional information available | | | |
| | | | | |
| 12.5. | Other adverse effects | | | |
| No add | itional information available | | | |

SECTION 13: Disposal considerations

Waste treatment methods 13.1.

Waste treatment methods

Waste disposal recommendations

- : Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- Additional information
- Recycle the material as far as possible.
- **SECTION 14: Transport information**

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT)

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

- : UN3261 Corrosive solid, acidic, organic, n.o.s., 8, II
- : UN3261
- : Corrosive solid, acidic, organic, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



: II - Medium Danger

- Packing group (DOT)
- DOT Packaging Non Bulk (49 CFR 173.xxx)
- DOT Packaging Bulk (49 CFR 173.xxx)
- DOT Symbols
- DOT Special Provisions (49 CFR 172.102)

- : 212
- : 240
- : G Identifies PSN requiring a technical name

: IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle. IP4 - Flexible, fiberboard or wooden IBCs must be sift-proof and water-resistant or be fitted with a sift-proof and water-resistant liner. T3 - 2.65 178.274(d)(2) Normal..... 178.275(d)(2) TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure. pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable

tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154

DOT Quantity Limitations Passenger aircraft/rail : 15 kg (49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 50 kg CFR 175.75)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| DOT Vessel Stowage Location | : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded. |
|-------------------------------------|---|
| Other information | : No supplementary information available. |
| TDG | |
| No additional information available | |
| Transport by sea | |
| UN-No. (IMDG) | : 3261 |
| Proper Shipping Name (IMDG) | : CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. |
| Class (IMDG) | : 8 - Corrosive substances |
| Packing group (IMDG) | : II - substances presenting medium danger |
| Air transport | |
| UN-No. (IATA) | : 3261 |
| Proper Shipping Name (IATA) | : Corrosive solid, acidic, organic, n.o.s. |
| Class (IATA) | : 8 - Corrosives |
| Packing group (IATA) | : II - Medium Danger |

15.1. US Federal regulations

6-Bromohexanoic acid (4224-70-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

| CANADA | | |
|--|--|--|
| 6-Bromohexanoic acid (4224-70-8) | | |
| Listed on the Canadian NDSL (Non-Domestic Substances List) | | |

EU-Regulations

No additional information available

National regulations

6-Bromohexanoic acid (4224-70-8) Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

| | Eye Dam. 1 | Serious eye damage/eye irritation Category 1 | |
|--|---------------|---|--|
| | Skin Corr. 1B | Skin corrosion/irritation Category 1B | |
| | STOT SE 3 | Specific target organ toxicity (single exposure) Category 3 | |
| | H314 | Causes severe skin burns and eye damage | |
| | H318 | Causes serious eye damage | |
| | H335 | May cause respiratory irritation | |

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| NFPA health hazard | : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given. | |
|--------------------|--|--|
| NFPA fire hazard | : 1 - Must be preheated before ignition can occur. | |
| NFPA reactivity | : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. | |
| HMIS III Rating | | |
| Health | : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given | |
| Flammability | 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB) | |
| Physical | : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives. | |
| | | |

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.