

Safety Data Sheet 2121B55

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 02/11/2016 Version: 1.0

SECTION 4. Identification	
SECTION 1: Identification	
1.1. Identification	. Substance
Product form Substance name	: Substance
	: 2-Bromo-5,5,5-trifluoropentanoic acid
CAS No	: 1346521-32-1
Product code	: 2121-B-55
Formula	: C5H6BrF3O2
Synonyms	: 2-Bromo-5,5,5-trifluorovaleric acid
Other means of identification	: MFCD20489366
	e substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the	safety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ame T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlab	abs.com
1.4. Emergency telephone numbe	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identification of the substance	
Classification (GHS-US)	
Skin Corr. 1BH314 - Causes severe sEye Dam. 1H318 - Causes serious aSTOT SE 3H335 - May cause respi	eye damage
Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	
Signal word (GHS-US)	GHS05 GHS07 : Danger
Hazard statements (GHS-US)	 H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation
Precautionary statements (GHS-US)	 P260 - Do not breathe fumes, mist, spray, vapors P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/ physician

P321 - Specific treatment (see supplemental first aid instructions on this label) P363 - Wash contaminated clothing before reuse

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P501 - Dispose of contents/container to an approved waste disposal plant

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ccording to Federal Register / Vol. 77, No. 58	/ Monday, March 26, 2012 / Rules and Regulations		
2.3. Other hazards			
No additional information available			
2.4. Unknown acute toxicity (GF	IS US)		
Not applicable			
SECTION 3: Composition/info	ormation on ingredients		
3.1. Substance			
Substance type	: Mono-constituent		
Name	Product identifier	%	Classification (GHS-US)
2-Bromo-5,5,5-trifluoropentanoic acid (Main constituent)	(CAS No) 1346521-32-1	<= 100	Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16		·	
3.2. Mixture			
Not applicable			
SECTION 4: First aid measure	25		
4.1. Description of first aid mea	sures		
First-aid measures general	: In case of accident or if you feel u where possible). Move the affecte		
First-aid measures after inhalation	: Remove person to fresh air and k respiration. Get immediate medic		ning. If not breathing, give artificial
First-aid measures after skin contact	: Wash with plenty of soap and wa medical advice/attention.	er. Remove contaminated	I clothing and shoes. Get immediate
First-aid measures after eye contact	: Immediately flush eyes thoroughl present and easy to do. Continue		minutes. Remove contact lenses, if edical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Never mouth out with water. Get immed		•
4.2. Most important symptoms a	and effects, both acute and delayed		
Symptoms/injuries	: The most important known sympt 2.2) and/or in section 11.	oms and effects are desci	ibed in the labelling (see section
Symptoms/injuries after inhalation	: Material is destructive to tissue of shortness of breath, headache, n		and upper respiratory tract. Cough,
4.3. Indication of any immediate	e medical attention and special treatment ne	eded	
Freat symptomatically.			
SECTION 5: Firefighting meas			
5.1. Extinguishing media			
Suitable extinguishing media	: Alcohol resistant foam. Carbon di	oxide Dry powder Water	spray. Use extinguishing media
	appropriate for surrounding fire.		spray. Ose extinguishing media
5.2. Special hazards arising from	n the substance or mixture		
Fire hazard	: Thermal decomposition generate	s: Carbon oxides. Hydroge	en bromide. Hydrogen fluoride.
Explosion hazard	: Risk of explosion if heated under containers.	, ,	, ,
5.3. Advice for firefighters			
Firefighting instructions	: In case of fire: Evacuate area. Fig	ht fire remotely due to the	e risk of explosion.
Protection during firefighting	: Wear gas tight chemically protect apparatus. For further information		

SECTION 6: Accidental release measures		
6.1.	Personal precautions, protective equi	pment and emergency procedures
General r	neasures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.
	For non-emergency personnel cy procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.
6.2. Environmental precautions	
Avoid release to the environment. Notify au	thorities if product enters sewers or public waters.
6.3. Methods and material for conta	ainment and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	ye
7.1. Precautions for safe handling	
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Hygroscopic. Keep contents under inert gas.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area. Light sensitive.

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

	8.2. Exposure controls	
	Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
I	Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
l	Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
;	Skin and body protection	: Wear suitable protective clothing.
I	Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
(Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	chemical properties
Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 235 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. **Other information**

No additional information available

SECTI	ON 10: Stability and reactivity
10.1.	Reactivity
No addi	tional information available
10.2.	Chemical stability
The pro	duct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions
No addi	tional information available
10.4.	Conditions to avoid
Keep av	vay from heat, sparks and flame. Moisture.
10.5.	Incompatible materials
Bases. S	Strong oxidizing agents.
10.6.	Hazardous decomposition products
Under n	ormal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of

fire, see Section 5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified	
Skin corrosion/irritation	: Causes severe skin burns and eye damage.	
Serious eye damage/irritation	: Causes serious eye damage.	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Coug shortness of breath, headache, nausea.	jh,

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

0	
SECT	ION 12: Ecological information
12.1.	Toxicity
No addi	tional information available
12.2.	Persistence and degradability
No addi	tional information available
12.3.	Bioaccumulative potential
No addi	tional information available
12.4.	Mobility in soil
No addi	tional information available
12.5.	Other adverse effects
No addi	tional information available

SECTION 13: Disposal considerati	ions
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT)

Packing group (DOT)

DOT Symbols

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

- : UN3265 Corrosive liquid, acidic, organic, n.o.s., 8, III
- : UN3265
- : Corrosive liquid, acidic, organic, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



- : III Minor Danger
- DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx)

DOT Special Provisions (49 CFR 172.102)

- : 203 : 241
- : G Identifies PSN requiring a technical name
- : IB3 Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T7 - 4 178.274(d)(2) Normal...... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154

DOT Quantity Limitations Passenger aircraft/rail : 5 L (49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75) DOT Vessel Stowage Location

ocation : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3265
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 3265
Proper Shipping Name (IATA)	: Corrosive liquid, acidic, organic, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

2-Bromo-5,5,5-trifluoropentanoic acid	CAS No 1346521-32-1	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation

NFPA health hazard	 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given. 	
NFPA fire hazard	: 0 - Materials that will not burn.	
NFPA reactivity	 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently. 	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.