

Material Safety Data Sheet

Transportation Emergency: 1-800-451-8346

Date last revised: May 25, 2012 Date printed: May 25, 2012

SECTION 1. ----- CHEMICAL IDENTIFICATION-----

CATALOG #: 2121-B-X0

NAME: 4-BROMO-4,4-DIFLUOROBUTYRIC ACID

SECTION 2. ---- COMPOSITION/INFORMATION ON INGREDIENTS -----

CAS NUMBER: 147345-36-6

MOLECULAR FORMULA: C4H5BrF2O2

MOLECULAR WEIGHT: 202.98

SECTION 3. ----- HAZARDS IDENTIFICATION -----

LABEL PRECAUTIONARY STATEMENTS

CORROSIVE. CAUSES BURNS.

SECTION 4. ----- FIRST-AID MEASURES-----

GENERAL ADVICE

CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.

IF INHALED

IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.

IN CASE OF SKIN CONTACT

TAKE OFF CONTAMINATED CLOTHING AND SHOES IMMEDIATELY. WASH OFF WITH SOAP AND PLENTY OF WATER.

IN CASE OF EYE CONTACT

RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN. CONTINUE RINSING EYES DURING TRANSPORT TO HOSPITAL.

IF SWALLOWED

DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER.

SECTION 5. ----- FIRE FIGHTING MEASURES -----

EXTINGUISHING MEDIA

WATER SPRAY. CARBON DIOXIDE, DRY CHEMICAL POWDER OR APPROPRIATE FOAM. SPECIAL FIREFIGHTING PROCEDURES

WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN AND EYES.

UNUSUAL FIRE AND EXPLOSIONS HAZARDS

EMITS TOXIC FUMES UNDER FIRE CONDITIONS.

SECTION 6. ----- ACCIDENTAL RELEASE MEASURES-----

PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL

EVACUATE AREA.

PROCEDURE(S) OF PERSONAL PRECAUTION(S)

WEAR SELF-CONTAINED BREATHING APPARATUS, RUBBER BOOTS, AND HEAVY RUBBER GLOVES.

METHODS FOR CLEANING UP

COVER WITH DRY-LIME, SAND, OR SODA ASH. PLACE IN COVERED

CONTAINERS USING NON-SPARKING TOOLS AND TRANSPORT OUTDOORS.

VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE.

SECTION 7. ----- HANDLING AND STORAGE-----

PRECAUTIONS FOR SAFE HANDLING

AVOID FORMATION OF VAPOR OR AEROSOLS.

PROVIDE APPROPRIATE EXHAUST VENTILATION AT PLACES WHERE VAPORS ARE FORMED. NORMAL MEASURES FOR PREVENTIVE FIRE PROTECTION.

CONDITIONS FOR SAFE STORAGE

KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. HYGROSCOPIC

SECTION 8. - - - - EXPOSURE CONTROLS/PERSONAL PROTECTION - - - -

RESPIRATORY PROTECTION

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN 143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

HAND PROTECTION

HANDLE WITH GLOVES.

EYE PROTECTION

SAFETY GLASSES

SKIN AND BODY PROTECTION

CHOOSE BODY PROTECTION ACCORDING TO THE AMOUNT AND CONCENTRATION OF THE DANGEROUS SUBSTANCE AT THE WORK PLACE.

HYGIENE MEASURES

HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE BREAKS AND AT THE END OF WORKDAY.

SECTION 9. ----- PHYSICAL AND CHEMICAL PROPERTIES -----APPEARANCE LIQUID PHYSICAL PROPERTIES BOILING POINT: 90 - 92°C @ 2 mmHg SECTION 10. -----STABILITY AND REACTIVITY -----**STABILITY** STABLE. **INCOMPATIBILITIES** STRONG OXIDIZING AGENTS, STRONG BASES. HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS CARBON MONOXIDE, CARBON DIOXIDE, HYDROGEN FLUORIDE, HYDROGEN BROMIDE HAZARDOUS POLYMERIZATION WILL NOT OCCUR. SECTION 11. ----- TOXICOLOGICAL INFORMATION -----INHALATION MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY IRRITATION. MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN BURNS. **EYES** CAUSES EYE BURNS. **INGESTION** MAY BE HARMFUL IF SWALLOWED. SECTION 12. - - - - ECOLOGICAL INFORMATION - - - - -DATA NOT YET AVAILABLE. SECTION 13. ----- DISPOSAL CONSIDERATIONS -----DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER. OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS. SECTION 14. ----- TRANSPORT INFORMATION -----DOT UN3265 - HC 8 - PG III SECTION 15. - - - - - REGULATORY INFORMATION - - - - - -EU ADDITIONAL CLASSIFICATION SYMBOL OF DANGER: C INDICATION OF DANGER: CORROSIVE. RISK STATEMENTS: R34,R36/37/38 SAFETY STATEMENTS: S3/7,S23,S24/25,S26,S36/37/39,S45 US CLASSIFICATION AND LABEL TEXT

TSCA: NOT LISTED ON TSCA INVENTORY; FOR R&D USE ONLY

SECTION 16. ----- OTHER INFORMATION-----

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. SYNQUEST LABS, INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT.