

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS ID: 2123332 Issue date: 29.11.2017 Revision date: 18.12.2023 Version: 1.1

| 1.1. Identification | | | |
|---|--|---|---|
| 1.1. Identification | | | |
| Product form Substance name CAS-No. Product code Formula Synonyms Other means of identification | : 424-40-8 : 2123-3-32 : C9H10F6 | xafluoroglutarate 2 O4 2,3,3,4,4-hexafluc ter | propentanedioate; Diethyl perfluoroglutarate; Hexafluoroglutaric aci |
| 1.2. Recommended use and restrictions on | use | | |
| Use of the substance/mixture | : Laborator Manufactu | y chemicals ure of substances research and dev | |
| 1.3. Supplier | | | |
| SynQuest Laboratories, Inc. Inc. P.O. Box 309 Alachua, FL, Alachua, 32615 United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com | | | |
| 1.4. Emergency telephone number | | | |
| Emergency number | : (844) 523 | -4086 (3E Compa | any - Account 10069) |
| SECTION 2: Hazard(s) identification | | | |
| 2.1. Classification of the substance or mixt | ure | | |
| GHS US classification | | | |
| Flammable liquids Category 4 Acute toxicity (inhalation) Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Specific target organ toxicity – Single exposure, Cate Respiratory tract irritation Full text of H statements : see section 16 | egory 3, | H227 H332 H315 H319 H335 | Combustible liquid Harmful if inhaled Causes skin irritation Causes serious eye irritation May cause respiratory irritation |
| 2.2. GHS Label elements, including precaut | tionary state | ements | |
| GHS US labeling | | | |
| Hazard pictograms (GHS US) | | | |

Warning
H227 - Combustible liquid
H315 - Causes skin irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | H319 - Causes serious eye irritation H332 - Harmful if inhaled |
|-----------------------------------|--|
| Precautionary statements (GHS US) | H335 - May cause respiratory irritation P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| | P261 - Avoid breathing fumes, mist, spray, vapors. |
| | P264 - Wash skin thoroughly after handling |
| | P271 - Use only outdoors or in a well-ventilated area. |
| | P280 - Wear protective gloves/protective clothing/eye protection/face protection. |
| | P302+P352 - If on skin: Wash with plenty of soap and water |
| | P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. |
| | P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove |
| | contact lenses, if present and easy to do. Continue rinsing. |
| | P312 - Call a POISON CENTER or doctor/physician if you feel unwell |
| | P321 - Specific treatment (see supplemental first aid instructions on this label) |
| | P332+P313 - If skin irritation occurs: Get medical advice/attention. |
| | P337+P313 - If eye irritation persists: Get medical advice/attention. |
| | P362+P364 - Take off contaminated clothing and wash it before reuse. |
| | P370+P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish |
| | P403+P233 - Store in a well-ventilated place. Keep container tightly closed. |
| | P403+P235 - Store in a well-ventilated place. Keep cool. |
| | P405 - Store locked up. |
| | P501 - Dispose of contents/container to an approved waste disposal plant |

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Substance type

: Mono-constituent

| Name | Product identifier | % | GHS US classification |
|---|--------------------|---|--|
| Diethyl hexafluoroglutarate (Main constituent) | CAS-No.: 424-40-8 | | Flam. Liq. 4, H227 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 |
| Full text of bazard classes and H-statements : see section 16 | | | |

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures

Not applicable

| SECTION 4: First-aid measures | |
|--|--|
| 4.1. Description of first aid measures | |
| First-aid measures general | : In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area. |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial |
|--|---|
| | respiration. Get immediate medical advice/attention. |
| First-aid measures after skin contact | : Wash with plenty of soap and water. Get immediate medical advice/attention. |
| First-aid measures after eye contact | : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention. |
| First-aid measures after ingestion | : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention. |
| 4.2. Most important symptoms and effects (| acute and delayed) |
| Symptoms/effects | : The most important known symptoms and effects are described in the labelling (see section 2.2) |

and/or in section 11.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

| SECTION 5: Fire-fighting measures | | | |
|---|---|--|--|
| 5.1. Suitable (and unsuitable) extinguishing | media | | |
| Suitable extinguishing media | : Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire. | | |
| 5.2. Specific hazards arising from the chemic | cal | | |
| | Thermal decomposition generates: Carbon oxides. Hydrogen fluoride. Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers. May form flammable/explosive vapor-air mixture. | | |
| 5.3. Special protective equipment and preca | utions for fire-fighters | | |
| Firefighting instructions Protection during firefighting | In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection". | | |

| SECTION 6: Accidental release measures | | | |
|--|--|--|--|
| 6.1. Personal precautions, protective equipment and emergency procedures | | | |
| General measures | : Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray. | | |
| 6.1.1. For non-emergency personnel | | | |
| Emergency procedures | : Only qualified personnel equipped with suitable protective equipment may intervene. | | |
| 6.1.2. For emergency responders | | | |
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". | | |
| Emergency procedures | : Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition. | | |

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment

: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Methods for cleaning up | : Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion- proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area. |
|----------------------------------|--|
| Other information | : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". |
| 6.4. Reference to other sections | |

No additional information available

| SECTION 7: Handling and storage | | |
|--|---|--|
| 7.1. Precautions for safe handling | | |
| Additional hazards when processed Precautions for safe handling Hygiene measures | Handle empty containers with care because residual vapors are flammable. Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. | |
| 7.2. Conditions for safe storage, including | any incompatibilities | |
| Technical measures Storage conditions | Comply with applicable regulations. Keep container closed when not in use. Keep away from ignition sources. Moisture sensitive. Keep contents under inert gas. | |
| Incompatible materials Storage area | Refer to Section 10 on Incompatible Materials.Store in dry, cool, well-ventilated area. | |

SECTION 8: Exposure controls/personal protection

| 8.1. Control | I parameters |
|--------------|--------------|
| | |

| Diethyl hexafluoroglutarate (424-40-8) | | |
|---|---|--|
| No additional information available | | |
| | | |
| 8.2. Appropriate engineering controls | | |
| Appropriate engineering controls | : Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. | |
| 8.3. Individual protection measures/Per | rsonal protective equipment | |
| Hand protection: | | |
| protective gloves. 29 CFR 1910.138: Hand Protection | | |
| Eye protection: | | |
| Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection | | |
| Skin and body protection: | | |
| Wear suitable protective clothing | | |
| Respiratory protection: | | |
| | | |

In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Personal protective equipment symbol(s):



Other information:

Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state | : Liquid |
|---|--------------------------|
| Color | : No data available |
| Odor | : No data available |
| Odor threshold | : No data available |
| pH | : No data available |
| Melting point | : No data available |
| | : No data available |
| Freezing point | |
| Boiling point | : 75 – 80 °C (@ 3 mm Hg) |
| Flash point | No data available |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapor pressure | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Relative density | : No data available |
| Density | : 1,3444 g/ml (@ 20 °C) |
| Molecular mass | : 296,16 g/mol |
| Solubility | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosion limits | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |
| 9.2. Other information | |
| Refractive index | : 1,3585 (@ 20 °C) |

| SECTION 10: Stability and reactivity | |
|--|--|
| 10.1. Reactivity | |
| No additional information available | |
| 10.2. Chemical stability | |
| The product is stable at normal handling and storage conditions. | |
| | |

10.3. Possibility of hazardous reactions

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Strong acids. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

| SECTION 11: Toxicological information | |
|---|--|
| 11.1. Information on toxicological effects | |
| Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) | Not classified Not classified Harmful if inhaled. |
| Diethyl hexafluoroglutarate (424-40-8) | |
| LD50 oral rat | 5 g/kg |
| LC50 Inhalation - Rat | 1300 mg/m ³ (Exposure time: 4 h) |
| ATE US (oral) | 5000 mg/kg body weight |
| Skin corrosion/irritation | : Causes skin irritation. |
| Serious eye damage/irritation | : Causes serious eye irritation. |
| Respiratory or skin sensitization | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : May cause respiratory irritation. |
| STOT-repeated exposure | : Not classified |
| Aspiration hazard | : Not classified |
| Viscosity, kinematic | : No data available |
| Symptoms/effects | : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11. |

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

| 12.2. Persistence and degradability | |
|--|---|
| Diethyl hexafluoroglutarate (424-40-8) | |
| Persistence and degradability | Not readily biodegradable. May cause long-term adverse effects in the environment. PBT - Persistent, Bioaccumulative and Toxic. |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 12.3. Bioaccumulative potential | |
|--|---|
| Diethyl hexafluoroglutarate (424-40-8) | |
| Bioaccumulative potential | Perfluorinated alkanes (PFAs, "forever chemicals") are long lasting, widely used chemicals that break down slowly over time. The potential hazards of PFAs are under investigation and have not been established. |
| 12.4. Mobility in soil | |
| No additional information available | |
| 12.5. Other adverse effects | |

No additional information available

| SECTION 13: Disposal considerations | |
|---|---|
| 13.1. Disposal methods | |
| Waste treatment methods Sewage disposal recommendations Product/Packaging disposal recommendations Additional information Ecology - waste materials | Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. See the EPA's Interim Guidance on PFAS Destruction and Disposal. Dispose of contents/container in accordance with licensed collector's sorting instructions. Recycle the material as far as possible. This material is considered to be a "Forever chemical". Prevent any possible release to the environment. Do not discharge into drains. Take all necessary measures to prevent accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems, or emergency response. |

| SECTION 14: Transport informat | tion | |
|--|--|-----|
| 14.1. UN number | | |
| DOT NA No UN-No. (TDG) UN-No. (IMDG) UN-No. (IATA) | : NA1993 : Not applicable : 1993 : 1993 | |
| 14.2. UN proper shipping name | | |
| Proper Shipping Name (DOT) Proper Shipping Name (TDG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) | Combustible liquid, n.o.s. Not applicable Not applicable Not applicable | |
| 14.3. Transport hazard class(es) | | |
| DOT Transport hazard class(es) (DOT) | : Combustible liquid | |
| TDG Transport hazard class(es) (TDG) | : Not applicable | |
| IMDG Transport hazard class(es) (IMDG) | : Not applicable | |
| IATA Transport hazard class(es) (IATA) | : Not applicable | |
| | | 7/0 |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 44.4 Decking group | |
|--|--|
| 14.4. Packing group | |
| Packing group (DOT) Packing group (TDG) | : III : Not applicable |
| Packing group (IMDG) | : Not applicable |
| Packing group (IATA) | : Not applicable |
| 14.5. Environmental hazards | |
| Other information | : No supplementary information available. |
| 14.6. Special precautions for user | |
| DOT | |
| UN-No.(DOT) | : NA1993 |
| DOT Special Provisions (49 CFR 172.102) | 148 - Except for transportation by aircraft, when transported as a limited quantity or a consumer commodity, the maximum net capacity specified in §173.150(b)(2) of this subchapter for inner packaging may be increased to 5 L (1.3 gallons). IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T1 - 1.5 178.274(d)(2) Normal |
| DOT Packaging Exceptions (49 CFR 173.xxx) | : 150 |
| DOT Packaging Non Bulk (49 CFR 173.xxx) | : 203 |
| DOT Packaging Bulk (49 CFR 173.xxx) | : 241 |
| DOT Quantity Limitations Passenger aircraft/rail (49 | : 60 L |
| CFR 173.27) | |
| DOT Quantity Limitations Cargo aircraft only (49 | : 220 L |
| CFR 175.75) | . A The meterial may be stayed "an dealy" as "under dealy" and a serve vessel and an a |
| DOT Vessel Stowage Location | : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. |
| TDG No data available | |

IMDG

No data available

IATA

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations

CANADA

Diethyl hexafluoroglutarate (424-40-8)

Listed on the Canadian NDSL (Non-Domestic Substances List)

EU-Regulations

Diethyl hexafluoroglutarate (424-40-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Diethyl hexafluoroglutarate (424-40-8)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date : 18.12.2023

| Full text of H-ph | rases | |
|-------------------|--|--|
| H227 | Combustible liquid | |
| H315 | Causes skin irritation | |
| H319 | Causes serious eye irritation | |
| H332 | Harmful if inhaled | |
| H335 | May cause respiratory irritation | |
| NFPA health haza | rd | 3 - Materials that, under emergency conditions, can cause serious or permanent injury. 2 - Materials that must be moderately heated or exposed to relatively |
| NFPA reactivity | | i a materials that must be moderately heated of exposed to relatively high ambient temperatures before ignition can occur. 0 - Material that in themselves are normally stable, even under fire conditions. |
| Hazard Rating | | |
| Health | | : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given |
| Flammability | 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II IIIA) | |
| Physical | | : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives. |
| Safety Data Sheet | (SDS), USA | |