

# Ethyl 2-ethoxytetrafluoropropionate Safety Data Sheet 2123374 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 11/11/2016 Version: 1.0

SECTION 1: Identification		
1.1. Identification		
Product form	: Substance	
Substance name	: Ethyl 2-ethoxytetrafluoropropionate	
CAS No	: 10186-66-0	
Product code	: 2123-3-74	
Formula	: C7H10F4O3	
Synonyms	: Ethyl 2-ethoxy-2,3,3,3-tetrafluoropropanoate	
Other means of identification	: MFCD00205158	
1.2. Relevant identified uses of the sub	stance or mixture and uses advised against	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development	
1.3. Details of the supplier of the safety	data sheet	
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.c	<u>m</u>	
1.4. Emergency telephone number		
Emergency number	: (844) 523-4086 (3E Company - Account 10069)	
SECTION 2: Hazard(s) identification		
2.1. Classification of the substance or		
Classification (GHS-US)		
Eye Irrit. 2A H319 - Causes serious eye irrit STOT SE 3 H335 - May cause respiratory i Full text of H-phrases: see section 16		
2.2. Label elements		
GHS-US labeling		
Hazard pictograms (GHS-US)	•	
<b>b</b> ( )	GHS07 : Warning	
Signal word (GHS-US) Hazard statements (GHS-US)		
5 ( )	<ul> <li>Warning</li> <li>H227 - Combustible liquid</li> <li>H315 - Causes skin irritation</li> <li>H319 - Causes serious eye irritation</li> </ul>	a ve protection/face protection nd water and keep comfortable for breathing water for several minutes. Remove contac if you feel unwell d instructions on this label) dvice/attention

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5 5 7				
	P370+P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish P403+P233 - Store in a well-ventilated place. Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool P405 - Store locked up P501 - Dispose of contents/container to an approved waste disposal plant			
2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
SECTION 3: Composition/informat	ion on ingredients			
3.1. Substance				
Substance type	: Mono-constituent			
Name	Product identifie	er %	Classification (GHS	-US)
Ethyl 2-ethoxytetrafluoropropionate	(CAS No) 10186-66-0	) <= 10		
(Main constituent)			Skin Irrit. 2, H315 Eye Irrit. 2A, H319	
			STOT SE 3, H335	
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general	: In case of accident or if w	ou feel unwell seek medica	I advice immediately (show the l	label
-	where possible). Move th	e affected personnel away f	rom the contaminated area.	
First-aid measures after inhalation	respiration. Get medical a	Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get medical advice/attention.		
First-aid measures after skin contact		and water. Get medical adv		
First-aid measures after eye contact		Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.		
First-aid measures after ingestion		: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get medical advice/attention.		
4.2. Most important symptoms and eff	fects, both acute and delayed			
Symptoms/injuries	: The most important know 2.2) and/or in section 11.	: The most important known symptoms and effects are described in the labelling (see section		
4.3. Indication of any immediate media	cal attention and special treat	ment needed		
Treat symptomatically.				
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media	: Alcohol resistant foam. C appropriate for surroundi		Water spray. Use extinguishing	media
5.2. Special hazards arising from the s	substance or mixture			
Fire hazard		generates: Carbon oxides. H	lydrogen fluoride.	
Explosion hazard		<ul> <li>Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers. May form flammable/explosive vapor-air mixture.</li> </ul>		
5.3. Advice for firefighters	,			
	In open of first Exception	oroo Fight fire remetals the	to the view of eventseiner	
Firefighting instructions		area. Fight fire remotely due	•	thing
Protection during firefighting			bination with self contained breat "Exposure controls/personal pro	
SECTION 6: Accidental release me				
6.1. Personal precautions, protective				
General measures	: Evacuate unnecessary per vapor or spray.	ersonnel. Ensure adequate	air ventilation. Do not breathe ga	as, fumes,
6.1.1. For non-emergency personnel				
	: Only qualified personnel ( EN (English US)	equipped with suitable prote	ective equipment may intervene.	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.	
6.2. Environmental precautions		
Avoid release to the environment. Notify	authorities if product enters sewers or public waters.	
6.3. Methods and material for co	Methods and material for containment and cleaning up	
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.	
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.	
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
6.4. Reference to other sections		
No additional information available		
SECTION 7: Handling and stor	rage	
7.1. Precautions for safe handlin		
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.	
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.	
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or	
	smoke when using this product. Always wash hands after handling the product.	
	smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage,	smoke when using this product. Always wash hands after handling the product. including any incompatibilities	
7.2. Conditions for safe storage, Technical measures	smoke when using this product. Always wash hands after handling the product. including any incompatibilities : Comply with applicable regulations.	

SECTIC	N 8: Exposure controls/personal protection
8.1.	Control parameters
No additic	onal information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Color	: No data available	
Odor	: No data available	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: No data available	
Freezing point	: No data available	

SECTION 0. Dhysical a

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Boiling point	: 138 °C
Flash point	: 76 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.227 g/ml (@ 20 °C)
Molecular mass	: 218.15 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	

Refractive index

: 1.3482 (@ 20 °C)

### **SECTION 10: Stability and reactivity**

10.1.	Reactivity	
No additio	onal information available	
10.2.	Chemical stability	
The produ	uct is stable at normal handling and storage	e conditions.
10.3.	Possibility of hazardous reactions	
No additio	onal information available	
10.4.	Conditions to avoid	
Keep awa	ay from heat, sparks and flame.	
10.5.	Incompatible materials	
Strong ba	ases. Strong oxidizing agents.	
10.6.	Hazardous decomposition products	
Under no fire, see S		ous decomposition products should not be produced. Hazardous decomposition products in case of
SECTIO	ON 11: Toxicological information	
11.1.	Information on toxicological effects	
Acute tox	icity :	Not classified

, loate tomony	
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECT	ION 12: Ecological information
12.1.	Toxicity
No addi	tional information available
12.2.	Persistence and degradability
No addi	tional information available
12.3.	Bioaccumulative potential
No addi	tional information available
12.4.	Mobility in soil
No addi	tional information available
12.5.	Other adverse effects
No addi	tional information available

SECTION 13: Disposal consideration	S
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.
SECTION 14: Transport information	
SECTION 14. Hansport mormation	
Department of Transportation (DOT)	
In accordance with DOT	
Transport document description	: NA1993 Combustible liquid, n.o.s., 3, III
UN-No.(DOT)	: NA1993
Proper Shipping Name (DOT)	: Combustible liquid, n.o.s.
Transport hazard class(es) (DOT)	3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT)	: III - Minor Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 241
DOT Symbols	: D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	<ul> <li>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HD2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).</li> <li>T1 - 1.5 178.274(d)(2) Normal</li></ul>
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
No additional information available	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Air transport

#### No additional information available

#### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

		-
Ethyl 2-ethoxytetrafluoropropionate	CAS No 10186-66-0	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

#### CANADA

No additional information available

#### **EU-Regulations**

No additional information available

#### **National regulations**

No additional information available

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

#### **SECTION 16: Other information**

#### Full text of H-phrases:

Full lext of m-philases.	
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 4	Flammable liquids Category 4
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H227	Combustible liquid
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
SDS US (GHS HazCom 2012)	

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.