

2,2-Difluoroethyl butyrate Safety Data Sheet 21233C6 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 05/02/2016 Version: 1.0

.1. Identification	
	- · · ·
Product form	: Substance
Substance name	: 2,2-Difluoroethyl butyrate
CAS No	: 1309602-59-2
Product code	: 2123-3-C6
Formula	: C6H10F2O2
Other means of identification	: MFCD19442060
1.2. Relevant identified uses of the s	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the saf	ety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identificati	ion
2.1. Classification of the substance of	
Classification (GHS-US)	
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye in STOT SE 3 H335 - May cause respirator	rritation
Eye Irrit. 2AH319 - Causes serious eye in STOT SE 3STOT SE 3H335 - May cause respirator Full text of H-phrases: see section 162.2.Label elements	rritation
Eye Irrit. 2A       H319 - Causes serious eye in         STOT SE 3       H335 - May cause respirator         Full text of H-phrases: see section 16         2.2.       Label elements         GHS-US labeling	rritation
Eye Irrit. 2AH319 - Causes serious eye in STOT SE 3STOT SE 3H335 - May cause respirator Full text of H-phrases: see section 162.2.Label elements	rritation y irritation
Eye Irrit. 2A H319 - Causes serious eye in STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	rritation
Eye Irrit. 2A       H319 - Causes serious eye in         STOT SE 3       H335 - May cause respirator         Full text of H-phrases: see section 16         2.2.       Label elements         GHS-US labeling	rritation y irritation

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

lenses, if present and easy to do. Continue rinsing P312 - Call a POISON CENTER or doctor/physician if you feel unwell P321 - Specific treatment (see supplemental first aid instructions on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse P370+P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to ext P403+P233 - Store in a well-ventilated place. Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool P405 - Store locked up P501 - Dispose of contents/container to an approved waste disposal plant			ctions on this label) tention ttention efore reuse alcohol-resistant foam to extinguish er tightly closed
2.3. Other hazards No additional information available			
2.4. Unknown acute toxicity (GHS US)			
Not applicable			
SECTION 3: Composition/information	on on ingradiants		
3.1. Substance	on on ingredients		
Substance type	: Mono-constituent		
		0/	Classification (CHC UC)
Name           2,2-Difluoroethyl butyrate	(CAS No) 1309602-59-2	<b>%</b> <= 100	Classification (GHS-US) Flam. Liq. 3, H226
(Main constituent)			Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16	· · · ·		·
3.2. Mixture			
Not applicable			
SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general	: In case of accident or if you feel unwe where possible). Move the affected pe		
First-aid measures after inhalation	: Remove person to fresh air and keep respiration. Get medical advice/attent		hing. If not breathing, give artificial
First-aid measures after skin contact	: Wash with plenty of soap and water.		
First-aid measures after eye contact	: Immediately flush eyes thoroughly wit present and easy to do. Continue rins	sing. Get medical advid	ce/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Never give mouth out with water. Get medical ad		an unconscious person. Rinse
4.2. Most important symptoms and effe	ects, both acute and delayed		
Symptoms/injuries	: The most important known symptoms 2.2) and/or in section 11.	and effects are descr	ibed in the labelling (see section
4.3. Indication of any immediate medic	al attention and special treatment neede	ed and a second s	
Treat symptomatically.			
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxid appropriate for surrounding fire.	le. Dry powder. Water	spray. Use extinguishing media
5.2. Special hazards arising from the second	ubstance or mixture		
Fire hazard	: Thermal decomposition generates: Ca	arbon oxides. Hydroge	en fluoride.
Explosion hazard	: Risk of explosion if heated under cont containers. May form flammable/explo		
5.3. Advice for firefighters			
5.3. Advice for firefighters Firefighting instructions	: In case of fire: Evacuate area. Fight fi	ire remotely due to the	e risk of explosion.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release meas	sures		
6.1. Personal precautions, protective equ			
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.		
6.1.1. For non-emergency personnel			
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.		
6.2. Environmental precautions			
Avoid release to the environment. Notify authoriti	es if product enters sewers or public waters.		
6.3. Methods and material for containme	ent and cleaning up		
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.		
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.		
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
6.4. Reference to other sections			
No additional information available			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.		
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.		
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, including any incompatibilities			
Technical measures	: Comply with applicable regulations.		
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Moisture sensitive. Keep contents under inert gas.		
Incompatible materials	: Refer to Section 10 on Incompatible Materials.		
Incompatible materials	. Relef to Section 10 on incompatible Materials.		

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / World	ay, March 20, 2012 / Nules and Negulations		
SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and chemical properties			
Physical state	: Liquid		
Color	: No data available		
Odor	: No data available		
Odor threshold	: No data available		
рН	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: No data available		
Flash point	: No data available		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flammability (solid, gas)	: No data available		
Explosion limits	: No data available		
Explosive properties	: No data available		
Oxidizing properties	: No data available		
Vapor pressure	: No data available		
Relative density	: No data available		
Relative vapor density at 20 °C	: No data available		
Molecular mass	: 152.14 g/mol		
Solubility	: No data available		
Log Pow	: No data available		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Viscosity	: No data available		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: No data available		
9.2. Other information			
No additional information available			
<b>SECTION 10: Stability and reactivi</b>	ty		
10.1. Reactivity			

No additional information available

#### 10.2. Chemical stability

The product is stable at normal handling and storage conditions.

### 10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

#### 10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents. Strong reducing agents.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: Not classified	

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECT	ION 12: Ecological information
12.1.	Toxicity
No add	itional information available
12.2.	Persistence and degradability
No add	itional information available
12.3.	Bioaccumulative potential
No add	itional information available
12.4.	Mobility in soil
No add	itional information available
12.5.	Other adverse effects
No odd	itional information available

No additional in	formation available
------------------	---------------------

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.		
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	: Recycle the material as far as possible.		

## **SECTION 14: Transport information**

Department of Transportation (DOT)	
In accordance with DOT	
Transport document description	: UN3272 Esters, n.o.s., 3, III
UN-No.(DOT)	: UN3272
Dropor Chipping Name (DOT)	

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx)

- : Esters, n.o.s.
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : 3 Flammable liquid



- : III Minor Danger
- : 203
- : 242

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	:	<ul> <li>B1 - If the material has a flash point at or above 38 (bulk packaging requirements of 173.241 of this suboflash point of less than 38 C (100 F), then the bulk p subchapter are applicable.</li> <li>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); R (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31 with a vapor pressure less than or equal to 110 kPa C (1.3 bar at 131 F) are authorized, except for UN26 2 for UN2672).</li> <li>T4 - 2.65 178.274(d)(2) Normal</li></ul>	chapter are applicable. If the material has a ackaging requirements of 173.242 of this igid plastics (31H1 and 31H2); Composite HH2). Additional Requirement: Only liquids at 50 C (1.1 bar at 122 F), or 130 kPa at 55 572 (also see Special Provision IP8 in Table 3) add the degree of filling determined by the : tr is the maximum mean bulk temperature s celsius of the liquid during filling. ure of 1.5 bar (150.0 kPa) may be used ss based on the MAWP of the hazardous	
DOT Packaging Exceptions (49 CFR 173.xxx)	:	150		
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	:	60 L		
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	:	220 L		
DOT Vessel Stowage Location	:	A - The material may be stowed "on deck" or "unde passenger vessel.	r deck" on a cargo vessel and on a	
Other information	:	No supplementary information available.		
TDG				
No additional information available				
Transport by sea				
UN-No. (IMDG)	:	3272		
Proper Shipping Name (IMDG)	:	ESTERS, N.O.S.		
Class (IMDG)	:	: 3 - Flammable liquids		
Packing group (IMDG)	:	: III - substances presenting low danger		
Air transport				
UN-No. (IATA)	:	3272		
Proper Shipping Name (IATA)		Esters, n.o.s.		
Class (IATA)		3 - Flammable Liquids		
Packing group (IATA)	:	III - Minor Danger		
SECTION 15: Regulatory information	١			
15.1. US Federal regulations				
All components of this product are listed, or exc Substances Control Act (TSCA) inventory exce		led from listing, on the United States Environmental F or:	Protection Agency Toxic	
2,2-Difluoroethyl butyrate		CAS No 1309602-59-2	100%	
		nemical or chemicals in excess of the applicable de ments of section 313 of Title III of the Superfund Amend		

15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

**National regulations** No additional information available

15.3. US State regulations

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

### SECTION 16: Other information

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 3	Flammable liquids Category 3
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapor
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
NFPA fire hazard NFPA reactivity	<ul> <li>given.</li> <li>3 - Liquids and solids that can be ignited under almost all ambient conditions.</li> <li>0 - Normally stable, even under fire exposure conditions, and are not reactive with water.</li> </ul>
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	<ul> <li>3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB &amp; IC)</li> </ul>
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.