

Safety Data Sheet 21233D1 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 05/02/2016 Version: 1.0

1.1. Identification	
Product form	: Substance
Substance name	: Ethyl 2,2-difluorohexanoate
CAS No	: 74106-81-3
Product code	: 2123-3-D1
Formula	: C8H14F2O2
Other means of identification	: MFCD11007687
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the sa	afety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Amer T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlab	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identificat	tion
2.1. Classification of the substance	
Classification (GHS-US)	
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16	irritation
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements	irritation
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16	irritation
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	rititation bry irritation : : : : : : : : : : : : : : : : : : :
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	 irritation bry irritation :
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	rititation bry irritation : : : : : : : : : : : : : : : : : : :

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P312 - C P321 - S P332+P3 P337+P3 P362+P3 P370+P3 P403+P2 P403+P2 P403-P3	present and easy to do. Continue rin all a POISON CENTER or doctor/phy pecific treatment (see supplemental fi 13 - If skin irritation occurs: Get medi 13 - If eye irritation persists: Get medi 364 - Take off contaminated clothing a 378 - In case of fire: Use dry sand, dry 333 - Store in a well-ventilated place. 235 - Store in a well-ventilated place. tore locked up ispose of contents/container to an ap	sician if you fee rst aid instructio cal advice/atten lical advice/atten nd wash it befo chemical or alc keep container keep cool	ns on this label) tion ntion re reuse whol-resistant foam to extinguish tightly closed
2.3. Other hazards				
No additional information available 2.4. Unknown acute toxicity (GHS US)				
Not applicable				
SECTION 3: Composition/informatic	n on ingr	odionte		
3.1. Substance	on ingre			
Substance type	: Mono-co	nstituent		
			%	Classification (CHS US)
Name Ethyl 2,2-difluorohexanoate		roduct identifier AS No) 74106-81-3	%	Classification (GHS-US) Flam. Liq. 3, H226
(Main constituent)		, (, (, (, (, (, (, (, (, (, (, (, (, (,		Skin Irit. 2, H315 Eye Irit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
1.1. Description of first aid measures				
First-aid measures general	where po	f accident or if you feel unwell, seek r ssible). Move the affected personnel	away from the c	contaminated area.
First-aid measures after inhalation		person to fresh air and keep comforta n. Get medical advice/attention.	ble for breathin	g. If not breathing, give artificial
First-aid measures after skin contact		h plenty of soap and water. Get medi		
First-aid measures after eye contact	present a	tely flush eyes thoroughly with water f and easy to do. Continue rinsing. Get	medical advice/	attention.
First-aid measures after ingestion		induce vomiting. Never give anything it with water. Get medical advice/atter		unconscious person. Rinse
4.2. Most important symptoms and effe	cts, both acı	te and delayed		
4.2. Most important symptoms and effer Symptoms/injuries	: The mos	te and delayed t important known symptoms and effe or in section 11.	cts are describe	ed in the labelling (see section
Symptoms/injuries	: The mos 2.2) and/	t important known symptoms and effe or in section 11.	cts are describe	ed in the labelling (see section
Symptoms/injuries 4.3. Indication of any immediate medica Freat symptomatically. SECTION 5: Firefighting measures	: The mos 2.2) and/	t important known symptoms and effe or in section 11.	cts are describe	ed in the labelling (see section
Symptoms/injuries 4.3. Indication of any immediate medica Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media	: The mos 2.2) and/ al attention a	t important known symptoms and effe or in section 11. nd special treatment needed		
Symptoms/injuries .3. Indication of any immediate medica reat symptomatically. SECTION 5: Firefighting measures .1. Extinguishing media	: The mos 2.2) and/ all attention a : Alcohol r	t important known symptoms and effe or in section 11.		
Symptoms/injuries	: The mos 2.2) and/ al attention a : Alcohol r appropria	t important known symptoms and effe or in section 11. Ind special treatment needed esistant foam. Carbon dioxide. Dry po ate for surrounding fire.	owder. Water sp	ray. Use extinguishing media
Symptoms/injuries	: The mos 2.2) and/ al attention a : Alcohol r appropria bstance or n : Thermal	t important known symptoms and effe or in section 11. Ind special treatment needed esistant foam. Carbon dioxide. Dry po ate for surrounding fire. hixture decomposition generates: Carbon oxi	owder. Water sp des. Hydrogen	ray. Use extinguishing media fluoride.
Symptoms/injuries	 The mos 2.2) and/ attention a Alcohol r appropria bstance or n Thermal Risk of e 	t important known symptoms and effe or in section 11. Ind special treatment needed esistant foam. Carbon dioxide. Dry po ate for surrounding fire.	owder. Water sp des. Hydrogen Use water spra	ray. Use extinguishing media fluoride.
Symptoms/injuries 4.3. Indication of any immediate medica Freat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard Explosion hazard 5.3. Advice for firefighters	 The mos 2.2) and/ attention a Alcohol r appropria bstance or n Thermal Risk of e containe 	t important known symptoms and effe or in section 11. Ind special treatment needed esistant foam. Carbon dioxide. Dry po ate for surrounding fire. hixture decomposition generates: Carbon oxi xplosion if heated under confinement. 's. May form flammable/explosive vap	owder. Water sp des. Hydrogen Use water spra or-air mixture.	ray. Use extinguishing media fluoride. ay or fog for cooling exposed
Symptoms/injuries 4.3. Indication of any immediate medica Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard Explosion hazard	 The mos 2.2) and/ attention a Alcohol r appropria bstance or n Thermal Risk of e containe In case of a second seco	t important known symptoms and effe or in section 11. Ind special treatment needed esistant foam. Carbon dioxide. Dry po ate for surrounding fire. hixture decomposition generates: Carbon oxis xplosion if heated under confinement.	owder. Water sp des. Hydrogen Use water spra or-air mixture. ely due to the ris	ray. Use extinguishing media fluoride. ny or fog for cooling exposed sk of explosion.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective equ	
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.
6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.
6.2. Environmental precautions	
Avoid release to the environment. Notify authoriti	es if product enters sewers or public waters.
6.3. Methods and material for containme	nt and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	ng any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Moisture sensitive.
	Keep contents under inert gas.
Incompatible materials	Keep contents under inert gas. : Refer to Section 10 on Incompatible Materials.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Mond	ay, March 26, 2012 / Rules and Regulations	
SECTION 9: Physical and chemical properties		
9.1. Information on basic physical an	d chemical properties	
Physical state	: Liquid	
Color	: No data available	
Odor	: No data available	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
Vapor pressure	: No data available	
Relative density	: No data available	
Relative vapor density at 20 °C	: No data available	
Molecular mass	: 180.19 g/mol	
Solubility	: No data available	
Log Pow	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
9.2. Other information		
No additional information available		
SECTION 10: Stability and reactivi	ity	
10.1. Reactivity		
No additional information available		

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents. Strong reducing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects	3	
Acute toxicity	: Not classified	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: Not classified	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECT	ΓION 12: Ecological information		
12.1.	Toxicity		
No add	ditional information available		
12.2.	Persistence and degradability		
No add	ditional information available		
12.3.	Bioaccumulative potential		
No add	ditional information available		
12.4.	Mobility in soil		
No add	ditional information available		
12.5.	Other adverse effects		
No oddi	litional information available		

No additional in	formation available
------------------	---------------------

SECTION 13: Disposal considerat	ions
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.

SECTION 14: Transport information

Department of Transportation (DOT)	
In accordance with DOT	
Transport document description	: UN3272 Esters, n.o.s., 3, III
UN-No.(DOT)	: UN3272
Dropor Chipping Name (DOT)	

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx)

- : Esters, n.o.s.
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : 3 Flammable liquid



- : III Minor Danger
- : 203
- : 242

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T4 - 2.65 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3272
Proper Shipping Name (IMDG)	: ESTERS, N.O.S.
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 3272
Proper Shipping Name (IATA)	: Esters, n.o.s.
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Minor Danger
SECTION 15: Regulatory information	
15.1. US Federal regulations	
All components of this product are listed, or exc Substances Control Act (TSCA) inventory except	uded from listing, on the United States Environmental Protection Agency Toxic
Ethyl 2,2-difluorohexanoate	CAS No 74106-81-3 100%
	chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 nents of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986

15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

National regulations No additional information available

15.3. US State regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 3	Flammable liquids Category 3
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapor
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
NFPA fire hazard NFPA reactivity	 given. 3 - Liquids and solids that can be ignited under almost all ambient conditions. 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB & IC)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.