

Safety Data Sheet 2123906 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 03/02/2017 Version: 1.0

1.1. Identification	
Product form	: Substance
Substance name	: Methyl 2-bromo-2-methylpropionate
CAS No	: 23426-63-3
Product code	: 2123-9-06
Formula	: C5H9BrO2
Synonyms	: Methyl alpha-bromoisobutyrate; 2-Bromo-2-methylpropanoic acid, methyl ester
Other means of identification	: MFCD00017854
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the sa	afety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ameri T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlab	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identificat	tion
2.1. Classification of the substance	
Flam. Liq. 3H226 - Flammable liquid anSkin Irrit. 2H315 - Causes skin irritationEye Irrit. 2AH319 - Causes serious eyeSTOT SE 3H335 - May cause respirato	n . irritation
Flam. Liq. 3H226 - Flammable liquid an Skin Irrit. 2Skin Irrit. 2H315 - Causes skin irritation Eye Irrit. 2AH319 - Causes serious eye STOT SE 3H335 - May cause respiratoFull text of H-phrases: see section 162.2.Label elements	n . irritation
Flam. Liq. 3H226 - Flammable liquid an Skin Irrit. 2Skin Irrit. 2H315 - Causes skin irritationEye Irrit. 2AH319 - Causes serious eyeSTOT SE 3H335 - May cause respiratoFull text of H-phrases: see section 162.2.Label elements	n . irritation
Flam. Liq. 3 H226 - Flammable liquid an Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	n . irritation
Flam. Liq. 3 H226 - Flammable liquid an Skin Irrit. 2 H315 - Causes skin irritatior Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	n irritation bry irritation
Flam. Liq. 3 H226 - Flammable liquid an Skin Irrit. 2 H315 - Causes skin irritatior Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	n irritation bry irritation : $_{GHS02} _{GHS07} _{GHS07$
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16	n irritation bry irritation

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	le P P P P P P P P P P P P P P	305+P351+P338 - If in eyes: Rinse cautious nses, if present and easy to do. Continue rin 312 - Call a POISON CENTER or doctor/phy 321 - Specific treatment (see supplemental f 332+P313 - If skin irritation occurs: Get med 337+P313 - If eye irritation persists: Get med 362+P364 - Take off contaminated clothing a 370+P378 - In case of fire: Use dry sand, dr 403+P233 - Store in a well-ventilated place. 403+P235 - Store in a well-ventilated place. 405 - Store locked up 501 - Dispose of contents/container to an ap	nsing vsician if you fee irst aid instruction lical advice/atter dical advice/atter and wash it befor y chemical or alo Keep container Keep cool	el unwell ons on this label) ntion ntion ore reuse cohol-resistant foam to extinguish tightly closed
2.3. Oth	er hazards			
No additional	information available			
2.4. Uni	nown acute toxicity (GHS US)			
Not applicable	9			
SECTION 3	3: Composition/information or	ingredients		
	ostance			
Substance typ	e : N	lono-constituent		
Name		Product identifier	%	Classification (GHS-US)
	no-2-methylpropionate tt	(CAS No) 23426-63-3	<= 100	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-	phrases: see section 16			
	ture			
Not applicable	9			
SECTION 4	4: First aid measures			
	scription of first aid measures			
First-aid meas	sures general : Ir	a case of accident or if you feel unwell, seek here possible). Move the affected personnel		
First-aid meas		emove person to fresh air and keep comfort espiration. Get medical advice/attention.	able for breathin	g. If not breathing, give artificial
First-aid meas	sures after skin contact : V	ash with plenty of soap and water. Get med	ical advice/atter	ntion.
First-aid meas		nmediately flush eyes thoroughly with water resent and easy to do. Continue rinsing. Get		
First-aid meas		o NOT induce vomiting. Never give anything nouth out with water. Get medical advice/atte		unconscious person. Rinse
4.2. Mos	st important symptoms and effects, b	oth acute and delayed		
Symptoms/inj		he most important known symptoms and effe 2) and/or in section 11.	ects are describe	ed in the labelling (see section
4.3. Ind	ication of any immediate medical atte	ntion and special treatment needed		
Treat symptor	natically.			
SECTION	5: Firefighting measures			
	inguishing media			
	guishing media : A	Icohol resistant foam. Carbon dioxide. Dry poppopriate for surrounding fire.	owder. Water sp	oray. Use extinguishing media
5.2. Spe	ecial hazards arising from the substan	ce or mixture		
Fire hazard		hermal decomposition generates: Carbon ox	ides. Hydrogen	bromide.
Explosion haz	ard : R	isk of explosion if heated under confinement ontainers. May form flammable/explosive va	. Use water spra	
5.3. Adv	vice for firefighters			
Firefighting in	•	case of fire: Evacuate area. Fight fire remote	tely due to the ri	sk of explosion.
• •	ring firefighting : W	/ear gas tight chemically protective clothing i pparatus. For further information refer to sec	in combination v	vith self contained breathing

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release meas	ures			
6.1. Personal precautions, protective equ	ipment and emergency procedures			
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.			
6.1.1. For non-emergency personnel				
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.			
6.1.2. For emergency responders				
Protective equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".			
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.			
6.2. Environmental precautions				
Avoid release to the environment. Notify authoritie	s if product enters sewers or public waters.			
6.3. Methods and material for containment	at and cleaning up			
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.			
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.			
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".			
6.4. Reference to other sections	6.4. Reference to other sections			
No additional information available				
SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.			
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.			
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.			
7.2. Conditions for safe storage, including	g any incompatibilities			
Technical measures	: Comply with applicable regulations.			
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources.			
Incompatible materials	: Refer to Section 10 on Incompatible Materials.			
Storage area	: Store in dry, cool, well-ventilated area.			

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Wonda	iy, March 26, 2012 / Rules and Regulations
SECTION 9: Physical and chemical	properties
9.1. Information on basic physical and	chemical properties
Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 49 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.399 g/ml (@ 20 °C)
Molecular mass	: 181.03 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivit	y .
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
The product is stable at permal bandling and at	torogo conditions

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. **Conditions to avoid**

Keep away from heat, sparks and flame.

10.5. **Incompatible materials**

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION	ECTION 11: Toxicological information	
11.1.	Information on toxicological effects	
Acute to	kicity	: Not classified
Skin corr	osion/irritation	: Causes skin irritation.
Serious e	eye damage/irritation	: Causes serious eye irritation.

03/02/2017

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECTION	12: Ecological information
12.1. To	xicity
No additional	l information available
12.2. Pe	rsistence and degradability
No additional	l information available
12.3. Bio	paccumulative potential
No additional	l information available
12.4. Mo	bbility in soil
No additional	l information available
12.5. Ot	her adverse effects
No additional	l information available

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.		
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	: Recycle the material as far as possible.		

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols : UN1993 Flammable liquids, n.o.s., 3, III

: UN1993

- : Flammable liquids, n.o.s.
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : 3 Flammable liquid



: III - Minor Danger

: 203

: 242

: G - Identifies PSN requiring a technical name

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. B52 - Notwithstanding the provisions of 173.24b of this subchapter, non-reclosing pressure relief devices are authorized on DOT 57 portable tanks. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T4 - 2.65 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 1993
Proper Shipping Name (IMDG)	: FLAMMABLE LIQUID, N.O.S.
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 1993
Proper Shipping Name (IATA)	: Flammable liquid, n.o.s.
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Minor Danger
SECTION 15: Regulatory information	
15.1. US Federal regulations	
All components of this product are listed, or exc	luded from listing, on the United States Environmental Protection Agency Toxic

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

Methyl 2-bromo-2-methylpropionate	CAS No 23426-63-3	100%
-----------------------------------	-------------------	------

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Na	National regulations	
ľ	Methyl 2-bromo-2-methylpropionate (23426-63-3)	
L	Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory	
L	Listed on the TCSI (Taiwan Chemical Substance Inventory)	

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

	Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
	Flam. Liq. 3	Flammable liquids Category 3
	Skin Irrit. 2	Skin corrosion/irritation Category 2
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3
	H226	Flammable liquid and vapor
	H315	Causes skin irritation
	H319	Causes serious eye irritation
	H335	May cause respiratory irritation

NFPA health hazard	2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	: 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.