

Ethyl dibromofluoroacetate Safety Data Sheet 2123B02 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 10/11/2016 Version: 1.0

SECTION 1: Identification			
1.1. Identification			
Product form	: Substance		
Substance name	: Ethyl dibromofluoroacetate		
CAS No	: 565-53-7		
Product code	: 2123-B-02		
Formula	: C4H5Br2FO2		
Synonyms	: Dibromofluoroacetic acid e	thyl ester; Ethyl 2,2-dibromo-2-fluoroethanoate	
Other means of identification	: MFCD00042068		
	substance or mixture and uses a	lvised anainst	
Use of the substance/mixture	: Laboratory chemicals		
	Manufacture of substances Scientific research and dev		
1.3. Details of the supplier of the sa	fety data sheet		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ameri T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlab			
1.4. Emergency telephone number			
Emergency number	: (844) 523-4086 (3E Compa	any - Account 10069)	
SECTION 2: Hazard(s) identificat	ion		
2.1. Classification of the substance	or mixture		
Classification (GHS-US)			
Eye Dam. 1 H318 - Causes se STOT SE 3 H335 - May cause Full text of H-phrases: see section 16	e respiratory irritation		
2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US) Signal word (GHS-US)	: GHS05 : Danger : H301+H311 - Toxic if swa		
Hazard statements (GHS-US)	H301+H311 - Toxic if swa H314 - Causes severe skir H335 - May cause respirat	, ,	
Precautionary statements (GHS-US)	P271 - Use only outdoors of P280 - Wear protective glo P301+P310 - If swallowed: P301+P330+P331 - If swal P302+P352 - If on skin: Wi P303+P361+P353 - If on s skin with water/shower P304+P340 - If inhaled: Re P305+P351+P338 - If in ey lenses, if present and easy	Ily after handling smoke when using this product or in a well-ventilated area ves/protective clothing/eye protection/face protect Immediately call a poison center/doctor/ lowed: rinse mouth. Do NOT induce vomiting ash with plenty of soap and water kin (or hair): Take off immediately all contaminated move person to fresh air and keep comfortable fo es: Rinse cautiously with water for several minute to do. Continue rinsing	d clothing. Rinse r breathing
	PSTU - Immediately call a F	POISON CENTER or doctor/ physician	
12/06/2016	EN (English US)	SDS ID: 2123B02	Page 1

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P321 - Specific treatment (see supplemental first aid instructions on this label) P330 - Rinse mouth P361 - Take off immediately all contaminated clothing P363 - Wash contaminated clothing before reuse P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up P501 - Dispose of contents/container to an approved waste disposal plant			
2.3. Other hazards			
No additional information available			
2.4. Unknown acute toxicity (GHS US)			
Not applicable			
SECTION 3: Composition/information	on ingredients		
3.1. Substance			
Substance type :	Mono-constituent		
Name	Product identifier	%	Classification (GHS-US)
Ethyl dibromofluoroacetate (Main constituent)	(CAS No) 565-53-7	<= 100	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16			
3.2. Mixture			
Not applicable			
SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general :	In case of accident or if you feel unwell, where possible). Move the affected personance of the affected personance of the affected personance of the second		
First-aid measures after inhalation :	Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention.		
First-aid measures after skin contact :	: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Get immediate medical advice/attention.		
First-aid measures after eye contact :	Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.		
First-aid measures after ingestion :	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.		
4.2. Most important symptoms and effects	, both acute and delayed		
Symptoms/injuries :	The most important known symptoms ar 2.2) and/or in section 11.	d effects are describ	bed in the labelling (see section
Symptoms/injuries after inhalation :	Material is destructive to tissue of the mushortness of breath, headache, nausea.	icuous membranes a	and upper respiratory tract. Cough,
4.3. Indication of any immediate medical a	ttention and special treatment needed		
Treat symptomatically.			
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media :	Alcohol resistant foam. Carbon dioxide. I appropriate for surrounding fire.	Dry powder. Water s	pray. Use extinguishing media
5.2. Special hazards arising from the subs	tance or mixture		
Fire hazard :	Thermal decomposition generates: Carb	on oxides. Hydrogen	n bromide. Hydrogen fluoride.
Explosion hazard :	Risk of explosion if heated under confine containers.	ment. Use water spr	ay or fog for cooling exposed
5.3. Advice for firefighters			
Firefighting instructions :	In case of fire: Evacuate area. Fight fire	emotely due to the r	isk of explosion.
Protection during firefighting :	Wear gas tight chemically protective clot apparatus. For further information refer t	hing in combination o section 8: "Exposu	with self contained breathing re controls/personal protection".

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures					
	puipment and emergency procedures				
General measures	 Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray. 				
6.1.1. For non-emergency personnel	6.1.1. For non-emergency personnel				
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.				
6.1.2. For emergency responders					
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".				
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.				
6.2. Environmental precautions					
Avoid release to the environment. Notify authori	ties if product enters sewers or public waters.				
6.3. Methods and material for containm	ent and cleaning up				
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.				
Methods for cleaning up	Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.				
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".				
6.4. Reference to other sections					
No additional information available					
SECTION 7: Handling and storage					
7.1. Precautions for safe handling					
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.				
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.				
7.2. Conditions for safe storage, including any incompatibilities					
Technical measures	: Comply with applicable regulations.				
Storage conditions	: Keep container closed when not in use.				
Incompatible materials	: Refer to Section 10 on Incompatible Materials.				
Storage area	: Store in dry, cool, well-ventilated area.				
SECTION 8: Exposure controls/pers	sonal protection				
8.1. Control parameters					
No additional information available					
8.2. Exposure controls					
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.				
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.				
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.				
Skin and body protection	: Wear suitable protective clothing.				
Respiratory protection	 In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection. 				

Other information

: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties			
Physical state	: Liquid		
Color	: No data available		
Odor	: No data available		
Odor threshold	: No data available		
12/06/2016	EN (English US)	SDS ID: 2123B02	3/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 82 °C (@ 33 mm Hg)
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.894 g/ml (@ 25 °C)
Molecular mass	: 263.89 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Refractive index	: 1.4633 (@ 25 °C)
SECTION 10: Stability and reactivit	y
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
The product is stable at normal handling and s	torage conditions.
10.3. Possibility of hazardous reactions	
No additional information available	
10.4. Conditions to avoid	
Keep away from heat, sparks and flame.	
10.5. Incompatible materials	
Strong bases. Strong oxidizing agents.	

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information		lon
11.1.	Information on toxicological effects	
	vicity	· Oral: Tavic if swallowed Dermal: Tavic in contact with skin

Acute toxicity	: Oral: Toxic If swallowed. Dermal: Toxic in contact with skin.
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECT	ON 12: Ecological information
12.1.	Toxicity
No addi	tional information available
12.2.	Persistence and degradability
No addi	tional information available
12.3.	Bioaccumulative potential
No addi	tional information available
12.4.	Mobility in soil
No addi	tional information available
12.5.	Other adverse effects

No additional information available

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.		
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	: Recycle the material as far as possible.		

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT)

DOT Packaging Non Bulk (49 CFR 173.xxx)

DOT Packaging Bulk (49 CFR 173.xxx)

DOT Symbols

DOT Special Provisions (49 CFR 172.102)

- : UN2922 Corrosive liquids, toxic, n.o.s., 8, III
- : UN2922
- : Corrosive liquids, toxic, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



- : III Minor Danger
- : 203
- : 241
- : G Identifies PSN requiring a technical name

: IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	Mator 20, 2012 / Matos and Regulations
DOT Packaging Exceptions (49 CFR 173.xxx)	: 154
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 2922
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, TOXIC, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 2922
Proper Shipping Name (IATA)	: Corrosive liquid, toxic, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

Ethyl dibromofluoroacetate	CAS No 565-53-7	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:		
	Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
	Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
	Eye Dam. 1	Serious eye damage/eye irritation Category 1
	Skin Corr. 1B	Skin corrosion/irritation Category 1B
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3
	H301	Toxic if swallowed
	H311	Toxic in contact with skin
	H314	Causes severe skin burns and eye damage
	H318	Causes serious eye damage
	H335	May cause respiratory irritation
NFPA health hazard NFPA fire hazard NFPA reactivity		 : 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given. : 0 - Materials that will not burn. : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating		
Health		: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability		: 0 Minimal Hazard - Materials that will not burn
Physical		: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.