

Chloroacetic anhydride Safety Data Sheet 21265X1 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 06/09/2020 Version: 1.0

1.1. Identification	
Product form	: Substance
Substance name	: Chloroacetic anhydride
CAS No	: 541-88-8
Product code	: 2126-5-X1
Formula	: C4H4Cl2O3
Synonyms	: 1,5-Dichloro-3-oxapentan-2,4-dione; 1,5-Dichloro-2,4-dioxo-3-oxapentane
Other means of identification	: MFCD00000929
	substance or mixture and uses advised against Laboratory chemicals
Use of the substance/mixture	Manufacture of substances Scientific research and development
1.3. Details of the supplier of the sa	afety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Amer T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlab	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identificat	tion
2.1. Classification of the substance	e or mixture
Classification (GHS-US)	
Eye Dam. 1H318 - Causes sericSTOT SE 3H335 - May cause re	
Eye Dam. 1 H318 - Causes seric STOT SE 3 H335 - May cause re Full text of H-phrases: see section 16	ous eye damage
Eye Dam. 1 H318 - Causes seric STOT SE 3 H335 - May cause re Full text of H-phrases: see section 16	ous eye damage
Eye Dam. 1 H318 - Causes seric STOT SE 3 H335 - May cause response of the series Full text of H-phrases: see section 16 2.2. Label elements	espiratory irritation
Eye Dam. 1 H318 - Causes seric STOT SE 3 H335 - May cause respective for the series Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	espiratory irritation
Eye Dam. 1 H318 - Causes seric STOT SE 3 H335 - May cause response Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	espiratory irritation
Eye Dam. 1 H318 - Causes seric STOT SE 3 H335 - May cause respective for the series Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	 espiratory irritation : i i irritation : i i i i i i i i i i i i i i i i i i
Eye Dam. 1 H318 - Causes seric STOT SE 3 H335 - May cause respective for the series Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 i i i i i i i i i i i i i i i i i i i

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P363 - Wash contaminated clothing before reuse P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up P501 - Dispose of contents/container to an approved waste disposal plant			
2.3. Other hazards				
Other hazards not contributing to the classification	: Lachrymator.			
2.4. Unknown acute toxicity (GHS US	S)			
Not applicable				
SECTION 3: Composition/information	ation on ingredients			
3.1. Substance				
Substance type	: Mono-constituent			
Name	Product identifier	%	Classification (GHS-US)	
Chloroacetic anhydride (Main constituent)	(CAS No) 541-88-8	<= 100	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335	
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
I.1. Description of first aid measures	S			
First-aid measures general		In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area.		
First-aid measures after inhalation	respiration. Get immediate medica	: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention.		
First-aid measures after skin contact	medical advice/attention.			
First-aid measures after eye contact	present and easy to do. Continue r	Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse		
First-aid measures after ingestion		mouth out with water. Get immediate medical advice/attention.		
4.2. Most important symptoms and e				
Symptoms/injuries	: The most important known sympto 2.2) and/or in section 11.			
Symptoms/injuries after inhalation		: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.		
	dical attention and special treatment nee	eded		
Freat symptomatically.				
SECTION 5: Firefighting measure	S			
5.1. Extinguishing media				
Suitable extinguishing media	: Alcohol resistant foam. Carbon dio appropriate for surrounding fire.	: Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.		
5.2. Special hazards arising from the	e substance or mixture			
Fire hazard	: Thermal decomposition generates:	: Thermal decomposition generates: Carbon oxides. Hydrogen chloride.		
Reactivity		Reacts with water, generates gases or heat. Reacts on exposure to water with some metals to release highly explosive/flammable hydrogen gas.		
5.3. Advice for firefighters				
Firefighting instructions	: In case of fire: Evacuate area.			
Protection during firefighting		Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".		
SECTION 6: Accidental release m				
	e equipment and emergency procedures			
General measures	: Evacuate unnecessary personnel.	Ensure adequate air ver	tilation. Do not broatho duct	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1.	For non-emergency personnel	
Emerge	ency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2.	For emergency responders	
Protect	ive equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2.	Environmental precautions	
Avoid r	elease to the environment. Notify autho	rities if product enters sewers or public waters.
6.3.	Methods and material for containn	nent and cleaning up
For cor	ntainment	: Stop leak if safe to do so.
Method	ds for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.
Other i	nformation	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4.	Reference to other sections	
No add	litional information available	
SECT	ION 7: Handling and storage	
7.1.	Precautions for safe handling	
_	tions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good

Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 7.2. Conditions for safe storage, including any incompatibilities Technical measures : Comply with applicable regulations. Storage conditions : Keep container closed when not in use. Moisture sensitive. Keep contents under inert gas.
Technical measures : Comply with applicable regulations.
Storage conditions : Keep container closed when not in use. Moisture sensitive. Keep contents under inert gas.
Incompatible materials : Refer to Section 10 on Incompatible Materials.

: Store in dry, cool, well-ventilated area. Storage area

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	I chemical properties
Physical state	: Solid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: 56 - 59 °C
Freezing point	: No data available
Boiling point	: 110 - 112 °C (@ 10 mm Hg)
Flash point	: 143 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	-	
Explosion limits	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available
Vapor pressure	:	No data available
Relative density	:	No data available
Relative vapor density at 20 °C	:	No data available
Specific gravity / density	:	1.55 g/ml
Molecular mass	:	170.979 g/mol
Solubility	:	No data available
Log Pow	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with water, generates gases or heat. Reacts on exposure to water with some metals to release highly explosive/flammable hydrogen gas.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from heat, sparks and flame. Moisture.

10.5. Incompatible materials

Acids. Alcohols. Amines. Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Oral: Harmful if swallowed.
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

•	
SECTI	ON 12: Ecological information
12.1.	Toxicity
No addit	tional information available
12.2.	Persistence and degradability
No addit	tional information available
12.3.	Bioaccumulative potential
No addit	tional information available
12.4.	Mobility in soil
No addit	tional information available
12.5.	Other adverse effects
No addit	tional information available

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description


UN-No.(DOT)

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT)

- DOT Packaging Non Bulk (49 CFR 173.xxx)
- DOT Packaging Bulk (49 CFR 173.xxx)
- DOT Symbols
- DOT Special Provisions (49 CFR 172.102)

- : UN2928 Toxic solids, corrosive, organic, n.o.s., 6.1, II
- : UN2928
- : Toxic solids, corrosive, organic, n.o.s.
- : 6.1 Class 6.1 Poisonous materials 49 CFR 173.132
- 6.1 Poison



- : II Medium Danger
- : 212
- : 242
- : G Identifies PSN requiring a technical name
- : IB6 Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2). Additional Requirement: Composite IBCs 11HZ2 and 21HZ2 may not be used when the hazardous materials being transported may become liquid during transport.

IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle. T3 - 2.65 178.274(d)(2) Normal...... 178.275(d)(2)

TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.

DOT Packaging Exceptions (49 CFR 173.xxx)

: 153

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 15 kg
OOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 50 kg
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 2928
Proper Shipping Name (IMDG)	: TOXIC SOLID, CORROSIVE, ORGANIC, N.O.S.
Class (IMDG)	: 6.1 - Toxic substances
Packing group (IMDG)	: II - substances presenting medium danger
Air transport	
JN-No. (IATA)	: 2928
Proper Shipping Name (IATA)	: Toxic solid, corrosive, organic, n.o.s.
Class (IATA)	: 6.1 - Toxic Substances
Packing group (IATA)	: II - Medium Danger
SECTION 15: Regulatory informatior	
15.1. US Federal regulations	

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

	Chloroacetic anhydride	CAS No 541-88-8	100%
--	------------------------	-----------------	------

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

National regulations No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full tex	t of H-phrases:	
	Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
	Eye Dam. 1	Serious eye damage/eye irritation Category 1
	Skin Corr. 1B	Skin corrosion/irritation Category 1B
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3
	H302	Harmful if swallowed
	H314	Causes severe skin burns and eye damage
	H318	Causes serious eye damage
	H335	May cause respiratory irritation
NFPA	health hazard fire hazard reactivity	 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given. 1 - Must be preheated before ignition can occur. 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.
HMIS III Rating		
Health		: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability		: 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical		: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.