

Safety Data Sheet 21283F2 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 05/14/2020 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: tert-Butyl 2,2,2-trifluoroethyl carbonate
CAS No	: 305856-36-4
Product code	: 2128-3-F2
Formula	: C7H11F3O3
Other means of identification	: MFCD28334431
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the sa	fety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ameri T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlab	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identificat	ion
2.1. Classification of the substance	
Classification (GHS-US)	
Skin Irrit. 2H315 - Causes skin irritatiorEye Irrit. 2AH319 - Causes serious eye	n İ irritation
Skin Irrit. 2H315 - Causes skin irritatiorEye Irrit. 2AH319 - Causes serious eyeSTOT SE 3H335 - May cause respiratoFull text of H-phrases: see section 162.2.Label elements	n İ irritation
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	n İ irritation
Skin Irrit. 2 H315 - Causes skin irritatior Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	n İ irritation
Skin Irrit. 2 H315 - Causes skin irritatior Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	n irritation iry irritation
Skin Irrit. 2H315 - Causes skin irritatiorEye Irrit. 2AH319 - Causes serious eyeSTOT SE 3H335 - May cause respiratoFull text of H-phrases: see section 162.2.Label elements	$\frac{1}{1000}$
Skin Irrit. 2 H315 - Causes skin irritatior Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	n irritation iry irritation

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	lenses, if present and easy to do. Co P312 - Call a POISON CENTER or of P321 - Specific treatment (see suppl P332+P313 - If skin irritation occurs: P337+P313 - If eye irritation persists P362+P364 - Take off contaminated P370+P378 - In case of fire: Use dry P403+P233 - Store in a well-ventilate P403+P235 - Store in a well-ventilate P405 - Store locked up P501 - Dispose of contents/containe	loctor/physician if you emental first aid instru Get medical advice/at : Get medical advice/at clothing and wash it b sand, dry chemical or ed place. Keep cool	ctions on this label) tention ttention efore reuse alcohol-resistant foam to extinguish er tightly closed
2.3. Other hazards			
No additional information available 2.4. Unknown acute toxicity (GHS US)			
2.4. Unknown acute toxicity (GHS US) Not applicable			
	on ingradianta		
SECTION 3: Composition/information	on on ingredients		
3.1. Substance Substance type	: Mono-constituent		
		0/	
Name tert-Butyl 2,2,2-trifluoroethyl carbonate	(CAS No) 305856-36-4	% <= 100	Classification (GHS-US) Flam. Liq. 3, H226
(Main constituent)	(0/3/10) 00000-00-4	< <u>-</u> 100	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16			
3.2. Mixture			
Not applicable			
SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general	: In case of accident or if you feel unw where possible). Move the affected p	ersonnel away from th	ne contaminated area.
First-aid measures after inhalation	: Remove person to fresh air and keep respiration. Get medical advice/atten	tion.	
First-aid measures after skin contact	: Wash with plenty of soap and water.		
First-aid measures after eye contact	: Immediately flush eyes thoroughly w present and easy to do. Continue rin	sing. Get medical advi	ce/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Never give mouth out with water. Get medical a		an unconscious person. Rinse
4.2. Most important symptoms and effe	cts, both acute and delayed		
Symptoms/injuries	: The most important known symptom 2.2) and/or in section 11.	s and effects are desc	ribed in the labelling (see section
4.3. Indication of any immediate medica Treat symptomatically.	I attention and special treatment need	ed	
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxi appropriate for surrounding fire.	de. Dry powder. Water	spray. Use extinguishing media
5.2. Special hazards arising from the su	bstance or mixture		
Fire hazard	: Thermal decomposition generates: C	, ,	
Explosion hazard	: Risk of explosion if heated under cor containers. May form flammable/exp		
5.3. Advice for firefighters			
Firefighting instructions	: In case of fire: Evacuate area. Fight	•	•
Protection during firefighting	: Wear gas tight chemically protective apparatus. For further information re		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.		
6.1.1. For non-emergency personnel			
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.		
6.2. Environmental precautions			
Avoid release to the environment. Notify authoriti	es if product enters sewers or public waters.		
6.3. Methods and material for containme	nt and cleaning up		
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.		
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.		
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
6.4. Reference to other sections			
No additional information available			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.		
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.		
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, including any incompatibilities			
Technical measures	: Comply with applicable regulations.		
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources.		
Incompatible materials	: Refer to Section 10 on Incompatible Materials.		
Storage area	: Store in dry, cool, well-ventilated area.		

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical	
9.1. Information on basic physical and	
Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 63 - 64 °C @ 25 mm Hg
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 200.1556 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	

SECTION 10: Stability and reactivity		
10.1. Reactivity		
No additional information available		
10.2. Chemical stability		
The product is stable at normal handling and storage conditions.		
10.3. Possibility of hazardous reactions		
No additional information available		
10.4. Conditions to avoid		
Keep away from heat, sparks and flame.		
10.5. Incompatible materials		
Strong acids. Strong bases. Strong oxidizing agents. Strong reducing agents.		
10.6. Hazardous decomposition products		

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information		
11.1. Information on toxicological effect	ts	
Acute toxicity	: Not classified	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: Not classified	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity Specific target organ toxicity (single exposure)	: Not classified : May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECT	ION 12: Ecological information
12.1.	Toxicity
No add	itional information available
12.2.	Persistence and degradability
No add	itional information available
12.3.	Bioaccumulative potential
No add	itional information available
12.4.	Mobility in soil
No add	itional information available
12.5.	Other adverse effects
	the set of the second second set of the second second second second second second second second second second s

No additional information available

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.	
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Additional information	: Recycle the material as far as possible.	
SECTION 14. Transport informati		

SECTION 14: Transport information

Department of	Transportation	(DOT)	
----------------------	----------------	-------	--

In accordance with DOT Transport document description

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx)

- : UN3272 Esters, n.o.s., 3, III
- : UN3272
- : Esters, n.o.s.
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : 3 Flammable liquid



- : III Minor Danger
- : 203
- : 242

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T4 - 2.65 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
TDG	
No additional information available	
Fransport by sea	
JN-No. (IMDG)	: 3272
Proper Shipping Name (IMDG)	: ESTERS, N.O.S.
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
JN-No. (IATA)	: 3272
Proper Shipping Name (IATA)	: Esters, n.o.s.
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Minor Danger
SECTION 15: Regulatory information	
5.1. US Federal regulations	
All components of this product are listed, or exc Substances Control Act (TSCA) inventory except	luded from listing, on the United States Environmental Protection Agency Toxic ot for:
tert-Butyl 2,2,2-trifluoroethyl carbonate	CAS No 305856-36-4 100%
	chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 ments of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986

15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

National regulations No additional information available

15.3. US State regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 3	Flammable liquids Category 3
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapor
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
NFPA fire hazard NFPA reactivity	 : 3 - Liquids and solids that can be ignited under almost all ambient conditions. : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB & IC)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NO react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.