

Safety Data Sheet 2129318 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 01/19/2015 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: 3,3-Bis(trifluoromethyl)-3-hydroxypropionic acid
CAS No	: 1547-36-0
Product code	: 2129-3-18
Formula	: C5H4F6O3
Other means of identification	: MFCD00040910
1.2. Relevant identified uses of the sub	stance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the safety	data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com	<u>m</u>
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or r	
Classification (GHS-US)	IIAMIO
Eye Dam. 1 H318 - Causes serious eye da STOT SE 3 H335 - May cause respiratory Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labeling Hazard pictograms (GHS-US)	CHS05 GHS07
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation
Precautionary statements (GHS-US)	 P260 - Do not breathe dust, mist, spray P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/ physician P321 - Specific treatment (see supplemental first aid instructions on this label) P363 - Wash contaminated clothing before reuse P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up P501 - Dispose of contents/container to an approved waste disposal plant

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ccording to Federal Register / Vol. 77, No. 58 / Monday 2.3. Other hazards	, March 26	, 2012 / Rules and Regulations		
No additional information available				
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
SECTION 3: Composition/informatic	on on ir	gredients		
3.1. Substance		Ŭ		
Substance type	: Mone	o-constituent		
Name		Product identifier	%	Classification (GHS-US)
3,3-Bis(trifluoromethyl)-3-hydroxypropionic acid (Main constituent)		(CAS No) 1547-36-0	<= 100	Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16		1		· ·
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general	wher	se of accident or if you feel unwell, seek e possible). Move the affected personnel	l away from the o	contaminated area.
First-aid measures after inhalation	respi	ove person to fresh air and keep comfort ration. Get immediate medical advice/att	ention.	
First-aid measures after skin contact	medi	h with plenty of soap and water. Remove cal advice/attention.		Ũ
First-aid measures after eye contact	prese	ediately flush eyes thoroughly with water ent and easy to do. Continue rinsing. Get	immediate med	lical advice/attention.
First-aid measures after ingestion		OT induce vomiting. Never give anything h out with water. Get immediate medical		•
4.2. Most important symptoms and effe	cts, both	acute and delayed		
Symptoms/injuries		most important known symptoms and effort and/or in section 11.	ects are describe	ed in the labelling (see section
Symptoms/injuries after inhalation		rial is destructive to tissue of the mucuou ness of breath, headache, nausea.	is membranes a	nd upper respiratory tract. Cough,
4.3. Indication of any immediate medica	attentic	on and special treatment needed		
Treat symptomatically.				
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media		nol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire.	owder. Water sp	oray. Use extinguishing media
5.2. Special hazards arising from the su	bstance	or mixture		
Fire hazard	: Ther	mal decomposition generates: Carbon o>	kides. Hydrogen	fluoride.
5.3. Advice for firefighters				
Firefighting instructions	: In ca	se of fire: Evacuate area.		
Protection during firefighting		r gas tight chemically protective clothing ratus. For further information refer to see		
SECTION 6: Accidental release mea	sures			
6.1. Personal precautions, protective ed	uipment	and emergency procedures		
General measures		uate unnecessary personnel. Ensure add	equate air ventila	ation. Do not breathe dust.
6.1.1. For non-emergency personnel				
Emergency procedures	: Only	qualified personnel equipped with suitab	le protective equ	uipment may intervene.
6.1.2. For emergency responders				
Protective equipment		ot attempt to take action without suitable to section 8: "Exposure controls/persona		ment. For further information
6.2. Environmental precautions				
Avoid release to the environment. Notify authori	ties if pro	duct enters sewers or public waters.		
12/06/2016	EN (En	alish LIS)	SDS ID: 2120318	2/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for contain	ment and cleaning up
For containment	: Stop leak if safe to do so.
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	 Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, inclu	Iding any incompatibilities
Technical measures	: Comply with applicable regulations.
Otomo na semelitione	. Koon containen elegenduukan patin vas Ukumasania. Koon septenta under inart ess

Storage conditions	: Keep container closed when not in use. Hygroscopic. Keep contents under inert gas.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and	d chamical properties
SECTION 9. FINSICALATIC	

9.1. Information on basic physical and	d chemical properties
Physical state	: Solid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: 87 - 88 °C
Freezing point	: No data available
Boiling point	: 91.4 °C (@ 13 mm Hg)
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 226.07 g/mol

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
The product is stable at normal handling and storage conditions.	
10.3. Possibility of hazardous reactions	
No additional information available	
10.4. Conditions to avoid	
Keep away from heat, sparks and flame.	
10.5. Incompatible materials	
Bases. Strong oxidizing agents.	
10.6. Hazardous decomposition products	
Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in c fire, see Section 5.	ase of
SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity : Not classified	

Acule loxicity	
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure	e) : May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Comparison of the sight starting	. Material is deptered to the time of the second second research and the second s

Symptoms/injuries after inhalation : Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECTIO	DN 12: Ecological information
12.1.	Toxicity
No additi	onal information available
12.2.	Persistence and degradability
No additi	onal information available
12.3.	Bioaccumulative potential
No additi	onal information available
12.4.	Mobility in soil
No additi	onal information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.5. Other adverse effects

No additional information available

13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Vaste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.
SECTION 14: Transport information	
Department of Transportation (DOT)	
In accordance with DOT Transport document description	: UN3261 Corrosive solid, acidic, organic, n.o.s., 8, III
Tansport document description	
JN-No.(DOT)	: UN3261
roper Shipping Name (DOT)	: Corrosive solid, acidic, organic, n.o.s.
ransport hazard class(es) (DOT)	: 8 - Class 8 - Corrosive material 49 CFR 173.136
lazard labels (DOT)	: 8 - Corrosive
	8
acking group (DOT)	: III - Minor Danger
OT Packaging Non Bulk (49 CFR 173.xxx)	: 213
OT Packaging Bulk (49 CFR 173.xxx)	: 240
OT Symbols	: G - Identifies PSN requiring a technical name
OOT Special Provisions (49 CFR 172.102)	 IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner. T1 - 1.5 178.274(d)(2) Normal 178.275(d)(2) TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group III or T7 for solid substances of packing group III or T7 for solid substances of packing group II or T7 for solid substances of packing group II or T7. Solids meeting thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.
OOT Packaging Exceptions (49 CFR 173.xxx)	: 154
OT Quantity Limitations Passenger aircraft/rail 9 CFR 173.27)	: 25 kg
OT Quantity Limitations Cargo aircraft only (49 FR 175.75)	: 100 kg
OT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	No supplementary information available.
DG	
No additional information available	
ransport by sea	
ransport by sea	

12/06/2016

: 3261

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proper Shipping Name (IMDG)	: CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 3261
Proper Shipping Name (IATA)	: Corrosive solid, acidic, organic, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

3,3-Bis(trifluoromethyl)-3-hydroxypropionic acid	CAS No 1547-36-0	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Full text of H-phrases:		
Eye Dam. 1	Serious eye damage/eye irritation Category 1	
Skin Corr. 1B	Skin corrosion/irritation Category 1B	
STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
H314	Causes severe skin burns and eye damage	
H318	Causes serious eye damage	
H335	May cause respiratory irritation	
NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.	
NFPA fire hazard	: 0 - Materials that will not burn.	
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.	
HMIS III Rating		
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given	
Flammability	: 0 Minimal Hazard - Materials that will not burn	
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	
SDS US (GHS HazCom 2012)		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.