

Safety Data Sheet 2129325 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 05/31/2016 Version: 1.0

SECTION 1: Identification		
1.1. Identification		
Product form	: Substance	
Substance name	: Ethyl 2,2-dimethyl-4,4,4-trifluoro(acetoacetate)	
CAS No	: 26717-76-0	
Product code	: 2129-3-25	
Formula	: C8H11F3O3	
Synonyms	: Ethyl 4,4,4-trifluoro-2,2-dimethyl-3-oxo-butarate	
Other means of identification	: MFCD07357423	
1.2. Relevant identified uses of the su	ubstance or mixture and uses advised against	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development	
1.3. Details of the supplier of the safe	ety data sheet	
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.		
1.4. Emergency telephone number		
Emergency number	: (844) 523-4086 (3E Company - Account 10069)	
SECTION 2: Hazard(s) identification	on	
2.1. Classification of the substance o		
Classification (GHS-US)		
Eye Irrit. 2A H319 - Causes serious eye irr STOT SE 3 H335 - May cause respiratory		
	y irritation	
Full text of H-phrases: see section 16	y irritation	
Full text of H-phrases: see section 16 2.2. Label elements	y irritation	
Full text of H-phrases: see section 16	y irritation	
Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	: GHS07 : Warning : H227 - Combustible liquid H315 - Causes skin irritation	
Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	: GHS07 : Warning : H227 - Combustible liquid H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation	
Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	: GHS07 : Warning : H227 - Combustible liquid H315 - Causes skin irritation H319 - Causes serious eye irritation	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

		P403 P403 P405)+P378 - In case of fire: Use dry sand, dr)+P378 - Store in a well-ventilated place.)+P235 - Store in a well-ventilated place. 5 - Store locked up I - Dispose of contents/container to an approximation. 	Keep containe Keep cool	r tightly closed
2.3.	Other hazards				
No addit	tional information available				
2.4.	Unknown acute toxicity (GHS US)				
Not appl	licable				
SECTI	ON 3: Composition/informat	ion on ir	ngredients		
3.1.	Substance				
Substan	ce type	: Mono	o-constituent		
Name			Product identifier	%	Classification (GHS-US)
	2-dimethyl-4,4,4-trifluoro(acetoacetate)		(CAS No) 26717-76-0	<= 100	Flam. Liq. 4, H227
	nstituent)				Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text	of H-phrases: see section 16				
3.2.	Mixture				
Not appl	licable				
SECTI	ON 4: First aid measures				
4.1.	Description of first aid measures				
First-aid	measures general		se of accident or if you feel unwell, seek e possible). Move the affected personnel		
First-aid	measures after inhalation		ove person to fresh air and keep comfort ration. Get medical advice/attention.	able for breathi	ing. If not breathing, give artificial
First-aid	measures after skin contact	: Was	h with plenty of soap and water. Get med	ical advice/atte	ention.
First-aid	measures after eye contact		ediately flush eyes thoroughly with water ent and easy to do. Continue rinsing. Get		
First-aid	measures after ingestion		IOT induce vomiting. Never give anything th out with water. Get medical advice/atte		n unconscious person. Rinse
4.2.	Most important symptoms and ef	fects, both	acute and delayed		
Symptor	ns/injuries		most important known symptoms and effe and/or in section 11.	ects are descrit	ped in the labelling (see section
<mark>4.3.</mark> Treat sy	Indication of any immediate medi mptomatically.	cal attentic	on and special treatment needed		
SECTI	ON 5: Firefighting measures				
5.1.	Extinguishing media				
	extinguishing media		hol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire.	owder. Water s	pray. Use extinguishing media
5.2.	Special hazards arising from the	substance	or mixture		
Fire haz			mal decomposition generates: Carbon ox	ides. Hydroger	n fluoride.
Explosio	on hazard	: Risk	of explosion if heated under confinement ainers. May form flammable/explosive va	. Use water sp	ray or fog for cooling exposed
5.3.	Advice for firefighters				
	ing instructions	: In ca	se of fire: Evacuate area. Fight fire remo	tely due to the	risk of explosion.
-	on during firefighting	: Wea	r gas tight chemically protective clothing i iratus. For further information refer to sec	n combination	with self contained breathing
	ON 6: Accidental release me				
6.1.	Personal precautions, protective				
General	measures		uate unnecessary personnel. Ensure ade r or spray.	equate air venti	lation. Do not breathe gas, fumes,
6.1.1.	For non-emergency personnel				
	ncy procedures	: Only	qualified personnel equipped with suitab	le protective ec	quipment may intervene.
Emerger					

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.
6.2. Environmental precautions	
Avoid release to the environment. Notify auth	orities if product enters sewers or public waters.
6.3. Methods and material for contain	nment and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	•
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, include	uding any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Moisture sensitive. Keep contents under inert gas.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SEC	TION 9: Physical	
9.1.	Information on ba	asic physical and chemical properties
Physic	cal state	: Liquid
Color		: No data available
Odor		: No data available
Odor t	hreshold	: No data available
рН		: No data available
Melting	g point	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 212.17 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
No additional information available
10.2. Chemical stability
The product is stable at normal handling and storage conditions.
10.3. Possibility of hazardous reactions
No additional information available
10.4. Conditions to avoid
Keep away from heat, sparks and flame.
10.5. Incompatible materials
Strong oxidizing agents.
10.6. Hazardous decomposition products
Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.
SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECT	ION 12: Ecological information		
12.1.	Toxicity		
No addi	No additional information available		
12.2.	Persistence and degradability		
No addi	itional information available		
12.3.	Bioaccumulative potential		
No addi	itional information available		
12.4.	Mobility in soil		
No addi	itional information available		
12.5.	Other adverse effects		
No addi	No additional information available		

SECTION 42: Dispession consideration	
SECTION 13: Disposal consideration	5
Waste treatment methods Waste disposal recommendations Additional information	 Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. Dispose of contents/container in accordance with licensed collector's sorting instructions. Recycle the material as far as possible.
SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT Transport document description	: NA1993 Combustible liquid, n.o.s., 3, III
UN-No.(DOT)	: NA1993
Proper Shipping Name (DOT)	: Combustible liquid, n.o.s.
Transport hazard class(es) (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT)	: III - Minor Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 241
DOT Symbols	: D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	 IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HD2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T1 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
No additional information available	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

Ethyl 2 2-dimethyl-4 4 4-trifluoro(acetoacetate) CAS No 26717-76-0 100%			
	Ethyl 2.2-dimethyl-4.4.4-trifluoro(acetoacetate)	CAS No 26717-76-0	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Full lext of m-philases.	
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 4	Flammable liquids Category 4
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H227	Combustible liquid
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
SDS US (GHS HazCom 2012)	

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.