

Ethyl 3-hydroxy-3-methyl-4,4,4-trifluorobutyrate

Safety Data Sheet 2129333 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 10/03/2017 Version: 1.0

SECTION 1: Identification 1.1. Identification	
1.1. Identification	
Product form	: Substance
Substance name	: Ethyl 3-hydroxy-3-methyl-4,4,4-trifluorobutyrate
CAS No	: 649-67-2
Product code	: 2129-3-33
Formula	: C7H11F3O3
Synonyms	: Ethyl 4,4,4-trifluoro-3-hydroxy-3-methylbutanoate
Other means of identification	: MFCD07784252
1.2. Relevant identified uses of the su	ubstance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the safe	ety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs	a
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identification 2.1. Classification of the substance of	
STOT SE 3 H335 - May cause respiratory Full text of H-phrases: see section 16	' irritation
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	
	GHS07
Signal word (GHS-US)	GHS07 : Warning
Signal word (GHS-US) Hazard statements (GHS-US)	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
SECTION 3: Composition/informatic	on on in	gredients		
3.1. Substance				
Substance type	: Mono	-constituent		
Name		Product identifier	%	Classification (GHS-US)
Ethyl 3-hydroxy-3-methyl-4,4,4-trifluorobutyrate (Main constituent)		(CAS No) 649-67-2	<= 100	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16				·
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general	where	e of accident or if you feel unwell, seek possible). Move the affected personnel	away from the o	contaminated area.
First-aid measures after inhalation		ove person to fresh air and keep comfort ation. Get medical advice/attention.	able for breathin	g. If not breathing, give artificial
First-aid measures after skin contact		with plenty of soap and water. Get med		
First-aid measures after eye contact	prese	diately flush eyes thoroughly with water nt and easy to do. Continue rinsing. Get	medical advice/	attention.
First-aid measures after ingestion		OT induce vomiting. Never give anything out with water. Get medical advice/atte		unconscious person. Rinse
4.2. Most important symptoms and effe	cts, both a	acute and delayed		
Symptoms/injuries		nost important known symptoms and effo nd/or in section 11.	ects are describe	ed in the labelling (see section
4.3. Indication of any immediate medica	al attentio	n and special treatment needed		
Treat symptomatically.				
SECTION 5: Firefighting measures				
SECTION 5: Firefighting measures5.1.Extinguishing media				
		ol resistant foam. Carbon dioxide. Dry p priate for surrounding fire.	owder. Water sp	ray. Use extinguishing media
5.1. Extinguishing media	appro	priate for surrounding fire.	owder. Water sp	ray. Use extinguishing media
5.1. Extinguishing media Suitable extinguishing media	appro Ibstance d	priate for surrounding fire.		
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the suitable suitable extended and suit	appro Ibstance c : Thern	priate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement	ides. Hydrogen	fluoride.
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the surfice hazard 	appro Ibstance o : Thern : Risk o	priate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement	ides. Hydrogen	fluoride.
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the surfive hazard Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions 	appro Ibstance c : Therm : Risk c conta : In cas	priate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remo	ides. Hydrogen . Use water spra	fluoride. ay or fog for cooling exposed sk of explosion.
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the surfive hazard Fire hazard Explosion hazard 5.3. Advice for firefighters 	appro ibstance c : Therm : Risk c conta : In cas : Wear	priate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners.	ides. Hydrogen . Use water spra tely due to the ris n combination w	fluoride. ay or fog for cooling exposed sk of explosion. <i>v</i> ith self contained breathing
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting 	appro bstance c : Therm : Risk c conta : In cas : Wear appar	priate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire removing gas tight chemically protective clothing i	ides. Hydrogen . Use water spra tely due to the ris n combination w	fluoride. ay or fog for cooling exposed sk of explosion. <i>v</i> ith self contained breathing
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the surfive hazard Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release mean 	appro abstance of Therm Risk of conta In cas Wear appar SURES	priate for surrounding fire. or mixture hal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire removing gas tight chemically protective clothing in atus. For further information refer to sec	ides. Hydrogen . Use water spra tely due to the ris n combination w	fluoride. ay or fog for cooling exposed sk of explosion. <i>v</i> ith self contained breathing
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the surfive hazard Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release mean 	appro abstance of : Therm : Risk of conta : In cas : Wear appar sures ; Evacu	priate for surrounding fire. or mixture hal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire removing gas tight chemically protective clothing in atus. For further information refer to sec	tides. Hydrogen . Use water spra tely due to the ris n combination w tion 8: "Exposur	fluoride. ay or fog for cooling exposed sk of explosion. /ith self contained breathing e controls/personal protection".
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the surfive hazard Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release measures 6.1. Personal precautions, protective extended on the surface of the surfac	appro abstance of : Therm : Risk of conta : In cas : Wear appar sures ; Evacu	priate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire removing gas tight chemically protective clothing in atus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure add	tides. Hydrogen . Use water spra tely due to the ris n combination w tion 8: "Exposur	fluoride. ay or fog for cooling exposed sk of explosion. /ith self contained breathing e controls/personal protection".
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the surfive hazard Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release measures 6.1. Personal precautions, protective extended on the surface of the surfac	appro abstance of : Therm : Risk of conta : In cas : Wear appar SURES ; Evacu vapor	priate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire removing gas tight chemically protective clothing in atus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure add	ides. Hydrogen . Use water spra tely due to the ris n combination w tion 8: "Exposur	fluoride. ay or fog for cooling exposed sk of explosion. //th self contained breathing e controls/personal protection".
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the surfive hazard Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release means 6.1. Personal precautions, protective explosion 6.1.1. For non-emergency personnel 	appro abstance of : Therm : Risk of conta : In cas : Wear appar SURES ; Evacu vapor	priate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. are of fire: Evacuate area. Fight fire removing gas tight chemically protective clothing in atus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure add or spray.	ides. Hydrogen . Use water spra tely due to the ris n combination w tion 8: "Exposur	fluoride. ay or fog for cooling exposed sk of explosion. //th self contained breathing e controls/personal protection".
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the surfive hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release meat 6.1. Personal precautions, protective extended General measures 6.1.1. For non-emergency personnel Emergency procedures 	appro abstance of : Therm : Risk of conta : In cas : Wear appar SURES puipment : Evacu vapor : Only of : Do no refer f	priate for surrounding fire. or mixture hal decomposition generates: Carbon ox of explosion if heated under confinement iners. are of fire: Evacuate area. Fight fire remoi gas tight chemically protective clothing is atus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure add or spray. qualified personnel equipped with suitable to section 8: "Exposure controls/personal	ides. Hydrogen . Use water spra tely due to the ris n combination w tion 8: "Exposur equate air ventila le protective equip l protection".	fluoride. ay or fog for cooling exposed sk of explosion. //th self contained breathing e controls/personal protection". ation. Do not breathe gas, fumes, uipment may intervene. ment. For further information
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the surfive hazard Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release meat 6.1. Personal precautions, protective extended General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders 	appro abstance of : Therm : Risk of conta : In cas : Wear appar SURES puipment : Evacu vapor : Only of : Do no refer f	priate for surrounding fire. or mixture hal decomposition generates: Carbon ox of explosion if heated under confinement iners. are of fire: Evacuate area. Fight fire removing gas tight chemically protective clothing in atus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure add or spray. qualified personnel equipped with suitable attempt to take action without suitable	ides. Hydrogen . Use water spra tely due to the ris n combination w tion 8: "Exposur equate air ventila le protective equip l protection".	fluoride. ay or fog for cooling exposed sk of explosion. //th self contained breathing e controls/personal protection". ation. Do not breathe gas, fumes, uipment may intervene. ment. For further information

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions			
Avoid release to the environment. Notify autho	rities if product enters sewers or public waters.		
6.3. Methods and material for containing	Methods and material for containment and cleaning up		
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.		
Methods for cleaning up	Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.		
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
6.4. Reference to other sections			
No additional information available			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.		
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, include	ding any incompatibilities		
Technical measures	: Comply with applicable regulations.		
Storage conditions	: Keep container closed when not in use. Keep contents under inert gas.		
Incompatible materials	: Refer to Section 10 on Incompatible Materials.		
Storage temperature : 2 - 8 °C Use explosion proof refrigerator			
-			

Storage area : Store in dry, well-ventilated area.

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

······································	
9.1. Information on basic physical an	nd chemical properties
Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 176 °C
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
10/03/2017	EN (English LIS)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.2207 g/ml (@ 25 °C)
Molecular mass	: 200.16 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Refractive index	: 1.38 (@ 25 °C)
SECTION 10: Stability and read	ctivity
10.1. Reactivity	
No additional information available	

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3.	Bioaccumulative potential		
No addi	tional information available		
12.4.	Mobility in soil		
No addi	tional information available		
12.5.	Other adverse effects		
No addi	tional information available		

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Waste disposal recommendations Additional information

- : Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Recycle the material as far as possible.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated for transport

TDG

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

Ethyl 3-hydroxy-3-methyl-4,4,4-trifluorobutyrate	CAS No 649-67-2	100%
--	-----------------	------

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

National regulations No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full tex	t of H-phrases:			
	Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A		
	Skin Irrit. 2	Skin corrosion/irritation Category 2		
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3		
	H315	Causes skin irritation		
	H319	Causes serious eye irritation		
	H335	May cause respiratory irritation		
NFPA	health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.		
NFPA fire hazard		: 1 - Must be preheated before ignition can occur. $3 $		
NFPA	reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.		
HMIS I	II Rating			
Health		: 2 Moderate Hazard - Temporary or minor injury may occur		
Flamm	ability	: 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)		
Physic	al	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.		
SDS US	S (GHS HazCom 2012)			

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.