

_

Ethyl 2-chloro-4,4,4-trifluoroacetoacetate

Safety Data Sheet 2129702 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 05/10/2017 Revision date: 03/13/2019 Version: 1.1

SECTION 4. Identification			
SECTION 1: Identification			
1.1. Identification	.		
Product form	: Substance		
Substance name	: Ethyl 2-chloro-4,4,4-trifluor	pacetoacetate	
CAS No	: 363-58-6		
Product code	: 2129-7-02		
Formula	: C6H6CIF3O3		
Synonyms	: Ethyl 2-chloro-4,4,4-trifluor	pacetoacetate	
Other means of identification	: MFCD00041540		
1.2. Relevant identified uses of the subst	ance or mixture and uses ad	lvised against	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and dev		
1.3. Details of the supplier of the safety d	lata sheet		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone number			
Emergency number	: (844) 523-4086 (3E Compa	any - Account 10069)	
	() 1000 (0 - - 00mp(· · · · · · · · · · · · · · · · · · ·	
SECTION 2: Hazard(s) identification			
2.1. Classification of the substance or mi	ixture		
Classification (GHS-US)			
Flam. Liq. 4H227 - Combustible liquidSkin Corr. 1AH314 - Causes severe skin burrEye Dam. 1H318 - Causes serious eye damSTOT SE 3H335 - May cause respiratory inFull text of H-phrases: see section 16	nage		
0.0 Label demonstr			
2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)	GHS05 GHS07		
Signal word (GHS-US)	: Danger		
Hazard statements (GHS-US)	 H227 - Combustible liquid H314 - Causes severe skin H335 - May cause respirate 		
Precautionary statements (GHS-US)	P260 - Do not breathe fum P264 - Wash skin thorough P271 - Use only outdoors of P280 - Wear protective glo P301+P330+P331 - If swal P303+P361+P353 - If on s skin with water/shower P304+P340 - If inhaled: Re P305+P351+P338 - If in ey lenses, if present and easy P310 - Immediately call a F P321 - Specific treatment (P363 - Wash contaminated	Ity after handling or in a well-ventilated area ves/protective clothing/eye protection/face prote lowed: rinse mouth. Do NOT induce vomiting kin (or hair): Take off immediately all contaminat move person to fresh air and keep comfortable es: Rinse cautiously with water for several minu to do. Continue rinsing POISON CENTER or doctor/ physician see supplemental first aid instructions on this lat	ction ed clothing. Rinse for breathing tes. Remove contact pel)
03/13/2019	EN (English US)	SDS ID: 2129702	Page 1

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P40 P40	 P233 - Store in a well-ventilated place. P235 - Store in a well-ventilated place. 5 - Store locked up 1 - Dispose of contents/container to an approximation. 	Keep cool	
2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS US				
Not applicable				
SECTION 3: Composition/information	ion on i	ngredients		
3.1. Substance				
Substance type	: Moi	no-constituent		
Name		Product identifier	%	Classification (GHS-US)
Ethyl 2-chloro-4,4,4-trifluoroacetoacetate (Main constituent)		(CAS No) 363-58-6	<= 100	Flam. Liq. 4, H227 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16		•	•	
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general		ase of accident or if you feel unwell, seek are possible). Move the affected personne		
First-aid measures after inhalation	: Rer res	 Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention. 		
First-aid measures after skin contact		: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Get immediate medical advice/attention.		
First-aid measures after eye contact		Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.		
First-aid measures after ingestion		: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.		
4.2. Most important symptoms and ef	fects, bot	n acute and delayed		
Symptoms/injuries		: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.		
Symptoms/injuries after inhalation		erial is destructive to tissue of the mucuou rtness of breath, headache, nausea.	is membranes a	and upper respiratory tract. Cough,
4.3. Indication of any immediate med	cal attent	on and special treatment needed		
Treat symptomatically.				
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media		: Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.		
5.2. Special hazards arising from the	substance	e or mixture		
Fire hazard		rmal decomposition generates: Carbon or	ides. Hydroger	n chloride. Hydrogen fluoride.
Explosion hazard	: Ris	 Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers. May form flammable/explosive vapor-air mixture. 		
5.3. Advice for firefighters				
Firefighting instructions	: In c	ase of fire: Evacuate area. Fight fire remo	tely due to the r	risk of explosion.
Protection during firefighting		ar gas tight chemically protective clothing aratus. For further information refer to see		
SECTION 6: Accidental release me	acurac			

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.
6.2. Environmental precautions	
Avoid release to the environment. Notify auth	orities if product enters sewers or public waters.
6.3. Methods and material for contain	nment and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage)
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, inclu	uding any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources.
Storage conditions Incompatible materials	Keep container closed when not in use. Keep away from ignition sources.Refer to Section 10 on Incompatible Materials.

8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.
SECTION 9: Physical and chem	ical properties
ele nen or i nysiour una onem	

pН		: No data available	
Odor	hreshold	: No data available	
Odor		: No data available	
Color		: No data available	
Physi	cal state	: Liquid	
9.1.	Information on basic physical ar	nd chemical properties	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Melting point	: No data available
Freezing point	: No data available
Boiling point	: 67 - 71 °C (@ 35 mm Hg)
Flash point	: 67 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 218.56 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Refractive index	: 1.388 (@ 20 °C)
SECTION 10: Stability and reactivit	У
10.1. Reactivity	

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions No additional information available

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information				
11.1. Information on toxicological effects	3			
Acute toxicity	: Not classified			
Skin corrosion/irritation	: Causes severe skin burns and eye damage.			
Serious eye damage/irritation	: Causes serious eye damage.			
Respiratory or skin sensitization	: Not classified			
Germ cell mutagenicity	: Not classified			
Carcinogenicity	: Not classified			
Reproductive toxicity	: Not classified			
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.			
Specific target organ toxicity (repeated exposure)	: Not classified			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aspiration hazard	: Not classified

Symptoms/injuries after inhalation

: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECT	ION 12: Ecological information
12.1.	Toxicity
No add	itional information available
12.2.	Persistence and degradability
No add	itional information available
12.3.	Bioaccumulative potential
No add	itional information available
12.4.	Mobility in soil
No add	itional information available
12.5.	Other adverse effects
No add	itional information available

13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

Proper Shipping Name (DOT)

Transport hazard class(es) (DOT)

: UN3265 Corrosive liquid, acidic, organic, n.o.s., 8, III

UN-No.(DOT)

Hazard labels (DOT)

: UN3265

- : Corrosive liquid, acidic, organic, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
 - 8 Corrosive



Packing group (DOT)

DOT Packaging Non Bulk (49 CFR 173.xxx)

DOT Packaging Bulk (49 CFR 173.xxx)

DOT Symbols

DOT Special Provisions (49 CFR 172.102)

: III - Minor Danger

: 203

: 241

- : G Identifies PSN requiring a technical name
- : IB3 Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154

DOT Quantity Limitations Passenger aircraft/rail : 5 L (49 CFR 173.27)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3265
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 3265
Proper Shipping Name (IATA)	: Corrosive liquid, acidic, organic, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

Ethyl 2-chloro-4,4,4-trifluoro-3-oxobutyrate	CAS No 363-58-6	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

Ethyl 2-chloro-4,4,4-trifluoroacetoacetate (363-58-6)	
Listed on the TCSI (Taiwan Chemical Substance Inventory)	

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information	
Revision date	: 03/13/2019

Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Flam. Liq. 4	Flammable liquids Category 4
Skin Corr. 1A	Skin corrosion/irritation Category 1A
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H227	Combustible liquid
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

0 ,	
NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
SDS US (GHS HazCom 2012)	

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.