

Safety Data Sheet 2223351 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 05/02/2016 Version: 1.0

1.1. Identification	
Product form	: Substance
Substance name	: Cyclopentyl trifluoroacetate
CAS No	: 703-13-9
Product code	: 2223-3-51
Formula	: C7H9F3O2
Synonyms	: Trifluoroacetoxycyclopentane
Other means of identification	: MFCD00780932
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the sat	fety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identificat	lon
Skin Irrit. 2H315 - Causes skin irritationEye Irrit. 2AH319 - Causes serious eye	irritation
Skin Irrit. 2H315 - Causes skin irritationEye Irrit. 2AH319 - Causes serious eyeSTOT SE 3H335 - May cause respiratorFull text of H-phrases: see section 162.2.Label elements	irritation
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	irritation
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	irritation
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16	$\frac{1}{1}$ irritation ry irritation $\frac{1}{1}$
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	 irritation ry irritation : irritation <li: irritation<="" li=""> : irritation <li: irritation<="" li=""> : irritation <li: irritation<="" li=""> <li: i<="" td=""></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:></li:>

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	 	P305+P351+P338 - If in eyes: Rinse ca enses, if present and easy to do. Contil P312 - Call a POISON CENTER or doc P321 - Specific treatment (see supplem P332+P313 - If skin irritation occurs: Ge P337+P313 - If eye irritation persists: G P362+P364 - Take off contaminated clo P370+P378 - In case of fire: Use dry sa P403+P233 - Store in a well-ventilated P403+P235 - Store in a well-ventilated P405 - Store locked up P501 - Dispose of contents/container to	nue rinsing tor/physician if you fee eental first aid instruction at medical advice/atter the medical advice/atter othing and wash it befor ind, dry chemical or all place. Keep container place. Keep cool	el unwell ons on this label) ition ntion ore reuse cohol-resistant foam to extinguish tightly closed
2.3. Ot	her hazards			
No additiona	I information available			
2.4. Un	nknown acute toxicity (GHS US)			
Not applicab	le			
SECTION	3: Composition/information o	n ingredients		
	Ibstance			
Substance ty	/pe : N	Mono-constituent		
Name		Product identifier	%	Classification (GHS-US)
	trifluoroacetate	(CAS No) 703-13-9	<= 100	Flam. Lig. 3, H226
(Main constitue				Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H	I-phrases: see section 16			
3.2. Mi	xture			
Not applicab	le			
SECTION	4: First aid measures			
4.1. De	escription of first aid measures			
First-aid mea		n case of accident or if you feel unwell, where possible). Move the affected per		
First-aid mea		Remove person to fresh air and keep corespiration. Get medical advice/attention		ng. If not breathing, give artificial
First-aid mea	asures after skin contact : \	Nash with plenty of soap and water. Ge	et medical advice/atter	ntion.
First-aid mea	asures after eye contact : I	mmediately flush eyes thoroughly with present and easy to do. Continue rinsin	water for at least 15 m g. Get medical advice	ninutes. Remove contact lenses, if /attention.
First-aid mea		Do NOT induce vomiting. Never give ar nouth out with water. Get medical advice		unconscious person. Rinse
4.2. Mo	ost important symptoms and effects, b	ooth acute and delayed		
Symptoms/in		The most important known symptoms a 2.2) and/or in section 11.	nd effects are describ	ed in the labelling (see section
4.3. Inc	dication of any immediate medical atte	ention and special treatment needed		
Treat sympto	omatically.			
SECTION	5: Firefighting measures			
	tinguishing media			
	nguishing media : A	Alcohol resistant foam. Carbon dioxide. appropriate for surrounding fire.	Dry powder. Water sp	oray. Use extinguishing media
5.2. Sp	pecial hazards arising from the substa	nce or mixture		
Fire hazard	•	Thermal decomposition generates: Carl	bon oxides. Hydroaen	fluoride.
Explosion ha	azard : F	Risk of explosion if heated under confin containers. May form flammable/explos	ement. Use water spra	
5.3. Ad	lvice for firefighters			
Firefighting in	· ·	n case of fire: Evacuate area. Fight fire	remotely due to the ri	sk of explosion.
• •	uring firefighting : \	Wear gas tight chemically protective clo apparatus. For further information refer	othing in combination v	vith self contained breathing

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release meas	sures
	uipment and emergency procedures
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes,
Concrat measures	vapor or spray.
6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.
6.2. Environmental precautions	
Avoid release to the environment. Notify authorit	ies if product enters sewers or public waters.
6.3. Methods and material for containme	ent and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	ng any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	 Keep container closed when not in use. Keep away from ignition sources. Moisture sensitive. Keep contents under inert gas.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemica	l properties
9.1. Information on basic physical an	d chemical properties
Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 182.14 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivi	ity
10.1. Reactivity	
No additional information available	

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents. Strong reducing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: Not classified	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECT	ION 12: Ecological information
12.1.	Toxicity
No add	litional information available
12.2.	Persistence and degradability
No add	litional information available
12.3.	Bioaccumulative potential
No add	litional information available
12.4.	Mobility in soil
No add	litional information available
12.5.	Other adverse effects
	litional information evolution

No additional information available

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.		
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	: Recycle the material as far as possible.		

SECTION 14: Transport information

Department of Transportation (DOT)	
In accordance with DOT	
Transport document description	: UN3272 Esters, n.o.s., 3, III
UN-No.(DOT)	: UN3272
Proper Shipping Name (DOT)	· Estors nos

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx)

- : Esters, n.o.s.
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : 3 Flammable liquid



- : III Minor Danger
- : 203
- : 242

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), bulk packaging requirements of 173.241 of this subchapter are applicable. If the material flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Cor (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Or with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 I C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 2 for UN2672). T4 - 2.65 178.274(d)(2) Normal	ial has a of this mposite ly liquids kPa at 55 3 in Table by the iperature used ardous
DOT Packaging Exceptions (49 CFR 173.xxx)	150	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	50 L	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	220 L	
DOT Vessel Stowage Location	A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.	ł
Other information	No supplementary information available.	
TDG No additional information available		
Transment by see		
Transport by sea	3272	
UN-No. (IMDG) Proper Shipping Name (IMDG)	ESTERS, N.O.S.	
Class (IMDG)	3 - Flammable liquids	
Packing group (IMDG)	III - substances presenting low danger	
Air transport		
UN-No. (IATA)	3272	
Proper Shipping Name (IATA)	Esters, n.o.s.	
Class (IATA)	3 - Flammable Liquids	
Packing group (IATA)	III - Minor Danger	
SECTION 15: Regulatory information		
15.1. US Federal regulations		
All components of this product are listed, or exc Substances Control Act (TSCA) inventory excer	ed from listing, on the United States Environmental Protection Agency Toxic	

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

National regulations No additional information available

15.3. US State regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 3	Flammable liquids Category 3
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapor
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
NFPA fire hazard NFPA reactivity	 given. 3 - Liquids and solids that can be ignited under almost all ambient conditions. 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	 3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB & IC)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.