

(+)-Menthyl chloroformate Safety Data Sheet 2223500 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 04/12/2017 Version: 1.0

SECTION 1: Identification	
I.1. Identification	
Product form	: Substance
Substance name	: (+)-Menthyl chloroformate
CAS No	: 7635-54-3
Product code	: 2223-5-00
Formula	: C11H19ClO2
Synonyms	: (1S,2R,5S)-2-IsopropyI-5-methylcyclohex-1-yl chloroformate; (1S,2R,5S)-5-Methyl-2-(prop-2- yl)cyclohex-1-yl carbonochloridoate
Other means of identification	: MFCD00134483
1.2. Relevant identified uses of the s	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the saf	iety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs	ca
1.4. Emergency telephone number	(844) E22 4096 (2E Company Account 40060)
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identificati	
2.1. Classification of the substance	or mixture
Classification (GHS-US)	
Eye Dam. 1H318 - CausesSTOT SE 3H335 - May cau	inhaled severe skin burns and eye damage serious eye damage use respiratory irritation
Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	
	GHS05 GHS06 GHS07
Signal word (GHS-US)	GHS05 GHS06 GHS07 : Danger
Signal word (GHS-US) Hazard statements (GHS-US)	 Danger H227 - Combustible liquid H314 - Causes severe skin burns and eye damage H331 - Toxic if inhaled
o ()	 Danger H227 - Combustible liquid H314 - Causes severe skin burns and eye damage

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P32 P36 P37 P40 P40 P40	 Call a POISON CENTER or doctor/pl Specific treatment (see supplemental Wash contaminated clothing before n 0+P378 - In case of fire: Use dry sand, d 3+P233 - Store in a well-ventilated place 3+P235 - Store in a well-ventilated place 5 - Store locked up 1 - Dispose of contents/container to an a 	first aid instruct euse Iry chemical or a e. Keep containe e. Keep cool	Icohol-resistant foam to extinguish r tightly closed
2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS L	IS)			
Not applicable				
SECTION 3: Composition/inform	ation on i	ngredients		
3.1. Substance				
Substance type	: Mor	no-constituent		
Name		Product identifier	%	Classification (GHS-US)
(+)-Menthyl chloroformate (Main constituent)		(CAS No) 7635-54-3	<= 100	Flam. Liq. 4, H227 Acute Tox. 3 (Inhalation), H331 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measure				
First-aid measures general		ase of accident or if you feel unwell, seelere possible). Move the affected personne		
First-aid measures after inhalation	: Rer	nove person to fresh air and keep comfor piration. Get immediate medical advice/at	rtable for breathi	
First-aid measures after skin contact		sh with plenty of soap and water. Remove lical advice/attention.	e contaminated	clothing and shoes. Get immediate
First-aid measures after eye contact	pres	nediately flush eyes thoroughly with wate sent and easy to do. Continue rinsing. Ge	et immediate me	dical advice/attention.
First-aid measures after ingestion		NOT induce vomiting. Never give anythin th out with water. Get immediate medica		
4.2. Most important symptoms and				
Symptoms/injuries	2.2)	most important known symptoms and ef and/or in section 11.		Ũ (
Symptoms/injuries after inhalation		erial is destructive to tissue of the mucuc rtness of breath, headache, nausea.	ous membranes	and upper respiratory tract. Cough,
	dical attenti	on and special treatment needed		
Treat symptomatically.				
SECTION 5: Firefighting measure	es			
5.1. Extinguishing media				
Suitable extinguishing media		bhol resistant foam. Carbon dioxide. Dry propriate for surrounding fire.	powder. Water s	pray. Use extinguishing media
5.2. Special hazards arising from th				
Fire hazard		rmal decomposition generates: Carbon c		
Explosion hazard	con	c of explosion if heated under confinement tainers. May form flammable/explosive va	apor-air mixture.	
Reactivity		acts with water, generates gases or heat. ase highly explosive/flammable hydroger		sure to water with some metals to
5.3. Advice for firefighters				
Firefighting instructions Protection during firefighting	: We	ase of fire: Evacuate area. Fight fire remo ar gas tight chemically protective clothing aratus. For further information refer to se	in combination	with self contained breathing
04/12/2017		nglish US)	SDS ID: 222350	
	214 (1		525 18. 222000	- 20

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equi			
	 Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray. 		
6.1.1. For non-emergency personnel			
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.		
6.2. Environmental precautions			
Avoid release to the environment. Notify authoritie	s if product enters sewers or public waters.		
6.3. Methods and material for containment	t and cleaning up		
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.		
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.		
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
6.4. Reference to other sections			
No additional information available			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.		
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.		
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, including any incompatibilities			
Technical measures	: Comply with applicable regulations.		
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Moisture sensitive. Keep contents under inert gas.		
Incompatible materials	: Refer to Section 10 on Incompatible Materials.		
Storage temperature	2 - 8 °C Use explosion proof refrigerator		
Storage area	: Store in dry, well-ventilated area.		

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	ay, march 26, 2012 / Rules and Regulations
SECTION 9: Physical and chemical	
9.1. Information on basic physical and	
Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 108 - 109 °C (@ 11 mm Hg)
Flash point	: 70 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.031 g/ml (@ 25 °C)
Molecular mass	: 218.72 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Refractive index	: 1.458 (@ 20 °C)

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with water, generates gases or heat. Reacts on exposure to water with some metals to release highly explosive/flammable hydrogen gas.

Reacts w	in water, generates gases of heat. Rea	cts on exposure to water with some metals to re	lease nighty explosive/naminable hydrogen gas.		
10.2.	Chemical stability				
The prod	uct is stable at normal handling and stor	age conditions.			
10.3.	Possibility of hazardous reactions				
No additi	onal information available				
10.4.	Conditions to avoid				
Keep aw	ay from heat, sparks and flame. Moisture	e.			
10.5.	Incompatible materials				
Acids. Al	Acids. Alcohols. Amines. Strong bases. Strong oxidizing agents.				
10.6.	Hazardous decomposition products				
	rmal conditions of storage and use, haz Section 5.	ardous decomposition products should not be pr	oduced. Hazardous decomposition products in ca	ase of	
SECTION 11: Toxicological information					
11.1.	Information on toxicological effects				
Acute to	icity	: Inhalation: Toxic if inhaled.			
Skin corrosion/irritation		: Causes severe skin burns and eye damage.			
Serious e	eye damage/irritation	: Causes serious eye damage.			
04/12/201	7	EN (English US)	SDS ID: 2223500 4/	7	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECTIO	ON 12: Ecological information			
12.1.	Toxicity			
No additional information available				
12.2.	Persistence and degradability			
No additional information available				
12.3.	Bioaccumulative potential			
No additional information available				
12.4.	Mobility in soil			
No additional information available				
12.5.	Other adverse effects			

No additional information available


SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.		
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	: Recycle the material as far as possible.		
SECTION 14: Transport information			

Department of Transportation (DOT) In accordance with DOT Transport document description

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols

- : UN3277 Chloroformates, toxic, corrosive, n.o.s., 6.1, II
- : UN3277
- : Chloroformates, toxic, corrosive, n.o.s.
- : 6.1 Class 6.1 Poisonous materials 49 CFR 173.132
- : 6.1 Poison



- : II Medium Danger
- : 202
- : 243
- : G Identifies PSN requiring a technical name

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	 IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T8 - 4 178.274(d)(2) Normal Prohibited TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by th following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) an the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. Fo liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively. TP13 - Self-contained breathing apparatus must be provided when this hazardous material is transported by sea. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 153
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 1L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 30 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 12 - Keep as cool as reasonably practicable,13 - Keep as dry as reasonably practicable,25 - Shade from radiant heat,40 - Stow "clear of living quarters"
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3277
Proper Shipping Name (IMDG)	: CHLOROFORMATES, TOXIC, CORROSIVE, N.O.S.
Class (IMDG)	: 6.1 - Toxic substances
Packing group (IMDG)	: II - substances presenting medium danger
Air transport	
UN-No. (IATA)	: 3277
Proper Shipping Name (IATA)	: Chloroformates, toxic, corrosive, n.o.s.
Class (IATA)	: 6.1 - Toxic Substances
Packing group (IATA)	: II - Medium Danger
SECTION 15: Regulatory information	

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

(+)-Menthyl chloroformate CAS No 7635-54-3

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

100%

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

National regulations

(+)-Menthyl chloroformate (7635-54-3)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

NF

NF

NFPA reactivity

HMIS III Rating Health

Flammability

Physical

	and of the principal of the	
	Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3
	Eye Dam. 1	Serious eye damage/eye irritation Category 1
	Flam. Liq. 4	Flammable liquids Category 4
	Skin Corr. 1B	Skin corrosion/irritation Category 1B
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3
	H227	Combustible liquid
	H314	Causes severe skin burns and eye damage
	H318	Causes serious eye damage
	H331	Toxic if inhaled
	H335	May cause respiratory irritation
FPA	health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
FPA	fire hazard	: 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.

: 0 - Normally stable, even under fire exposure conditions,

: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is

: 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F

: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

and are not reactive with water.

but below 200 F. (Classes II & IIIA)

given

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.