

Safety Data Sheet 22235X0

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 03/28/2016 Version: 1.0

**SECTION 1: Identification** 1.1. Identification Product form : Substance Substance name Cyclopentyl chloroformate CAS No 50715-28-1 Product code 2223-5-X0 Formula C6H9CIO2 Synonyms Cyclopentyl carbonochloridoate : MFCD00144029 Other means of identification Relevant identified uses of the substance or mixture and uses advised against : Laboratory chemicals Use of the substance/mixture Manufacture of substances Scientific research and development 1.3. Details of the supplier of the safety data sheet SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synguestlabs.com - www.synguestlabs.com **Emergency telephone number** 1.4. Emergency number : (844) 523-4086 (3E Company - Account 10069) SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture **Classification (GHS-US)** Flam. Liq. 3 H226 - Flammable liquid and vapour Acute Tox. 4 (Oral) H302 - Harmful if swallowed Acute Tox. 3 (Inhalation) H331 - Toxic if inhaled Acute Tox. 3 (Inhalation:vapour) H331 - Toxic if inhaled H314 - Causes severe skin burns and eye damage Skin Corr. 1A Eye Dam. 1 H318 - Causes serious eye damage H317 - May cause an allergic skin reaction Skin Sens. 1 H335 - May cause respiratory irritation STOT SE 3 STOT RE 2 H373 - May cause damage to organs through prolonged or repeated exposure Full text of H-phrases: see section 16 2.2. Label elements **GHS-US** labeling Hazard pictograms (GHS-US) GHS05 GHS06 GHS07 GHS02 GHS08 Signal word (GHS-US) : Danger H226 - Flammable liquid and vapor Hazard statements (GHS-US) H302 - Harmful if swallowed H314 - Causes severe skin burns and eye damage H317 - May cause an allergic skin reaction H331 - Toxic if inhaled H335 - May cause respiratory irritation H373 - May cause damage to organs through prolonged or repeated exposure P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking Precautionary statements (GHS-US) P233 - Keep container tightly closed P240 - Ground/bond container and receiving equipment P241 - Use explosion-proof electrical/ventilating/lighting equipment P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge 12/06/2016 EN (English US) SDS ID: 22235X0 Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ccording to Federal Register / Vol. 77, No. 58 / Monday	, warch 2	20, 2012 / Rules and Regulations		
ccording to Federal Register / Vol. 77, No. 58 / Monday	P2 P2 P2 P2 P3 P3 P3 P3 P3 P3 P3 P3 P3 P3 P3 P3 P3	60 - Do not breathe dust/fume/gas/r 64 - Wash skin thoroughly after han 70 - Do not eat, drink or smoke whe 71 - Use only outdoors or in a well- 72 - Contaminated work clothing mu 80 - Wear protective gloves/protecti 01+P312 - If swallowed: Call a POIS 01+P330+P331 - If swallowed: rinse 02+P352 - If on skin: Wash with ple 03+P361+P353 - If on skin (or hair) n with water/shower 04+P340 - If inhaled: Remove perso 05+P351+P338 - If in eyes: Rinse of ses, if present and easy to do. Com 10 - Immediately call a POISON CE 11 - Call a POISON CENTER or do 14 - Get medical advice/attention if 21 - Specific treatment (see suppler 30 - Rinse mouth 33+P313 - If skin irritation or rash o 63 - Wash contaminated clothing be 70+P378 - In case of fire: Use dry s 03+P233 - Store in a well-ventilated	dling In using this product ventilated area Just not be allowed ou ve clothing/eye protect SON CENTER or door a mouth. Do NOT ind the off immediate on to fresh air and ke autiously with water cinue rinsing INTER or doctor/ phy ctor/physician you feel unwell nental first aid instru- ccurs: Get medical a afore reuse and, dry chemical or place. Keep contain	action/face protection ctor/ physician if you feel unwell luce vomiting if ly all contaminated clothing. Rinse rep comfortable for breathing for several minutes. Remove contac visician ctions on this label) dvice/attention alcohol-resistant foam to extinguish
	P4	03+P235 - Store in a well-ventilated		
		05 - Store locked up 01 - Dispose of contents/container t	o an approved waste	e disposal plant
2.3. Other hazards		•		•
Other hazards not contributing to the classification	: La	chrymator.		
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
SECTION 3: Composition/information	on on	ingredients		
3.1. Substance				
Substance type	: Mo	no-constituent		
Name		Product identifier	%	Classification (GHS-US)
Cyclopentyl chloroformate (Main constituent)		(CAS No) 50715-28-1	<= 100	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:vapour), H331 Skin Corr. 1A, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT SE 3, H335 STOT RE 2, H373
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general		case of accident or if you feel unwel ere possible). Move the affected pe		
First-aid measures after inhalation		Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention.		
First-aid measures after skin contact		Wash with plenty of soap and water. Remove contaminated clothing and shoes. Get immediate medical advice/attention.		
First-aid measures after eye contact		Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.		
Circle and the second		NOTION		· .

First-aid measures after ingestion

fter ingestion : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

Safety Data Sheet

4.3.

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/injuries after inhalation : Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.		
<b>SECTION 5: Firefighting measures</b>		
5.1. Extinguishing media		
Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard	Thermal decomposition generates: Carbon oxides. Hydrogen chloride.	
Explosion hazard	: Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers. May form flammable/explosive vapor-air mixture.	
Reactivity	: Reacts with water, generates gases or heat. Reacts on exposure to water with some metals to release highly explosive/flammable hydrogen gas.	
5.3. Advice for firefighters		
Firefighting instructions	: In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.	
Protection during firefighting	: Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".	

SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective eq	uipment and emergency procedures
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.
6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.
6.2. Environmental precautions	
Avoid release to the environment. Notify authorit	ies if product enters sewers or public waters.
6.3. Methods and material for containme	ent and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	ng any incompatibilities

12/06/2016

: Comply with applicable regulations.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Moisture sensitive. Keep contents under inert gas.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.

## SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

# SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	chemical properties
Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 65 °C (@ 23 mm Hg)
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 148.59 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Refractive index	· 1.4451 (@ 20 °C)

Refractive index

: 1.4451 (@ 20 °C)

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Reacts with water, generates gases or heat. Reacts on exposure to water with some metals to release highly explosive/flammable hydrogen gas.

#### 10.2. Chemical stability

The product is stable at normal handling and storage conditions.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.3. Possibility of hazardous reactions

## No additional information available

### 10.4. Conditions to avoid

Keep away from heat, sparks and flame. Moisture.

### 10.5. Incompatible materials

Alcohols. Oxidizing agents. Strong bases. Water.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

# **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

#### Acute toxicity

: Oral: Harmful if swallowed. Inhalation: Toxic if inhaled. Inhalation:vapour: Toxic if inhaled.

Cyclopentyl chloroformate (50715-28-1)	
ATE US (oral)	500.000 mg/kg body weight
ATE US (gases)	700.000 ppmV/4h
ATE US (vapors)	3.000 mg/l/4h
ATE US (dust, mist)	0.500 mg/l/4h
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECTI	ON 12: Ecological information
12.1.	Toxicity
No addit	ional information available
12.2.	Persistence and degradability
No addit	ional information available
12.3.	Bioaccumulative potential
No addit	ional information available
12.4.	Mobility in soil
No addit	ional information available
12.5.	Other adverse effects

No additional information available

<b>SECTION 13: Disposal consideration</b>	IS
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 14: Transport information**

#### Department of Transportation (DOT)

In accordance with DOT Transport document description


#### UN-No.(DOT)

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT) : UN2742 Chloroformates, toxic, corrosive, flammable, n.o.s., 6.1, II

#### : UN2742

- : Chloroformates, toxic, corrosive, flammable, n.o.s.
- : 6.1 Class 6.1 Poisonous materials 49 CFR 173.132
- : 6.1 Poison
- 8 Corrosive

: II - Medium Danger



Packing group (DOT)

- DOT Packaging Non Bulk (49 CFR 173.xxx)
- DOT Packaging Bulk (49 CFR 173.xxx)
- DOT Symbols
- DOT Special Provisions (49 CFR 172.102)
- : 202
- : 243
- : G Identifies PSN requiring a technical name
- 5 If this material meets the definition for a material poisonous by inhalation (see 171.8 of this subchapter), a shipping name must be selected which identifies the inhalation hazard, in Division 2.3 or Division 6.1, as appropriate.
   IB1 Authorized IBCs: Metal (31A, 31B and 31N). Additional Requirement: Only liquids with a

vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

living quarters",100 - Stow "away from" flammable solids

: No supplementary information available.

TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively.

: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

12 - Keep as cool as reasonably practicable,13 - Keep as dry as reasonably practicable,21 - Segregation same as for flammable liquids,25 - Shade from radiant heat,40 - Stow "clear of

DOT Packaging Exceptions (49 CFR 173.xxx)	:	15
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	:	1 L

DOT Quantity Limitations Cargo aircraft only (49 : 30 L CFR 175.75)

# DOT Vessel Stowage Location

Ber vessel elemage recallen

DOT Vessel Stowage Other

Other information

## TDG

No additional information available

### Transport by sea

UN-No. (IMDG): 2742Proper Shipping Name (IMDG): CHLOROFORMATES, TOXIC, CORROSIVE, FLAMMABLE, N.O.S.Class (IMDG): 6.1 - Toxic substancesPacking group (IMDG): II - substances presenting medium danger

passenger vessel.

### Air transport

UN-No. (IATA)	:	2742
Proper Shipping Name (IATA)	:	Chloroformates, toxic, corrosive, flammable, n.o.s.
Class (IATA)	:	6.1 - Toxic Substances

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Packing group (IATA)

: II - Medium Danger

## SECTION 15: Regulatory information

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

	Cyclopentyl chloroformate	CAS No 50715-28-1	100%
--	---------------------------	-------------------	------

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

#### CANADA

No additional information available

#### **EU-Regulations**

Cyclopentyl chloroformate (50715-28-1)

Listed on ELINCS (European List of Notified Chemical Substances)

#### **National regulations**

No additional information available

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

### **SECTION 16: Other information**

#### Full text of H-phrases:

Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3
Acute Tox. 3 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Flam. Liq. 3	Flammable liquids Category 3
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Sens. 1	Skin sensitization Category 1
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapor
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H331	Toxic if inhaled
H335	May cause respiratory irritation
H373	May cause damage to organs through prolonged or repeated
	exposure

: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was

temperature before ignition can occur.

some release of energy, but not violently.

: 2 - Must be moderately heated or exposed to relatively high

: 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with

#### NFPA health hazard

NFPA fire hazard

NFPA reactivity

given.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	<ul> <li>2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II &amp; IIIA)</li> </ul>
Physical	: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.