

Safety Data Sheet 2307339 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 05/01/2020 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: 3,3,3-Trifluoro-2-(2,2,2-trifluoroethoxy)prop-1-ene
Product code	: 2307-3-39
Formula	: C5H4F6O
1.2. Relevant identified uses of the subst	ance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the safety d	lata sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com	<u>1</u>
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mi	xture
Classification (GHS-US)	
Flam. Liq. 3 H226 - Flammable liquid and vapo Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye irritati STOT SE 3 H335 - May cause respiratory irrit Full text of H-phrases: see section 16	on
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	: GHS02 GHS07
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	<ul> <li>H226 - Flammable liquid and vapor</li> <li>H315 - Causes skin irritation</li> <li>H319 - Causes serious eye irritation</li> <li>H335 - May cause respiratory irritation</li> </ul>
Precautionary statements (GHS-US)	<ul> <li>P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking</li> <li>P233 - Keep container tightly closed</li> <li>P240 - Ground/bond container and receiving equipment</li> <li>P241 - Use explosion-proof electrical/ventilating/lighting equipment</li> <li>P242 - Use only non-sparking tools</li> <li>P243 - Take precautionary measures against static discharge</li> <li>P261 - Avoid breathing fumes, mist, spray, vapors</li> <li>P264 - Wash skin thoroughly after handling</li> <li>P271 - Use only outdoors or in a well-ventilated area</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection</li> <li>P302+P352 - If on skin: Wash with plenty of soap and water</li> <li>P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower</li> <li>P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing</li> <li>P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing</li> <li>P312 - Call a POISON CENTER or doctor/physician if you feel unwell</li> <li>P321 - Specific treatment (see supplemental first aid instructions on this label)</li> </ul>

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse P370+P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish P403+P233 - Store in a well-ventilated place. Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool P405 - Store locked up P501 - Dispose of contents/container to an approved waste disposal plant			
2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
SECTION 3: Composition/information	on on in	gredients		
3.1. Substance				
Substance type	: Mono	p-constituent		
Name		Product identifier	%	Classification (GHS-US)
3,3,3-Trifluoro-2-(2,2,2-trifluoroethoxy)prop-1-ene (Main constituent)			<= 100	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16				
.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
.1. Description of first aid measures				
irst-aid measures general		se of accident or if you feel unwell, seek e possible). Move the affected personnel		
First-aid measures after inhalation	: Remo	ove person to fresh air and keep comfort ration. Get medical advice/attention.	,	
First-aid measures after skin contact	: Wash	n with plenty of soap and water. Get med	ical advice/atte	ention.
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.			
First-aid measures after ingestion		OT induce vomiting. Never give anything h out with water. Get medical advice/atte		an unconscious person. Rinse
4.2. Most important symptoms and effe				
Symptoms/injuries		nost important known symptoms and effort and/or in section 11.	ects are descri	bed in the labelling (see section
I.3. Indication of any immediate medica	al attentio	n and special treatment needed		
Freat symptomatically.				
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media		nol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire.	owder. Water	spray. Use extinguishing media
5.2. Special hazards arising from the su	ibstance	or mixture		
ire hazard		mal decomposition generates: Carbon o		
Explosion hazard		of explosion if heated under confinement iners.	. Use water sp	oray or tog tor cooling exposed
5.3. Advice for firefighters				· · · ·
Firefighting instructions Protection during firefighting	: Wear	se of fire: Evacuate area. Fight fire remo gas tight chemically protective clothing ratus. For further information refer to sec	n combination	with self contained breathing
SECTION 6: Accidental release mea	sures			
6.1. Personal precautions, protective ed				
General measures		uate unnecessary personnel. Ensure ade r or spray.	equate air vent	ilation. Do not breathe gas, fumes,

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1. For non-emergency personnel		
Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene.		
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.	
6.2. Environmental precautions		
Avoid release to the environment. Notify au	uthorities if product enters sewers or public waters.	
6.3. Methods and material for conta	ainment and cleaning up	
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.	
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.	
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
6.4. Reference to other sections		
No additional information available		
SECTION 7: Handling and stora	qe	
	ge	
SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed	ge : Handle empty containers with care because residual vapors are flammable.	
7.1. Precautions for safe handling		
7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling	<ul> <li>Handle empty containers with care because residual vapors are flammable.</li> <li>Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be</li> </ul>	
7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Hygiene measures	<ul> <li>Handle empty containers with care because residual vapors are flammable.</li> <li>Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.</li> <li>Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>	
<ul> <li>7.1. Precautions for safe handling</li> <li>Additional hazards when processed</li> <li>Precautions for safe handling</li> <li>Hygiene measures</li> <li>7.2. Conditions for safe storage, in</li> </ul>	<ul> <li>Handle empty containers with care because residual vapors are flammable.</li> <li>Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.</li> <li>Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>	
<ul> <li>7.1. Precautions for safe handling</li> <li>Additional hazards when processed</li> <li>Precautions for safe handling</li> <li>Hygiene measures</li> <li>7.2. Conditions for safe storage, in</li> <li>Technical measures</li> </ul>	<ul> <li>Handle empty containers with care because residual vapors are flammable.</li> <li>Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.</li> <li>Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>	
Additional hazards when processed Precautions for safe handling Hygiene measures 7.2. Conditions for safe storage, in	<ul> <li>Handle empty containers with care because residual vapors are flammable.</li> <li>Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.</li> <li>Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> <li>Comply with applicable regulations.</li> </ul>	

#### **Control parameters** 8.1.

No additional information available

8.2. Exposure controls		
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.	
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.	
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.	
Skin and body protection	: Wear suitable protective clothing.	
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.	
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.	
SECTION 9: Physical and chemical properties		

			o /=
pН		: No data available	
Odor	threshold	: No data available	
Odor		: No data available	
Color		: No data available	
Physi	cal state	: Liquid	
9.1.	Information on basic physical and	chemical properties	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5 5 ,	
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 78 °C
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 194.0751 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

#### 9.2. **Other information**

No additional information available

SECTION 10: Stability and reactivity			
10.1. Reactivity			
No additional information available			
10.2. Chemical stability			
The product is stable at normal handling and storage conditions.			
10.3. Possibility of hazardous reactions			
No additional information available			
10.4. Conditions to avoid			
Keep away from heat, sparks and flame.			
10.5. Incompatible materials			
Strong acids. Strong bases. Strong oxidizing agents.			
10.6. Hazardous decomposition products			
Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.			
SECTION 44. Toxical axiaal information			

SECTION 11: Toxicological information			
11.1. Information on toxicological effects			
Acute toxicity	: Not classified		

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
07/31/2020	EN (English US)

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECT	ION 12: Ecological information
12.1.	Toxicity
	itional information available
12.2.	Persistence and degradability
No add	itional information available
12.3.	Bioaccumulative potential
No add	itional information available
12.4.	Mobility in soil
No add	itional information available
12.5.	Other adverse effects
No add	itional information available

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.		
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	: Recycle the material as far as possible.		

### **SECTION 14: Transport information**

In accordance with DOT	
Transport document description	

#### UN-No.(DOT)

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Special Provisions (49 CFR 172.102)

- : UN3271 Ethers, n.o.s., 3, III
- : UN3271
- : Ethers, n.o.s.
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : 3 Flammable liquid



- : III Minor Danger
- : 203
- : 242
- : B1 If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP29 - A portable tank having a minimum test pressure of 1.5 bar (150.0 kPa) may be used provided the calculated test pressure is 1.5 bar or less based on the MAWP of the hazardous materials, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 150

DOT Quantity Limitations Passenger aircraft/rail : 60 L (49 CFR 173.27)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	:	220 L
DOT Vessel Stowage Location	:	A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	:	No supplementary information available.
TDG		
No additional information available		
Transport by sea		
UN-No. (IMDG)	:	3271
Proper Shipping Name (IMDG)	:	ETHERS, N.O.S.
Class (IMDG)	:	3 - Flammable liquids
Packing group (IMDG)	:	III - substances presenting low danger
Air transport		
UN-No. (IATA)	:	3271
Proper Shipping Name (IATA)	:	Ethers, n.o.s.
Class (IATA)	:	3 - Flammable Liquids
Packing group (IATA)	:	III - Minor Danger

### **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

	3,3,3-Trifluoro-2-(2,2,2-trifluoroethoxy)prop-1-ene	CAS No	100%
--	---	--------	------

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

#### CANADA

No additional information available

EU-Regulations No additional information available

#### **National regulations**

No additional information available

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

#### **SECTION 16: Other information**

Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 3	Flammable liquids Category 3
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapor
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>e</b> ,	
NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	<ul> <li>2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II &amp; IIIA)</li> </ul>
Physical	: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.
SDS US (GHS HazCom 2012)	

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.