

Safety Data Sheet 24171X1 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 01/30/2019 Version: 1.0

L IGODITICATIÓN	
1.1. Identification Product form	: Substance
Substance name	: Cyclohex-2-en-1-one
CAS No	: 930-68-7
	· 930-06-7 : 2417-1-X1
Product code	
Formula	: C6H8O
Synonyms	: 1-Oxocyclohex-2-ene
Other means of identification	: MFCD00001577
1.2. Relevant identified uses of the s	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the saf	fety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097 info@synguestlabs.com - www.synguestlabs	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identificati	ion
2.1. Classification of the substance	or mixture
Classification (GHS-US)	
Acute Tox. 3 (Oral) H301 - Toxic if s	
Acute Tox. 3 (Oral)H301 - Toxic if sAcute Tox. 2 (Dermal)H310 - Fatal inAcute Tox. 3 (Inhalation)H331 - Toxic if iSkin Irrit. 2H315 - CausesEye Irrit. 2AH319 - Causes	swallowed contact with skin inhaled skin irritation serious eye irritation
Acute Tox. 3 (Oral)H301 - Toxic if sAcute Tox. 2 (Dermal)H310 - Fatal inAcute Tox. 3 (Inhalation)H311 - Toxic if iSkin Irrit. 2H315 - CausesEye Irrit. 2AH319 - CausesSTOT SE 3H335 - May cau	swallowed contact with skin inhaled skin irritation
Acute Tox. 3 (Oral)H301 - Toxic if sAcute Tox. 2 (Dermal)H310 - Fatal inAcute Tox. 3 (Inhalation)H331 - Toxic if iSkin Irrit. 2H315 - CausesEye Irrit. 2AH319 - CausesSTOT SE 3H335 - May cau	swallowed contact with skin inhaled skin irritation serious eye irritation
Acute Tox. 3 (Oral)H301 - Toxic if sAcute Tox. 2 (Dermal)H310 - Fatal inAcute Tox. 3 (Inhalation)H331 - Toxic if iSkin Irrit. 2H315 - CausesEye Irrit. 2AH319 - Causes	swallowed contact with skin inhaled skin irritation serious eye irritation
Acute Tox. 3 (Oral)H301 - Toxic if sAcute Tox. 2 (Dermal)H310 - Fatal inAcute Tox. 3 (Inhalation)H331 - Toxic if iSkin Irrit. 2H315 - CausesEye Irrit. 2AH319 - CausesSTOT SE 3H335 - May cauFull text of H-phrases: see section 162.2.Label elementsGHS-US labeling	swallowed contact with skin inhaled skin irritation serious eye irritation
Acute Tox. 3 (Oral)H301 - Toxic if sAcute Tox. 2 (Dermal)H310 - Fatal inAcute Tox. 3 (Inhalation)H311 - Toxic if iSkin Irrit. 2H315 - CausesEye Irrit. 2AH319 - CausesSTOT SE 3H335 - May cauFull text of H-phrases: see section 162.2.Label elements	swallowed contact with skin inhaled skin irritation serious eye irritation
Acute Tox. 3 (Oral)H301 - Toxic if sAcute Tox. 2 (Dermal)H310 - Fatal inAcute Tox. 3 (Inhalation)H331 - Toxic if iSkin Irrit. 2H315 - CausesEye Irrit. 2AH319 - CausesSTOT SE 3H335 - May cauFull text of H-phrases: see section 162.2.Label elementsGHS-US labeling	swallowed contact with skin inhaled skin irritation serious eye irritation use respiratory irritation
Acute Tox. 3 (Oral)H301 - Toxic if sAcute Tox. 2 (Dermal)H310 - Fatal inAcute Tox. 3 (Inhalation)H331 - Toxic if iSkin Irrit. 2H315 - CausesEye Irrit. 2AH319 - CausesSTOT SE 3H335 - May cauFull text of H-phrases: see section 162.2.Label elementsGHS-US labelingHazard pictograms (GHS-US)	swallowed contact with skin inhaled skin irritation serious eye irritation use respiratory irritation $ : :  \underbrace{ $
Acute Tox. 3 (Oral)       H301 - Toxic if s         Acute Tox. 2 (Dermal)       H310 - Fatal in         Acute Tox. 3 (Inhalation)       H331 - Toxic if i         Skin Irrit. 2       H315 - Causes         Eye Irrit. 2A       H319 - Causes         STOT SE 3       H335 - May cau         Full text of H-phrases: see section 16         2.2.       Label elements         GHS-US labeling         Hazard pictograms (GHS-US)	swallowed contact with skin inhaled skin irritation serious eye irritation use respiratory irritation

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

vol. 77, No. 007 Monday, March 20, 2012 / Naios and Negulations		
	P270 - Do not eat, drink or smoke when using this product	
	P271 - Use only outdoors or in a well-ventilated area	
	P280 - Wear protective gloves/protective clothing/eye protection/face protection	
	P301+P310 - If swallowed: Immediately call a poison center/doctor/	
	P302+P352 - If on skin: Wash with plenty of soap and water	
	P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse	
	skin with water/shower	
	P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing	
	P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact	
	lenses, if present and easy to do. Continue rinsing	
	P310 - Immediately call a POISON CENTER or doctor/ physician	
	P311 - Call a POISON CENTER or doctor/physician	
	P321 - Specific treatment (see supplemental first aid instructions on this label)	
	P330 - Rinse mouth	
	P332+P313 - If skin irritation occurs: Get medical advice/attention	
	P337+P313 - If eye irritation persists: Get medical advice/attention	
	P361 - Take off immediately all contaminated clothing	
	P362+P364 - Take off contaminated clothing and wash it before reuse	
	P363 - Wash contaminated clothing before reuse	
	P370+P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish	
	P403+P233 - Store in a well-ventilated place. Keep container tightly closed	
	P403+P235 - Store in a well-ventilated place. Keep cool	
	P405 - Store locked up	
	P501 - Dispose of contents/container to an approved waste disposal plant	

### 2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

## Not applicable

# SECTION 3: Composition/information on ingredients

## 3.1. Substance

Substance type	: Mono-constituent
----------------	--------------------

Name	Product identifier	%	Classification (GHS-US)
Cyclohex-2-en-1-one (Main constituent)	(CAS No) 930-68-7	<= 100	Flam. Liq. 3, H226 Acute Tox. 3 (Oral), H301 Acute Tox. 2 (Dermal), H310 Acute Tox. 3 (Inhalation), H331 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335

## Full text of H-phrases: see section 16

•	
3.2. Mixture	
Not applicable	
SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention.
First-aid measures after skin contact	: Wash with plenty of soap and water. Get immediate medical advice/attention.
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.
4.2. Most important symptoms and effect	s, both acute and delayed
Symptoms/injuries	: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.
5.2. Special hazards arising from the su	ibstance or mixture
Fire hazard	: Thermal decomposition generates: Carbon oxides.
Explosion hazard	: Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers. May form flammable/explosive vapor-air mixture.
5.3. Advice for firefighters	
Firefighting instructions	: In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.
Protection during firefighting	: Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".
SECTION 6: Accidental release mea	sures
6.1. Personal precautions, protective ed	uipment and emergency procedures
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.
6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.
6.2. Environmental precautions	
Avoid release to the environment. Notify authori	ties if product enters sewers or public waters.
6.3. Methods and material for containm	ent and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includi	
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.

## SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

No additional information available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

showers
tection.
atory
6

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Color	: No data available	
Odor	: No data available	
Odor threshold	: No data available	
pH	: No data available	
Melting point	: -53 °C	
Freezing point	: No data available	
Boiling point	: 167 - 169 °C	
Flash point	: 56 °C	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
Vapor pressure	: No data available	
Relative density	: No data available	
Relative vapor density at 20 °C	: No data available	
Specific gravity / density	: 0.993 g/ml (@ 25 °C)	
Molecular mass	: 96.1271 g/mol	
Solubility	: No data available	
Log Pow	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
9.2. Other information		
Refractive index	: 1.49 (@ 20 °C)	
<b>SECTION 10: Stability and reactivity</b>		
10.1. Reactivity		
No additional information available		
10.2. Chemical stability		

The product is stable at normal handling and storage conditions.

#### 10.3. Possibility of hazardous reactions

No additional information available

10.4. **Conditions to avoid** 

Keep away from heat, sparks and flame.

#### 10.5. **Incompatible materials**

Strong bases. Strong oxidizing agents. Strong reducing agents.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

# **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity

: Oral: Toxic if swallowed. Dermal: Fatal in contact with skin. Inhalation: Toxic if inhaled.

Cyclohex-2-en-1-one (930-68-7)	
LD50 oral rat	220 mg/kg
LC50 inhalation rat (ppm)	250 ppm/4h
ATE US (oral)	220.000 mg/kg body weight
ATE US (dermal)	50.000 mg/kg body weight
ATE US (gases)	250.000 ppmV/4h
ATE US (vapors)	3.000 mg/l/4h
ATE US (dust, mist)	0.500 mg/l/4h
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
SECTION 12: Ecological information	

SECH	
12.1.	Toxicity
No addi	ional information available
12.2.	Persistence and degradability
No addi	ional information available
12.3.	Bioaccumulative potential
No addi	ional information available
12.4.	Mobility in soil
No addi	ional information available
12.5.	Other adverse effects

No additional information available

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.	
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Additional information	: Recycle the material as far as possible.	
SECTION 14: Transport information	n	
Department of Transportation (DOT)		
In accordance with DOT		
Transport document description	: UN2929 Toxic liquids, flammable, organic, n.o.s., 6.1, II	
UN-No.(DOT)	: UN2929	

: Toxic liquids, flammable, organic, n.o.s.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transport hazard class(es) (DOT)	: 6.1 - Class 6.1 - Poisonous materials 49 CFR 173.132
Hazard labels (DOT)	: 6.1 - Poison
	3 - Flammable liquid
Packing group (DOT)	: II - Medium Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 243
DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	: IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite
	(31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110
	kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.
	T11 - 6 178.274(d)(2) Normal
	TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the
	temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of
	cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and
	the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image)
	Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C
	(59 F) and 50 C (122 F), respectively.
	TP13 - Self-contained breathing apparatus must be provided when this hazardous material is
	transported by sea. TP27 - A portable tank having a minimum test pressure of 4 bar (400 kPa) may be used
	provided the calculated test pressure is 4 bar or less based on the MAWP of the hazardous
	material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the
	MAWP.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 153
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a
	passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on
	passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this
	section is exceeded.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 2929
Proper Shipping Name (IMDG)	: TOXIC LIQUID, FLAMMABLE, ORGANIC, N.O.S.
Class (IMDG)	: 6.1 - Toxic substances
Packing group (IMDG)	: II - substances presenting medium danger
Air transport	
UN-No. (IATA)	: 2929
Proper Shipping Name (IATA)	: Toxic liquid, flammable, organic, n.o.s.
Class (IATA)	: 6.1 - Toxic Substances
Packing group (IATA)	: II - Medium Danger
······································	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SE	CTION 15: Regulatory information
15.1	I. US Federal regulations
Су	/clohex-2-en-1-one (930-68-7)
Lis	sted on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### 15.2. International regulations

### CANADA

Cyclohex-2-en-1-one (930-68-7)

Listed on the Canadian NDSL (Non-Domestic Substances List)

#### **EU-Regulations**

No additional information available

#### National regulations

Cyclohex-2-en-1-one (930-68-7)

Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

## **SECTION 16: Other information**

Acute Tox. 2 (Dermal)	Acute toxicity (dermal) Category 2
Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 3	Flammable liquids Category 3
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapor
H301	Toxic if swallowed
H310	Fatal in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H331	Toxic if inhaled
H335	May cause respiratory irritation


### NFPA health hazard

NFPA fire hazard

NFPA reactivity

: 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.

- : 3 Liquids and solids that can be ignited under almost all ambient conditions.
- : 0 Normally stable, even under fire exposure conditions, and are not reactive with water.



Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	<ul> <li>2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II &amp; IIIA)</li> </ul>
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offend solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.