

Safety Data Sheet 2524101 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 12/10/2019 Version: 1.0

4.4 Islam (if a stimu	
1.1. Identification	
Product form	: Substance
Substance name	: Ethyl 2-butynoate
CAS No	: 4341-76-8
Product code	: 2524-1-01
Formula	: C6H8O2
Synonyms	: Ethyl tetrolate; Ethyl but-2-ynoate
Other means of identification	: MFCD00015182
	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the safe	ety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identificati	ion
2.1. Classification of the substance of	or mixture
Classification (GHS-US)	
Skin Irrit. 2 H315 - Causes skin ir	
STOT SE 3 H335 - May cause res	
STOT SE 3 H335 - May cause res Full text of H-phrases: see section 16	
STOT SE 3 H335 - May cause res Full text of H-phrases: see section 16 2.2. Label elements	
STOT SE 3 H335 - May cause res Full text of H-phrases: see section 16	
STOT SE 3 H335 - May cause rest Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	spiratory irritation
STOT SE 3 H335 - May cause rest Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	spiratory irritation : CHS07 : Warning
STOT SE 3 H335 - May cause res Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	spiratory irritation

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	 P321 - Specific treatment (see supplemental first aid instructions on this label) P330 - Rinse mouth P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse P370+P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish P403+P235 - Store in a well-ventilated place. Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool P405 - Store locked up P501 - Dispose of contents/container to an approved waste disposal plant 		
2.3. Other hazards			
No additional information available			
2.4. Unknown acute toxicity (GHS US)			
Not applicable			
SECTION 3: Composition/information	on ingredients		
3.1. Substance	Mana anadituant		
	Mono-constituent		
Name	Product identifier	%	Classification (GHS-US)
Ethyl 2-butynoate (Main constituent)	(CAS No) 4341-76-8	<= 100	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16			
3.2. Mixture			
Not applicable			
SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general :	In case of accident or if you feel unwell, see where possible). Move the affected personr		
First-aid measures after inhalation :	Remove person to fresh air and keep comfor respiration. Get immediate medical advice/a		ng. If not breathing, give artificial
First-aid measures after skin contact :	Wash with plenty of soap and water. Get im		
First-aid measures after eye contact :	Immediately flush eyes thoroughly with wate present and easy to do. Continue rinsing. G		
First-aid measures after ingestion :	Do NOT induce vomiting. Never give anythi mouth out with water. Get immediate medic		
4.2. Most important symptoms and effects	, both acute and delayed		
Symptoms/injuries :	The most important known symptoms and e 2.2) and/or in section 11.	ffects are describ	ed in the labelling (see section
4.3. Indication of any immediate medical a	ttention and special treatment needed		
Treat symptomatically.			
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media :	Alcohol resistant foam. Carbon dioxide. Dry appropriate for surrounding fire.	powder. Water s	pray. Use extinguishing media
5.2. Special hazards arising from the subs	tance or mixture		
	Thermal decomposition generates: Carbon	oxides.	
Explosion hazard :	Risk of explosion if heated under confineme containers.	nt. Use water spr	ay or fog for cooling exposed
5.3. Advice for firefighters			
Firefighting instructions :	In case of fire: Evacuate area. Fight fire rem	otely due to the r	isk of explosion.
Protection during firefighting :	Wear gas tight chemically protective clothin apparatus. For further information refer to s		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.		
6.1.1. For non-emergency personnel			
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.		
6.2. Environmental precautions			
Avoid release to the environment. Notify authoritie	es if product enters sewers or public waters.		
6.3. Methods and material for containme	nt and cleaning up		
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.		
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.		
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
6.4. Reference to other sections			
No additional information available			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.		
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, includin	ig any incompatibilities		
Technical measures	: Comply with applicable regulations.		
Storage conditions	: Keep container closed when not in use. Keep contents under inert gas.		
Incompatible materials	: Refer to Section 10 on Incompatible Materials.		
Storage area	: Store in dry, cool, well-ventilated area.		
SECTION 8: Exposure controls/perso			
8.1. Control parameters			
No additional information available			
2.0 Emergine controls			
8.2. Exposure controls	. Ensure good ventilation of the work station. Emergency we week fountains and effect above		
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.		
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.		
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.		
Skin and body protection	: Wear suitable protective clothing.		
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.		
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.		
SECTION 9: Physical and chemical p	roperties		

9.1. Information on basic p	hysical and chemical properties		
Physical state	: Liquid		
Color	: No data available		
Odor	: No data available		
Odor threshold	: No data available		
12/10/2019	EN (English US)	SDS ID: 2524101	3/7

Ethyl 2-butynoate Safety Data Sheet according to Federal Register / Vol. 77, No. 4

No. 58 / Monday, March 26, 2012 / Pullos and Pogulatic

ccording to Federal Register / Vol. 77, No. 58 / Monda	ay, March 26, 2012 / Rules and Regulations
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 160 - 161 °C (@ 730 mm Hg)
Flash point	: 62 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 0.962 g/ml (@ 25 °C)
Molecular mass	: 112.1265 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Refractive index	: 1.436 (@ 20 °C)
SECTION 10: Stability and reactivit	у
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
The product is stable at normal handling and s	torage conditions.
10.3. Possibility of hazardous reactions	ŝ
No additional information available	
10.4. Conditions to avoid	
Keep away from heat, sparks and flame.	
10.5. Incompatible materials	
Strong oxidizing agents.	
10.6. Hazardous decomposition produc	ts
Under normal conditions of storage and use, h fire, see Section 5.	azardous decomposition products should not be produced. Hazardous decomposition products in case of

SECTI	ON 11: Toxicological information
11.1.	Information on toxicological effects

Acute toxicity	: Oral: Harmful if swallowed.		
Ethyl 2-butynoate (4341-76-8)			
ATE US (oral)	500.000 mg/kg body weight		
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation	: Causes serious eye irritation.		
Respiratory or skin sensitization	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
12/10/2019	EN (English LIS)	SDS ID: 2524101	4/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific target organ toxicity (single exposure)	:	May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	:	Not classified
Aspiration hazard	:	Not classified

ECTION 12: Ecological information
2.1. Toxicity
o additional information available
2.2. Persistence and degradability
o additional information available
2.3. Bioaccumulative potential
o additional information available
2.4. Mobility in soil
o additional information available
2.5. Other adverse effects

No additional information available

Packing group (DOT)

DOT Symbols

DOT Packaging Non Bulk (49 CFR 173.xxx)

DOT Packaging Bulk (49 CFR 173.xxx)

SECTION 13: Disposal considerat	ions
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.
SECTION 14: Transport information Department of Transportation (DOT) In accordance with DOT	טונ סוו
Transport document description	: NA1993 Combustible liquid, n.o.s., 3, III
UN-No.(DOT)	: NA1993
Proper Shipping Name (DOT)	: Combustible liquid, n.o.s.

- : III Minor Danger
- : 203
 - : 241
 - : D Proper shipping name for domestic use only, or to and from Canada,G Identifies PSN requiring a technical name

DOT Special Provisions (49 CFR 172.102)	 IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HD2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T1 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TDG

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information		
15.1. US Federal regulations		

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

Ethyl 2-butynoate	CAS No 4341-76-8	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

Ethyl 2-butynoate (4341-76-8) Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

medical attention is given.

temperature before ignition can occur.

and are not reactive with water.

SECTION 16: Other information

Full text of H-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 4	Flammable liquids Category 4
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H227	Combustible liquid
H302	Harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt

: 2 - Must be moderately heated or exposed to relatively high

: 0 - Normally stable, even under fire exposure conditions,

NFPA health hazard

NFPA fire hazard

NFPA reactivity

0

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	: 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.