

2-(2,3,6-Trifluorophenoxy)ethanol Safety Data Sheet 2601351 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 08/12/2016 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: 2-(2,3,6-Trifluorophenoxy)ethanol
CAS No	: 72912-49-3
Product code	: 2601-3-51
Formula	: C8H7F3O2
Synonyms	: 2-(2,3,6-Trifluorophenoxy)ethan-1-ol
Other means of identification	: MFCD00134279
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the sa	afety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Amer T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlab	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16	irritation
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements	irritation
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	irritation
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	 irritation bry irritation : irritation : irritation : irritation : Warning : H315 - Causes skin irritation
Eye Irrit. 2AH319 - Causes serious eyeSTOT SE 3H335 - May cause respiratoFull text of H-phrases: see section 162.2.Label elements	 irritation bry irritation :
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	 irritation by irritation : irritation : irritation : irritation : Warning : H315 - Causes skin irritation H319 - Causes serious eye irritation

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

0.0 Others becaused					
2.3. Other hazards					
No additional information available 2.4. Unknown acute toxicity (GHS US)					
Not applicable					
SECTION 3: Composition/information	on on in	gredients			
3.1. Substance					
Substance type	: Mono	-constituent			
Name		Product identifier	%	Classification (GHS-US)	
2-(2,3,6-Trifluorophenoxy)ethanol		(CAS No) 72912-49-3	<= 100	Skin Irrit. 2, H315	
(Main constituent)				Eye Irrit. 2A, H319 STOT SE 3, H335	
Full text of H-phrases: see section 16				0101020,1000	
3.2. Mixture					
Not applicable					
SECTION 4: First aid measures					
4.1. Description of first aid measures					
First-aid measures general	: In cas	se of accident or if you feel unwell, seek	medical advice i	mmediately (show the label	
· ····· a.a ·····acaroo gorioral		e possible). Move the affected personnel			
First-aid measures after inhalation		ove person to fresh air and keep comfort	able for breathin	g. If not breathing, give artificial	
	respir	ation. Get medical advice/attention.			
First-aid measures after skin contact		with plenty of soap and water. Get med			
First-aid measures after eye contact		diately flush eyes thoroughly with water nt and easy to do. Continue rinsing. Get			if
First-aid measures after ingestion		OT induce vomiting. Never give anything n out with water. Get medical advice/atte		unconscious person. Rinse	
4.2. Most important symptoms and effe	cts. both	acute and delayed			
Symptoms/injuries		nost important known symptoms and effe	ects are describe	ed in the labelling (see section	
	2.2) a	nd/or in section 11.		3 (
4.3. Indication of any immediate medica	al attentio	n and special treatment needed			
4.3. Indication of any immediate medica Treat symptomatically.	al attentio	n and special treatment needed			
Treat symptomatically.	al attentio	n and special treatment needed			
Treat symptomatically. SECTION 5: Firefighting measures	al attentio	n and special treatment needed			
Treat symptomatically.SECTION 5: Firefighting measures5.1.Extinguishing media			owder Water so	ray. Les extinguishing media	
Treat symptomatically. SECTION 5: Firefighting measures	: Alcoh	n and special treatment needed ol resistant foam. Carbon dioxide. Dry p priate for surrounding fire.	owder. Water sp	ray. Use extinguishing media	
Section 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media	: Alcoh appro	ol resistant foam. Carbon dioxide. Dry p priate for surrounding fire.	owder. Water sp	ray. Use extinguishing media	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the suitable	: Alcoh appro	ol resistant foam. Carbon dioxide. Dry p priate for surrounding fire. pr mixture			
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard	: Alcoh appro ibstance (: Therr	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire. or mixture nal decomposition generates: Carbon ox	ides. Hydrogen	fluoride.	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the suitable	: Alcoh appro ibstance (: Therr	ol resistant foam. Carbon dioxide. Dry p priate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement	ides. Hydrogen	fluoride.	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard Explosion hazard	: Alcoh appro ibstance (: Therr : Risk (ol resistant foam. Carbon dioxide. Dry p priate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement	ides. Hydrogen	fluoride.	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard Explosion hazard 5.3. Advice for firefighters	: Alcoh appro ibstance (: Therr : Risk (conta	ol resistant foam. Carbon dioxide. Dry propriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners.	ides. Hydrogen . Use water spra	fluoride. ay or fog for cooling exposed	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions	: Alcoh appro bstance : Therr : Risk o conta : In cas	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remot	ides. Hydrogen . Use water spra	fluoride. ay or fog for cooling exposed sk of explosion.	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard Explosion hazard 5.3. Advice for firefighters	: Alcoh appro ibstance (: Therr : Risk (conta : In cas : Wear	ol resistant foam. Carbon dioxide. Dry propriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners.	ides. Hydrogen . Use water spra iely due to the ris n combination w	fluoride. ay or fog for cooling exposed sk of explosion. <i>v</i> ith self contained breathing	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting	: Alcoh appro bstance (: Therr : Risk (conta : In cas : Wear appar	ol resistant foam. Carbon dioxide. Dry propriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remoting gas tight chemically protective clothing i	ides. Hydrogen . Use water spra iely due to the ris n combination w	fluoride. ay or fog for cooling exposed sk of explosion. <i>v</i> ith self contained breathing	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release mea	: Alcoh appro bstance (: Therr : Risk (conta : In cas : Wear appar sures	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remot gas tight chemically protective clothing i atus. For further information refer to sec	ides. Hydrogen . Use water spra iely due to the ris n combination w	fluoride. ay or fog for cooling exposed sk of explosion. <i>v</i> ith self contained breathing	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release meas 6.1. Personal precautions, protective extended	: Alcoh appro bstance (: Therr : Risk (conta : In cas : Wear appar sures uipment	ol resistant foam. Carbon dioxide. Dry popriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remoting gas tight chemically protective clothing in atus. For further information refer to sec	ides. Hydrogen . Use water spra tely due to the ris n combination w tion 8: "Exposur	fluoride. ay or fog for cooling exposed sk of explosion. <i>v</i> ith self contained breathing e controls/personal protection".	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release mea	: Alcoh appro bstance (: Therr : Risk (conta : In cas : Wear appar sures upment : Evac	ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remot gas tight chemically protective clothing i atus. For further information refer to sec	ides. Hydrogen . Use water spra tely due to the ris n combination w tion 8: "Exposur	fluoride. ay or fog for cooling exposed sk of explosion. <i>v</i> ith self contained breathing e controls/personal protection".	, ,
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release mea 6.1. Personal precautions, protective ex General measures	: Alcoh appro bstance (: Therr : Risk (conta : In cas : Wear appar sures upment : Evac	ol resistant foam. Carbon dioxide. Dry popriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remoting gas tight chemically protective clothing in atus. For further information refer to sec and emergency procedures Jate unnecessary personnel. Ensure additional construction and the second atta construction of the second	ides. Hydrogen . Use water spra tely due to the ris n combination w tion 8: "Exposur	fluoride. ay or fog for cooling exposed sk of explosion. <i>v</i> ith self contained breathing e controls/personal protection".	, ,
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release mea 6.1. Personal precautions, protective extended General measures	: Alcoh appro bstance (: Therr : Risk (conta : In cas : Wear appar sures sures uipment : Evac vapor	ol resistant foam. Carbon dioxide. Dry popriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remoting gas tight chemically protective clothing in atus. For further information refer to sec and emergency procedures Jate unnecessary personnel. Ensure additional construction and the second atta construction of the second	ides. Hydrogen . Use water spra tely due to the ris n combination w tion 8: "Exposur equate air ventila	fluoride. ay or fog for cooling exposed sk of explosion. //th self contained breathing e controls/personal protection".	, ,
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release mea 6.1. Personal precautions, protective extense General measures 6.1.1. For non-emergency personnel Emergency procedures	: Alcoh appro bstance (: Therr : Risk (conta : In cas : Wear appar sures sures uipment : Evac vapor	ol resistant foam. Carbon dioxide. Dry popriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remoting gas tight chemically protective clothing in atus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure ade for spray.	ides. Hydrogen . Use water spra tely due to the ris n combination w tion 8: "Exposur equate air ventila	fluoride. ay or fog for cooling exposed sk of explosion. //th self contained breathing e controls/personal protection".	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release mea 6.1. Personal precautions, protective ex General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders	: Alcoh appro bstance (: Therr : Risk (conta : In cas : Wear appar sures sures uipment : Evac vapor : Only	ol resistant foam. Carbon dioxide. Dry popriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remoting gas tight chemically protective clothing in atus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure ade for spray. qualified personnel equipped with suitab	ides. Hydrogen . Use water spra tely due to the ris n combination w tion 8: "Exposur equate air ventila	fluoride. ay or fog for cooling exposed sk of explosion. //th self contained breathing e controls/personal protection". ation. Do not breathe gas, fumes,	,
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release mea 6.1. Personal precautions, protective extense General measures 6.1.1. For non-emergency personnel Emergency procedures	: Alcoh appro bstance (: Therr : Risk (conta : Near appar sures sures uipment : Evac vapor : Only : Do no	ol resistant foam. Carbon dioxide. Dry propriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remoting gas tight chemically protective clothing in ratus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure add or spray. qualified personnel equipped with suitable ot attempt to take action without suitable	ides. Hydrogen . Use water spra tely due to the ris n combination w tion 8: "Exposur equate air ventila le protective equip	fluoride. ay or fog for cooling exposed sk of explosion. //th self contained breathing e controls/personal protection". ation. Do not breathe gas, fumes,	,
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release mea 6.1. Personal precautions, protective ex General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders	: Alcoh appro bstance (: Therr : Risk (conta : In cas : Wear appar sures uipment : Evac vapor : Only : Do no refer	ol resistant foam. Carbon dioxide. Dry popriate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remoting gas tight chemically protective clothing in atus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure ade for spray. qualified personnel equipped with suitab	ides. Hydrogen . Use water spra tely due to the ris n combination w tion 8: "Exposur equate air ventila le protective equip protective equip l protection".	fluoride. ay or fog for cooling exposed sk of explosion. //ith self contained breathing e controls/personal protection". ation. Do not breathe gas, fumes, upment may intervene.	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release mea 6.1. Personal precautions, protective ex General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment	 Alcoh appro Therr Risk of conta In cas Wear appar Sures Sures Lipment Evaci vapor Only Do no refer Gas/v level. 	ol resistant foam. Carbon dioxide. Dry per priate for surrounding fire. or mixture nal decomposition generates: Carbon ox of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remoti gas tight chemically protective clothing is ratus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure add or spray. qualified personnel equipped with suitable to section 8: "Exposure controls/personal	ides. Hydrogen . Use water spra tely due to the ris n combination w tion 8: "Exposur equate air ventila le protective equip protective equip l protection".	fluoride. ay or fog for cooling exposed sk of explosion. //ith self contained breathing e controls/personal protection". ation. Do not breathe gas, fumes, upment may intervene.	d

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions			
Avoid release to the environment. Notify author	ities if product enters sewers or public waters.		
6.3. Methods and material for containm	Methods and material for containment and cleaning up		
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.		
Methods for cleaning up	Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.		
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
6.4. Reference to other sections			
No additional information available			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.		
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, includ	ing any incompatibilities		
Technical measures	: Comply with applicable regulations.		
Storage conditions	: Keep container closed when not in use.		
Incompatible materials	: Refer to Section 10 on Incompatible Materials.		
Storage area	: Store in dry, cool, well-ventilated area.		

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	chemical properties		
Physical state	: Liquid		
Color	: No data available		
Odor	: No data available		
Odor threshold	: No data available		
pH	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: 95 (≥ 96) °C (@ 3 mm Hg)		
Flash point	: 113 °C		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flammability (solid, gas)	: No data available		
Explosion limits	: No data available		
Explosive properties	: No data available		
Oxidizing properties	: No data available		
Vapor pressure	: No data available		
12/06/2016	EN (English US)	SDS ID: 2601351	3/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.381 g/ml (@ 25 °C)
Molecular mass	: 192.14 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Refractive index	: 1.472 (@ 20 °C)

SECTION 10: Stability and reactivity 10.1. Reactivity No additional information available Information available 10.2. Chemical stability The product is stable at normal handling and storage conditions. Information available 10.3. Possibility of hazardous reactions No additional information available Information available 10.4. Conditions to avoid Keep away from heat, sparks and flame. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	

SECTI	ON 12: Ecological information
12.1.	Toxicity
No addit	ional information available
12.2.	Persistence and degradability
No addit	ional information available
12.3.	Bioaccumulative potential
No addit	ional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

13.1. Waste treatment methods		
Waste treatment methods	: Remove to an authorized incinerator equipped with	an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with lie	censed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.	
SECTION 14: Transport informa	tion	
Department of Transportation (DOT)		
In accordance with DOT		
Not regulated for transport		
TDG		
No additional information available		
Transport by sea		
No additional information available		
Air transport		
No additional information available		
SECTION 15: Regulatory inform	ation	
15.1. US Federal regulations		
All components of this product are listed, Substances Control Act (TSCA) inventor	or excluded from listing, on the United States Environmental v except for:	Protection Agency Toxic
2-(2,3,6-Trifluorophenoxy)ethanol	CAS No 72912-49-3	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.	
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.	
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.	
HMIS III Rating		
Health	: 2 Moderate Hazard - Temporary or minor injury may occur	
Flammability	: 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)	
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.