

Bis(4-fluorophenyl)ether Safety Data Sheet 2607319 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 05/02/2017 Version: 1.0

1.1. Identification			
Product form	: Substance		
Substance name	: Bis(4-fluorophenyl)ether		
CAS No	: 330-93-8		
Product code	: 2607-3-19		
Formula	: C12H8F2O		
Synonyms	: 1,1'-Oxybis(4-fluorobenzene); Bis(4-fluorophenyl) ether		
Other means of identification	: MFCD00013552		
1.2. Relevant identified uses of the	substance or mixture and uses advised against		
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development		
1.3. Details of the supplier of the sa	fety data sheet		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ameri T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlab			
1.4. Emergency telephone number			
Emergency number	: (844) 523-4086 (3E Company - Account 10069)		
SECTION 2: Hazard(s) identificat	ion		
2.1. Classification of the substance			
Classification (GHS-US)			
Eye Irrit. 2AH319 - Causes serious ofSTOT SE 3H335 - May cause respiAquatic Acute 2H401 - Toxic to aquatic	eye irritation iratory irritation		
Eye Irrit. 2AH319 - Causes serious ofSTOT SE 3H335 - May cause respiAquatic Acute 2H401 - Toxic to aquaticFull text of H-phrases: see section 16	eye irritation iratory irritation		
Eye Irrit. 2A H319 - Causes serious of STOT SE 3 STOT SE 3 H335 - May cause respined and the serious of the series of the ser	eye irritation iratory irritation		
Eye Irrit. 2A H319 - Causes serious of STOT SE 3 STOT SE 3 H335 - May cause respined and the serious of the series of the ser	eye irritation iratory irritation		
Eye Irrit. 2AH319 - Causes serious ofSTOT SE 3H335 - May cause respiAquatic Acute 2H401 - Toxic to aquaticFull text of H-phrases: see section 16	eye irritation iratory irritation life		
Eye Irrit. 2A H319 - Causes serious of STOT SE 3 H335 - May cause respi Aquatic Acute 2 H401 - Toxic to aquatic Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	eye irritation iratory irritation life : CHS07		
Eye Irrit. 2A H319 - Causes serious of STOT SE 3 H335 - May cause respi Aquatic Acute 2 H401 - Toxic to aquatic Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	 eye irritation iratory irritation life : • • • • • • • • • • • • • • • • • • •		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- P403+P233 Store in a well-ventilated place. Keep container tightly closed
- P405 Store locked up
- P501 Dispose of contents/container to an approved waste disposal plant

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Substance type : Mono-constituent

Name	Product identifier	%	Classification (GHS-US)	
Bis(4-fluorophenyl)ether (Main constituent)	(CAS No) 330-93-8	<= 100	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 Aquatic Acute 2, H401	

Full text of H-phrases: see section 16

3.2. Mixture	
Not applicable	
SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get medical advice/attention.
First-aid measures after skin contact	: Wash with plenty of soap and water. Get medical advice/attention.
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get medical advice/attention.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/injuries	: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SEC	FION 5: Firefighting measu	res		
5.1.	Extinguishing media			
Suitab	le extinguishing media	: Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.		
5.2.	Special hazards arising from	the substance or mixture		
Fire hazard Explosion hazard		: Thermal decomposition generates: Carbon oxides. Hydrogen fluoride.		
		: Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers.		
5.3.	Advice for firefighters			
Firefig	nting instructions	: In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.		
Protection during firefighting		: Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".		
SECTION 6: Accidental release measures				
6 1	Developed pressutions, protect	ive equipment and emergency precedures		

or in the solution of proceeding of the solution of the soluti	dupinent and emergency procedures
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.
6.1.1. For non-emergency personnel Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.
6.2. Environmental precautions	
Avoid release to the environment. Notify author	prities if product enters sewers or public waters.
6.3. Methods and material for contain	ment and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, inclu	ding any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.

SECTION 8: Ex	posure controls/	personal	protection
----------------------	------------------	----------	------------

8.1. Control parameters

0.0

No additional information available

Environment of the late

	8.2. Exposure controls	
Appropriate engineering controls		: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
	Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
	Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection : Wear suitable protective clothi		: Wear suitable protective clothing.
	Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
	Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

9.1. Information on basic physical and	chemical properties
Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 235 - 240 °C
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Flammability (solid, gas)	:	No data available
Explosion limits	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available
Vapor pressure	:	No data available
Relative density	:	No data available
Relative vapor density at 20 °C	:	No data available
Specific gravity / density	:	1.23 g/ml (@ 25 °C)
Molecular mass	:	206.19 g/mol
Solubility	:	No data available
Log Pow	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available
0.2 Other information		

Other information 9.2.

Refractive index -----

: 1.5375 (@ 20 °C)

SECTION 10: Stability and reactivity
10.1. Reactivity
No additional information available
10.2. Chemical stability
The product is stable at normal handling and storage conditions.
10.3. Possibility of hazardous reactions
No additional information available
10.4. Conditions to avoid
Keep away from heat, sparks and flame.
10.5. Incompatible materials
Strong oxidizing agents.
10.6. Hazardous decomposition products
Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.
SECTION 11: Toxicological information
11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity	 Causes skin irritation. Causes serious eye irritation. Not classified Not classified
Carcinogenicity	: Not classified
Reproductive toxicity Specific target organ toxicity (single exposure)	 Not classified May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECT	FION 12: Ecological information		
12.1.	Toxicity		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Bis(4-fluorophenyl)ether (330-93-8)	
LC50 fish 1	0.93 - 1.21 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
No additional information available	

SECTION 13: Disposal consideration	ns
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Not regulated for transport

TDG

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

	Bis(4-fluorophenyl)ether	CAS No 330-93-8	100%
--	--------------------------	-----------------	------

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

Bis(4-fluorophenyl)ether (330-93-8)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

Full text of H-phrases:

i uli lext ul l'epillases.		
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2	
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A	
Skin Irrit. 2	Skin corrosion/irritation Category 2	
STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
H315	Causes skin irritation	
H319	Causes serious eye irritation	
H335	May cause respiratory irritation	
H401	Toxic to aquatic life	
NFPA fire hazard NFPA reactivity	 residual injury even though prompt medical attention was given. 1 - Must be preheated before ignition can occur. 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. 	
HMIS III Rating Health	2 Moderate Hazard - Temporary or minor injury may occur	
Flammability		
-iammaoiiity	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB) 	
	solids and semi solids having a flash point above 200 F. (Class IIIB)	

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.