

1-Ethoxy-3-fluorobenzene Safety Data Sheet 2607332 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 09/01/2016 Version: 1.0

| SECTION 1: Identification | | | | |
|---|---|--|--|--|
| 1.1. Identification | | | | |
| Product form | : Substance | | | |
| Substance name | 1-Ethoxy-3-fluorobenzene | | | |
| CAS No | 458-03-7 | | | |
| Product code | : 2607-3-32 | | | |
| Formula | C8H9FO | | | |
| Synonyms | : 3-Fluorophentole | | | |
| Other means of identification | : MFCD00673011 | | | |
| | substance or mixture and uses advised against | | | |
| Use of the substance/mixture | Laboratory chemicals Manufacture of substances Scientific research and development | | | |
| 1.3. Details of the supplier of the sat | fety data sheet | | | |
| SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs 1.4. Emergency telephone number | | | | |
| Emergency number | : (844) 523-4086 (3E Company - Account 10069) | | | |
| | | | | |
| SECTION 2: Hazard(s) identificat | ion | | | |
| 2.1. Classification of the substance | or mixture | | | |
| Flam. Liq. 3 H226 - Flammable liquid and Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye | irritation | | | |
| Flam. Liq. 3 H226 - Flammable liquid and Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 | irritation | | | |
| Eye Irrit. 2A H319 - Causes serious eye i | irritation | | | |
| Flam. Liq. 3 H226 - Flammable liquid and Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling | n irritation ry irritation | | | |
| Flam. Liq. 3 H226 - Flammable liquid and Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) | irritation | | | |
| Flam. Liq. 3 H226 - Flammable liquid and Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) | $\frac{1}{1000}$ | | | |
| Flam. Liq. 3 H226 - Flammable liquid and Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements | irritation ry irritation : irritation : irritation : irritation : irritation : Warning : H226 - Flammable liquid and vapor H315 - Causes skin irritation H319 - Causes serious eye irritation | | | |

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | | lense P312 P321 P332 P337 P362 P370 P403 P403 P405 | +P351+P338 - If in eyes: Rinse cautious s, if present and easy to do. Continue rin - Call a POISON CENTER or doctor/phy - Specific treatment (see supplemental f +P313 - If skin irritation occurs: Get med +P313 - If eye irritation persists: Get med +P364 - Take off contaminated clothing a +P378 - In case of fire: Use dry sand, dry +P233 - Store in a well-ventilated place. +P235 - Store in a well-ventilated place. - Store locked up - Dispose of contents/container to an ap | sing vsician if you fee irst aid instructio ical advice/atten dical advice/atten and wash it befo v chemical or alo Keep container Keep cool | l unwell ns on this label) tion ntion re reuse cohol-resistant foam to extinguish tightly closed |
|-----------|--|---|---|--|--|
| 2.3. | Other hazards | | | | |
| No addit | ional information available | | | | |
| 2.4. | Unknown acute toxicity (GHS US) | | | | |
| Not appl | icable | | | | |
| SECTI | ON 3: Composition/information | on in | gredients | | |
| 3.1. | Substance | | | | |
| Substan | ce type : | Mono | -constituent | | |
| Name | | | Product identifier | % | Classification (GHS-US) |
| | y-3-fluorobenzene nstituent) | | (CAS No) 458-03-7 | <= 100 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 |
| Full text | of H-phrases: see section 16 | | | | |
| 3.2. | Mixture | | | | |
| Not appl | icable | | | | |
| | ON 4: First aid measures | | | | |
| 4.1. | Description of first aid measures | | | | |
| | | | se of accident or if you feel unwell, seek is possible). Move the affected personnel | | |
| First-aid | measures after inhalation : | Remo | ove person to fresh air and keep comforta ation. Get medical advice/attention. | - | |
| First-aid | measures after skin contact : | Wash with plenty of soap and water. Get medical advice/attention. | | | |
| | | Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention. | | | |
| First-aid | measures after ingestion : | Do No mout | OT induce vomiting. Never give anything n out with water. Get medical advice/atte | by mouth to an ntion. | unconscious person. Rinse |
| 4.2. | Most important symptoms and effects | , both | acute and delayed | | |
| Symptor | ns/injuries : | | nost important known symptoms and effe ind/or in section 11. | ects are describe | ed in the labelling (see section |
| 4.3. | Indication of any immediate medical at | ttentio | n and special treatment needed | | |
| Treat sy | mptomatically. | | | | |
| SECTI | ON 5: Firefighting measures | | | | |
| 5.1. | Extinguishing media | | | | |
| | | | ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire. | owder. Water sp | ray. Use extinguishing media |
| 5.2. | Special hazards arising from the subst | tance | or mixture | | |
| Fire haza | | | nal decomposition generates: Carbon ox | ides. Hydrogen | fluoride. |
| Explosio | n hazard : | Risk (| of explosion if heated under confinement iners. May form flammable/explosive var | . Use water spra | |
| 5.3. | Advice for firefighters | | | | |
| | | In cas | se of fire: Evacuate area. Fight fire remot | ely due to the ris | sk of explosion. |
| - | - | Wear | gas tight chemically protective clothing i atus. For further information refer to sec | n combination w | vith self contained breathing |
| | | | | | |

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| SECTION 6: Accidental release mease | ures | | |
|--|---|--|--|
| 6.1. Personal precautions, protective equipment and emergency procedures | | | |
| General measures | : Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray. | | |
| 6.1.1. For non-emergency personnel | | | |
| Emergency procedures | : Only qualified personnel equipped with suitable protective equipment may intervene. | | |
| 6.1.2. For emergency responders | | | |
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". | | |
| Emergency procedures | : Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition. | | |
| 6.2. Environmental precautions | | | |
| Avoid release to the environment. Notify authoritie | s if product enters sewers or public waters. | | |
| 6.3. Methods and material for containment | at and cleaning up | | |
| For containment | : Stop leak if safe to do so. Dike for recovery or absorb with appropriate material. | | |
| Methods for cleaning up | : Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area. | | |
| Other information | : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". | | |
| 6.4. Reference to other sections | | | |
| No additional information available | | | |
| SECTION 7: Handling and storage | | | |
| 7.1. Precautions for safe handling | | | |
| Additional hazards when processed | : Handle empty containers with care because residual vapors are flammable. | | |
| Precautions for safe handling | : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. | | |
| Hygiene measures | : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. | | |
| 7.2. Conditions for safe storage, including | g any incompatibilities | | |
| Technical measures | : Comply with applicable regulations. | | |
| Storage conditions | : Keep container closed when not in use. Keep away from ignition sources. | | |
| Incompatible materials | : Refer to Section 10 on Incompatible Materials. | | |
| Storage area | : Store in dry, cool, well-ventilated area. | | |

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

| 8.2. Exposure controls | |
|----------------------------------|--|
| Appropriate engineering controls | : Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. |
| Hand protection | : Protective gloves. 29 CFR 1910.138: Hand Protection. |
| Eye protection | : Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection. |
| Skin and body protection | : Wear suitable protective clothing. |
| Respiratory protection | : In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection. |
| Other information | : Safety shoes. 29 CFR 1910.136: Foot Protection. |
| | |

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| SECTION 9: Physical and chemica | I properties |
|---|--|
| 9.1. Information on basic physical and | I chemical properties |
| Physical state | : Liquid |
| Color | : No data available |
| Odor | : No data available |
| Odor threshold | : No data available |
| рН | : No data available |
| Melting point | : -27.5 °C |
| Freezing point | : No data available |
| Boiling point | : 171 - 172 °C |
| Flash point | : 52 °C |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Flammability (solid, gas) | : No data available |
| Explosion limits | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |
| Vapor pressure | : No data available |
| Relative density | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Specific gravity / density | : 1.0716 g/ml (@ 18.5 °C) |
| Molecular mass | : 140.15 g/mol |
| Solubility | : No data available |
| Log Pow | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| | |
| 9.2. Other information Refractive index | : 1.4847 (@ 16.4 °C) |
| | |
| SECTION 10: Stability and reactivity | ty . |
| 10.1. Reactivity | |
| No additional information available | |
| 10.2. Chemical stability | |
| The product is stable at normal handling and s | storage conditions. |
| 10.3. Possibility of hazardous reactions | à |
| No additional information available | |
| 10.4. Conditions to avoid | |
| Keep away from heat, sparks and flame. | |
| | |
| 10.5. Incompatible materials | |
| Strong oxidizing agents. | |
| 10.6. Hazardous decomposition produc | |
| | nazardous decomposition products should not be produced. Hazardous decomposition products in case of |
| THE SEE SECTION 5 | |
| fire, see Section 5. | |
| SECTION 11: Toxicological inform | |
| | |
| SECTION 11: Toxicological inform | |
| SECTION 11: Toxicological information on toxicological effect 11.1. Information on toxicological effect Acute toxicity | : Not classified |
| SECTION 11: Toxicological information on toxicological effect 11.1. Information on toxicological effect Acute toxicity Skin corrosion/irritation | : Not classified : Causes skin irritation. |
| SECTION 11: Toxicological information on toxicological effect 11.1. Information on toxicological effect Acute toxicity | : Not classified |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Respiratory or skin sensitization | : Not classified |
|--|-------------------------------------|
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| Specific target organ toxicity (single exposure) | : May cause respiratory irritation. |
| Specific target organ toxicity (repeated exposure) | : Not classified |
| Aspiration hazard | : Not classified |

| SECTION 12: Ecological information | | | | |
|-------------------------------------|-------------------------------|--|--|--|
| 12.1. | Toxicity | | | |
| No additional information available | | | | |
| 12.2. | Persistence and degradability | | | |
| No addi | tional information available | | | |
| 12.3. | Bioaccumulative potential | | | |
| No addi | tional information available | | | |
| 12.4. | Mobility in soil | | | |
| No additional information available | | | | |
| 12.5. | Other adverse effects | | | |
| No additional information available | | | | |

| SECTION 13: Disposal considerations | | | |
|-------------------------------------|---|--|--|
| 13.1. Waste treatment methods | | | |
| Waste treatment methods | : Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. | | |
| Waste disposal recommendations | : Dispose of contents/container in accordance with licensed collector's sorting instructions. | | |
| Additional information | : Recycle the material as far as possible. | | |
| | | | |

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols : UN1993 Flammable liquids, n.o.s., 3, III

: UN1993

- : Flammable liquids, n.o.s.
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : 3 Flammable liquid



: III - Minor Danger

: 203

- : 242
- : G Identifies PSN requiring a technical name

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| DOT Special Provisions (49 CFR 172.102) | B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. B52 - Notwithstanding the provisions of 173.24b of this subchapter, non-reclosing pressure relief devices are authorized on DOT 57 portable tanks. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T4 - 2.65 178.274(d)(2) Normal |
|--|--|
| DOT Packaging Exceptions (49 CFR 173.xxx) | : 150 |
| DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) | |
| DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) | : 220 L |
| DOT Vessel Stowage Location | : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. |
| Other information | : No supplementary information available. |
| TDG | |
| No additional information available | |
| Transport by sea | |
| UN-No. (IMDG) | : 1993 |
| Proper Shipping Name (IMDG) | : FLAMMABLE LIQUID, N.O.S. |
| Class (IMDG) | : 3 - Flammable liquids |
| Packing group (IMDG) | : III - substances presenting low danger |
| Air transport | |
| UN-No. (IATA) | : 1993 |
| Proper Shipping Name (IATA) | : Flammable liquid, n.o.s. |
| Class (IATA) | : 3 - Flammable Liquids |
| Packing group (IATA) | : III - Minor Danger |
| SECTION 15: Regulatory information | |
| 15.1. US Federal regulations | |
| All companyons of this product are listed, or ave | Judged from listing, on the United States Environmental Protection Agency Taxis |

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

| 1-Ethoxy-3-fluorobenzene | CAS No 458-03-7 | 100% |
|--------------------------|-----------------|------|
| | · | |

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

National regulations

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

| i un tox | a or ri-prilases. | | | |
|--|-------------------|--|--|--|
| | Eye Irrit. 2A | Serious eye damage/eye irritation Category 2A | | |
| | Flam. Liq. 3 | Flammable liquids Category 3 | | |
| | Skin Irrit. 2 | Skin corrosion/irritation Category 2 | | |
| | STOT SE 3 | Specific target organ toxicity (single exposure) Category 3 | | |
| | H226 | Flammable liquid and vapor | | |
| | H315 | Causes skin irritation | | |
| | H319 | Causes serious eye irritation | | |
| | H335 | May cause respiratory irritation | | |
| NFPA health hazard NFPA fire hazard | | : 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given. : 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur. | | |
| | | | | |
| HMIS I | II Rating | | | |
| Health | | : 2 Moderate Hazard - Temporary or minor injury may occur | | |
| temperatures be | | 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA) | | |
| Physica | al | : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives. | | |

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.