

-

4-lodo-3-methoxyphenol

Safety Data Sheet 2607H00 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 07/31/2019 Version: 1.0

SECTION 1: Identification		
1.1. Identification		
Product form	: Substance	
Substance name	4-lodo-3-methoxyphenol	
CAS No	: 895518-65-7	
Product code	: 2607-H-00	
Formula	: C7H7IO2	
Other means of identification	: MFCD16998735	
1.2. Relevant identified uses of the substa	ance or mixture and uses advised against	
Use of the substance/mixture	Laboratory chemicals Manufacture of substances Scientific research and development	
1.3. Details of the supplier of the safety da	ata sheet	
SynQuest Laboratories, Inc.		
P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synguestlabs.com - www.synguestlabs.com		
1.4. Emergency telephone number		
Emergency number	: (844) 523-4086 (3E Company - Account 10069)	
SECTION 2: Hazard(s) identification		
2.1. Classification of the substance or mix	kture	
Classification (GHS-US)		
Acute Tox. 3 (Oral)H301 - Toxic if swallowedSkin Irrit. 2H301 - Causes skin irritatioEye Dam. 1H318 - Causes skin irritatioSTOT SE 3H335 - May cause respirateAquatic Acute 2H401 - Toxic to aquatic lifeAquatic Chronic 2H411 - Toxic to aquatic lifeFull text of H-phrases: see section 16	e damage ory irritation	
2.2. Label elements		
GHS-US labeling		
Hazard pictograms (GHS-US)	CHS05 GHS06 GHS07 GHS09	
Signal word (GHS-US)	: Danger	
Hazard statements (GHS-US)	 H301 - Toxic if swallowed H315 - Causes skin irritation H318 - Causes serious eye damage H335 - May cause respiratory irritation H411 - Toxic to aquatic life with long lasting effects 	
Precautionary statements (GHS-US)	 P261 - Avoid breathing dust, mist, spray P264 - Wash skin thoroughly after handling P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area P273 - Avoid release to the environment P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P310 - If swallowed: Immediately call a poison center/doctor/ P302+P352 - If on skin: Wash with plenty of soap and water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/ physician 	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

		P330	 Specific treatment (see supplemental Rinse mouth +P313 - If skin irritation occurs: Get med 		,
		P362 P391	+P364 - Take off contaminated clothing - Collect spillage	and wash it befo	ore reuse
			+P233 - Store in a well-ventilated place. - Store locked up	Keep container	tightly closed
		P501	- Dispose of contents/container to an ap	proved waste d	isposal plant
2.3.	Other hazards				
No addit	tional information available				
2.4.	Unknown acute toxicity (GHS US)				
Not appl	licable				
SECTI	ON 3: Composition/informatio	n on in	gredients		
3.1.	Substance				
Substan	ice type	: Mono	p-constituent		
Name			Product identifier	%	Classification (GHS-US)
	3-methoxyphenol nstituent)		(CAS No) 895518-65-7	<= 100	Acute Tox. 3 (Oral), H301 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
	of H-phrases: see section 16				
3.2.	Mixture				
Not appl					
SECTI	ON 4: First aid measures				
4.1.	Description of first aid measures				
First-aid	measures general		se of accident or if you feel unwell, seek		
First-aid	measures after inhalation	 where possible). Move the affected personnel away from the contaminated area. Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention. 			
First-aid	measures after skin contact	 Wash with plenty of soap and water. Remove contaminated clothing and shoes. Get immediate medical advice/attention. 			
First-aid	measures after eye contact	 Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention. 			
First-aid	measures after ingestion	: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.			
4.2.	Most important symptoms and effect	ts, both	acute and delayed		
Symptor	ms/injuries		nost important known symptoms and eff and/or in section 11.	ects are describ	ed in the labelling (see section
Symptor	ms/injuries after inhalation		rial is destructive to tissue of the mucuou ness of breath, headache, nausea.	is membranes a	nd upper respiratory tract. Cough,
4.3.	Indication of any immediate medica	attentio	n and special treatment needed		
Treat sy	mptomatically.				
SECTI	ON 5: Firefighting measures				
5.1.	Extinguishing media				
Suitable	extinguishing media		ol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire.	owder. Water sp	oray. Use extinguishing media
	Special hazards arising from the sul	ostance	or mixture		
5.2.			nal decomposition generates: Carbon or	kides. Hydrogen	iodide
	ard	: Inerr	nai decomposition generates. Carbon of		iodiae.
5.2. Fire haza 5.3.	ard Advice for firefighters	: Inerr	nal decomposition generates. Carbon of		
Fire haza			se of fire: Evacuate area.		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release n		
	e equipment and emergency procedures	
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe dust.	
6.1.1. For non-emergency personnel		
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information	
	refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Avoid release to the environment. Notify aut	thorities if product enters sewers or public waters.	
6.3. Methods and material for contain	inment and cleaning up	
For containment	: Stop leak if safe to do so.	
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.	
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
6.4. Reference to other sections		
No additional information available		
SECTION 7: Handling and storag	e	
7.1. Precautions for safe handling		
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good	
	ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.	
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or	
	smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, inc	luding any incompatibilities	
Technical measures	: Comply with applicable regulations.	
Storage conditions	: Keep container closed when not in use. Hygroscopic. Keep contents under inert gas.	
Incompatible materials : Refer to Section 10 on Incompatible Materials.		
Storage area	: Store in dry, cool, well-ventilated area. Light sensitive.	
SECTION 8: Exposure controls/p	ersonal protection	
8.1. Control parameters		
No additional information available		
3.2. Exposure controls		
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.	
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.	
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.	
Skin and body protection	: Wear suitable protective clothing.	
Respiratory protection	 In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection. 	
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.	
SECTION 9: Physical and chemic	al properties	
0.1. Information on basic physical a	nd chemical properties	
Physical state		
Color	: No data available	
Odor	: No data available	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: No data available	
Eroozing point	. No data available	

Freezing point

: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 250.0338 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. **Other information**

No additional information available

SECTION 10: Stability and reactivity

Reactivity No additional information available

10.2. **Chemical stability**

10.1.

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. **Conditions to avoid**

Keep away from heat, sparks and flame.

10.5. **Incompatible materials**

Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information Information on toxicological effects 11.1.

Acute toxicity	: Oral: Toxic if swallowed.		
4-lodo-3-methoxyphenol (895518-65-7)			
ATE US (oral)	100.000 mg/kg body weight		
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation	: Causes serious eye damage.		
Respiratory or skin sensitization	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.		
Specific target organ toxicity (repeated exposure)	: Not classified		
Aspiration hazard	: Not classified		
07/31/2019	EN (English US)	SDS ID: 2607H00	4/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/injuries after inhalation

: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECTION 12: Ecological information			
12.1. Toxicity			
No additional information available			
12.2. Persistence and degradability			
No additional information available			
12.3. Bioaccumulative potential			
No additional information available			
12.4. Mobility in soil			
No additional information available			
12.5. Other adverse effects			
No additional information available			
SECTION 13: Disposal consideration	ns		
13.1. Waste treatment methods			
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.		
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	: Recycle the material as far as possible.		
SECTION 14: Transport information			
Department of Transportation (DOT)			
In accordance with DOT			
Transport document description	: UN2811 Toxic solids, organic, n.o.s., 6.1, III		
•	-		

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) Dangerous for the environment Marine pollutant

DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols

- : UN2811
- : Toxic solids, organic, n.o.s.
- : 6.1 Class 6.1 Poisonous materials 49 CFR 173.132
- : 6.1 Poison



- : III Minor Danger
- : Yes : Yes



- : 213
- : 240
- : G Identifies PSN requiring a technical name

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	 IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner. T1 - 1.5 178.274(d)(2) Normal 178.275(d)(2) TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 153
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 100 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 200 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 2811
Proper Shipping Name (IMDG)	: TOXIC SOLID, ORGANIC, N.O.S.
Class (IMDG)	: 6.1 - Toxic substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 2811
Proper Shipping Name (IATA)	: Toxic solid, organic, n.o.s.
Class (IATA)	: 6.1 - Toxic Substances
Packing group (IATA)	: III - Minor Danger
SECTION 15: Regulatory information	
15.1. US Federal regulations	
All components of this product are listed, or ave	huded from listing, on the United States Environmental Protection Agency Taxia

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic

4-lodo-3-methoxyphenol CAS No 895518-65-7 100%	Substances Control Act (ISCA) Inventory except for:	
	4-lodo-3-methoxyphenol	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

National regulations No additional information available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full tex	t of H-phrases:			
	Acute Tox. 3 (Oral)		Acute toxicity (oral) Category 3	
	Aquatic Acute 2		Hazardous to the aquatic environment - Acute Hazard Category 2	
	Aquatic Chronic 2		Hazardous to the aquatic environment - Chronic Hazard Category 2	
	Eye Dam. 1		Serious eye damage/eye irritation Category 1	
	Skin Irrit. 2		Skin corrosion/irritation Category 2	
	STOT SE 3		Specific target organ toxicity (single exposure) Category 3	
	H301		Toxic if swallowed	
	H315		Causes skin irritation	
	H318		Causes serious eye damage	
	H335		May cause respiratory irritation	
	H401		Toxic to aquatic life	
	H411		Toxic to aquatic life with long lasting effects	
incapacitation or possible medical attention is given NFPA fire hazard : 0 - Materials that will not least		incapacitation or possi medical attention is giv : 0 - Materials that will n : 0 - Normally stable, ev	ot burn. en under fire exposure conditions,	
	II Rating			
Health : 3 Serious Hazard - Maju given			lajor injury likely unless prompt action is taken and medical treatment is	
Flamm	Flammability : 0 Minimal Hazard - Mate		erials that will not burn	
			aterials that are normally stable, even under fire conditions, and will NOT nerize, decompose, condense, or self-react. Non-Explosives.	

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.