

**3-Iodo-4-methoxyphenol** Safety Data Sheet 2607H07 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Version: 1.0

Date of issue: 07/31/2019

Dai			
SECTION 1: Identification			
1.1. Identification			
Product form	: Substance		
Substance name	: 3-lodo-4-methoxyphenol		
CAS No	: 98279-45-9		
Product code	: 2607-H-07		
Formula	: C7H7IO2		
Other means of identification	: MFCD16998768		
	substance or mixture and uses advise	d against	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and developr		
1.3. Details of the supplier of the sa	fety data sheet		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ameri T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlab	ica		
1.4. Emergency telephone number			
Emergency number	: (844) 523-4086 (3E Company -	Account 10069)	
SECTION 2: Hazard(s) identificat	ion		
2.1. Classification of the substance			
Full text of H-phrases: see section 16	espiratory irritation		
2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	: GHS05 GHS05 CHS06 CHS0	itation	
Precautionary statements (GHS-US)	P301+P310 - If swallowed: Imm P302+P352 - If on skin: Wash w P304+P340 - If inhaled: Remove P305+P351+P338 - If in eyes: R lenses, if present and easy to do	st, spray er handling se when using this product well-ventilated area ronment rotective clothing/eye protection/face protectediately call a poison center/doctor/ ith plenty of soap and water e person to fresh air and keep comfortable to tinse cautiously with water for several minu	for breathing
07/31/2019	EN (English US)	SDS ID: 2607H07	Page 1

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P321	- Specific treatment (see supplemental f	irst aid instructio	ons on this label)
	P332- P362-	<ul> <li>Rinse mouth</li> <li>P313 - If skin irritation occurs: Get med</li> <li>P364 - Take off contaminated clothing</li> <li>Collect spillage</li> </ul>		
	P403-	P233 - Store in a well-ventilated place.	Keep container	tightly closed
		<ul> <li>Store locked up</li> <li>Dispose of contents/container to an ap</li> </ul>	proved waste di	sposal plant
2.3. Other hazards				
lo additional information available				
2.4. Unknown acute toxicity	(GHS US)			
Not applicable				
SECTION 3: Composition/	information on inc	gredients		
3.1. Substance				
Substance type	: Mono	-constituent		
Name		Product identifier	%	Classification (GHS-US)
3-lodo-4-methoxyphenol (Main constituent)		(CAS No) 98279-45-9	<= 100	Acute Tox. 3 (Oral), H301 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
Full text of H-phrases: see section	16			
3.2. Mixture				
lot applicable				
SECTION 4: First aid mea				
I.1. Description of first aid		a of agaidant or if you fool unwall, agak	modical advice i	mmodiately (chow the lehel
irst-aid measures general		e of accident or if you feel unwell, seek possible). Move the affected personnel		
irst-aid measures after inhalation		<ul> <li>Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention.</li> </ul>		
First-aid measures after skin conta		: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Get immediate medical advice/attention.		
First-aid measures after eye conta	ct : Imme prese	diately flush eyes thoroughly with water nt and easy to do. Continue rinsing. Get	for at least 15 m immediate medi	inutes. Remove contact lenses, if ical advice/attention.
First-aid measures after ingestion		OT induce vomiting. Never give anything out with water. Get immediate medical		
.2. Most important sympto				
Symptoms/injuries	2.2) a	nost important known symptoms and effe nd/or in section 11.		Ŭ,
Symptoms/injuries after inhalation		ial is destructive to tissue of the mucuou ness of breath, headache, nausea.	s membranes a	nd upper respiratory tract. Cough,
	diate medical attention	n and special treatment needed		
Freat symptomatically.				
SECTION 5: Firefighting n	easures			
5.1. Extinguishing media				
Suitable extinguishing media		ol resistant foam. Carbon dioxide. Dry p priate for surrounding fire.	owder. Water sp	ray. Use extinguishing media
5.2. Special hazards arising	from the substance of	or mixture		
Fire hazard	: Therm	nal decomposition generates: Carbon ox	ides. Hydrogen	iodide.
5.3. Advice for firefighters				
Firefighting instructions	: In cas	e of fire: Evacuate area.		
Protection during firefighting		gas tight chemically protective clothing a atus. For further information refer to sec		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ccording to Federal Register / Vol. 77, No. 58 / Mono	
SECTION 6: Accidental release me	
	equipment and emergency procedures
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe dust.
6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information
	refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment. Notify auth	orities if product enters sewers or public waters.
6.3. Methods and material for contain	ment and cleaning up
For containment	: Stop leak if safe to do so.
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good
	ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or
	smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, inclu	uding any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Hygroscopic. Keep contents under inert gas.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area. Light sensitive.
SECTION 8: Exposure controls/pe	rsonal protection
8.1. Control parameters	
No additional information available	
8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	<ul> <li>In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.</li> </ul>
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.
SECTION 9: Physical and chemica	al properties
9.1. Information on basic physical an	d chemical properties
Physical state	: Solid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: 106 - 107 °C
Freezing point	. Na data availabla

Freezing point

: No data available

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 250.0338 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

#### 9.2. **Other information**

No additional information available

### SECTION 10: Stability and reactivity

Reactivity No additional information available

### 10.2. **Chemical stability**

10.1.

The product is stable at normal handling and storage conditions.

#### 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. **Conditions to avoid**

Keep away from heat, sparks and flame.

#### 10.5. **Incompatible materials**

Strong bases. Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

### **SECTION 11: Toxicological information** Information on toxicological effects 11.1.

Acute toxicity	: Oral: Toxic if swallowed.		
3-lodo-4-methoxyphenol (98279-45-9)			
ATE US (oral)	100.000 mg/kg body weight		
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation	: Causes serious eye damage.		
Respiratory or skin sensitization	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.		
Specific target organ toxicity (repeated exposure)	: Not classified		
Aspiration hazard	: Not classified		
07/31/2019	EN (English US)	SDS ID: 2607H07	4/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/injuries after inhalation

: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECTION 12: Ecological information				
12.1. Toxicity				
No additional information available				
12.2. Persistence and degradability				
No additional information available				
12.3. Bioaccumulative potential				
No additional information available				
12.4. Mobility in soil				
No additional information available				
12.5. Other adverse effects				
No additional information available				
SECTION 13: Disposal considerations				
13.1. Waste treatment methods				
	· Domove to an outborized incinerator equipped with an offerburner and a flue geo perubber			
	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.			
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.			
Additional information	: Recycle the material as far as possible.			
SECTION 14: Transport information				
Department of Transportation (DOT)				
In accordance with DOT				

In accordance with DOI Transport document description

UN-No.(DOT)

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) Dangerous for the environment Marine pollutant

DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols : UN2811 Toxic solids, organic, n.o.s., 6.1, III

- : UN2811
- : Toxic solids, organic, n.o.s.
- : 6.1 Class 6.1 Poisonous materials 49 CFR 173.132
- : 6.1 Poison



- : III Minor Danger
- : Yes : Yes



- : 213
- : 240
- : G Identifies PSN requiring a technical name

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	<ul> <li>IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2).</li> <li>IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner.</li> <li>T1 - 1.5 178.274(d)(2) Normal 178.275(d)(2)</li> <li>TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.</li> </ul>
DOT Packaging Exceptions (49 CFR 173.xxx)	: 153
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 100 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 200 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 2811
Proper Shipping Name (IMDG)	: TOXIC SOLID, ORGANIC, N.O.S.
Class (IMDG)	: 6.1 - Toxic substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 2811
Proper Shipping Name (IATA)	: Toxic solid, organic, n.o.s.
Class (IATA)	: 6.1 - Toxic Substances
Packing group (IATA)	: III - Minor Danger
SECTION 15: Regulatory information	
15.1. US Federal regulations	
All components of this product are listed, or ave	used from listing on the United Ototon Environmental Destection Agency Taxis

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

3-Iodo-4-methoxyphenol CAS No 98279-45-9 100%	Substances Control Act (TSCA) Inventory exception.		
	3-lodo-4-methoxyphenol	CAS No 98279-45-9	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

### CANADA

No additional information available

**EU-Regulations** No additional information available

National regulations No additional information available

15.3. US State regulations

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

### SECTION 16: Other information

Full tex	t of H-phrases:	
	Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
	Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
	Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
	Eye Dam. 1	Serious eye damage/eye irritation Category 1
	Skin Irrit. 2	Skin corrosion/irritation Category 2
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3
	H301	Toxic if swallowed
	H315	Causes skin irritation
	H318	Causes serious eye damage
	H335	May cause respiratory irritation
	H401	Toxic to aquatic life
	H411	Toxic to aquatic life with long lasting effects
NFPA	health hazard fire hazard reactivity	<ul> <li>2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.</li> <li>0 - Materials that will not burn.</li> <li>0 - Normally stable, even under fire exposure conditions,</li> </ul>
HMIS I	II Rating	and are not reactive with water.
Health	ealth : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical given	
Flammability : 0 Minimal Hazard - Mate		: 0 Minimal Hazard - Materials that will not burn
		: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.