

2-Methoxy-5-(trifluoromethoxy)benzaldehyde

Safety Data Sheet 2615319 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 11/18/2015 Version: 1.0

ECTION 1: Identification	
.1. Identification	
Product form	: Substance
ubstance name	: 2-Methoxy-5-(trifluoromethoxy)benzaldehyde
AS No	: 145742-65-0
roduct code	: 2615-3-19
ormula	: C9H7F3O3
synonyms	: 2-Formyl-4-(trifluoromethoxy)anisole; 3-Formyl-4-methoxy-alpha,alpha,alpha-trifluoroanisole
Other means of identification	: MFCD04115958
	ubstance or mixture and uses advised against
lse of the substance/mixture	: Laboratory chemicals
	Manufacture of substances Scientific research and development
.3. Details of the supplier of the safe	ety data sheet
SynQuest Laboratories, Inc.	
O. Box 309	
lachua, FL 32615 - United States of Americ (386) 462-0788 - F (386) 462-7097	a
16@synquestlabs.com - www.synquestlabs	s.com
.4. Emergency telephone number	
mergency number	: (844) 523-4086 (3E Company - Account 10069)
Classification of the substance of	pr mixture
Classification (GHS-US) kin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye ir	pr mixture
Image: Classification (GHS-US) Stassification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation System Irrit. 2A H319 - Causes serious eye irrit. TOT SE 3 H335 - May cause respiratory System Irrit. 2A H319 - Causes serious eye irrit. TOT SE 3 H335 - May cause respiratory System Irrit. 2A H319 - Causes serious eye irrit. TOT SE 3 H335 - May cause respiratory System Irrit. 2B H2B System Irrit. 2B H2B System Irrit. 2A H319 - Causes serious eye irrit. TOT SE 3 H335 - May cause respiratory System Irrit. 2B H2B System Irrit. 2B H2B System Irrit. 2B H35 - May cause respiratory System Irrit. 2B H2B System Irrit. 2B H2B H2B H2B H2B H2B System Irrit. 2B H2B H2B	pr mixture
.1. Classification of the substance of classification (GHS-US) skin Irrit. 2 H315 - Causes skin irritation by Irrit. 2A H319 - Causes serious eye in TOT SE 3 H335 - May cause respiratory full text of H-phrases: see section 16 .2. Label elements	pr mixture
.1. Classification of the substance of classification (GHS-US) skin Irrit. 2 H315 - Causes skin irritation by Irrit. 2A H319 - Causes serious eye in TOT SE 3 H335 - May cause respiratory full text of H-phrases: see section 16 .2. Label elements GHS-US labeling lazard pictograms (GHS-US)	rritation y irritation
Image: Classification (GHS-US) Stassification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation System Irrit. 2A H319 - Causes serious eye irrit. TOT SE 3 H335 - May cause respiratory System Irrit. 2A H319 - Causes serious eye irrit. TOT SE 3 H335 - May cause respiratory System Irrit. 2A H319 - Causes serious eye irrit. TOT SE 3 H335 - May cause respiratory System Irrit. 2B H2B System Irrit. 2B H2B System Irrit. 2A H319 - Causes serious eye irrit. TOT SE 3 H335 - May cause respiratory System Irrit. 2B H2B System Irrit. 2B H2B System Irrit. 2B H35 - May cause respiratory System Irrit. 2B H2B System Irrit. 2B H2B H2B H2B H2B H2B System Irrit. 2B H2B H2B	rritation y irritation : CHS07

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
SECTION 3: Composition/information	on in	aradiante		
		greulents		
3.1. Substance Substance type :	Mono	-constituent		
	NONO			
Name		Product identifier	%	Classification (GHS-US) Skin Irrit, 2. H315
2-Methoxy-5-(trifluoromethoxy)benzaldehyde (Main constituent)		(CAS No) 145742-65-0	<= 100	Skin frnt. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general :		e of accident or if you feel unwell, seek a possible). Move the affected personnel		
First-aid measures after inhalation :		ve person to fresh air and keep comforta ation. Get medical advice/attention.	able for breathin	g. If not breathing, give artificial
First-aid measures after skin contact :	Wash	with plenty of soap and water. Get med	ical advice/atten	tion.
First-aid measures after eye contact :		diately flush eyes thoroughly with water the and easy to do. Continue rinsing. Get		
First-aid measures after ingestion :		DT induce vomiting. Never give anything out with water. Get medical advice/atte		unconscious person. Rinse
4.2. Most important symptoms and effects	, both a	acute and delayed		
	The n	nost important known symptoms and effe nd/or in section 11.	ects are describe	ed in the labelling (see section
4.3. Indication of any immediate medical a	ttentio	n and special treatment needed		
Treat symptomatically.		·		
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
	Alcoh	ol resistant foam. Carbon dioxide. Dry po	owder Water so	ray. Use extinguishing media
Curable changeloning mode		priate for surrounding fire.		
5.2. Special hazards arising from the subs	tance o	or mixture		
		nal decomposition generates: Carbon ox	ides. Hydrogen	fluoride.
Explosion hazard :	Risk d	of explosion if heated under confinement	. Use water spra	ay or fog for cooling exposed
	conta	ners. May form flammable/explosive vap	oor-air mixture.	
5.3. Advice for firefighters				
Firefighting instructions :	In cas	e of fire: Evacuate area. Fight fire remot	ely due to the ris	sk of explosion.
Protection during firefighting :		gas tight chemically protective clothing i atus. For further information refer to sec		
SECTION 6: Accidental release measu	res			
6.1. Personal precautions, protective equip	oment	and emergency procedures		
General measures :		ate unnecessary personnel. Ensure ade or spray.	equate air ventila	ation. Do not breathe gas, fumes,
6.1.1. For non-emergency personnel				
0 71	Only	qualified personnel equipped with suitabl	e protective eau	lipment may intervene.
			- , oqu	,
6.1.2. For emergency responders	-			
Protective equipment :		t attempt to take action without suitable o section 8: "Exposure controls/persona		ment. For further information

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3 3		
Emergency procedures	Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.	
6.2. Environmental precautions		
Avoid release to the environment. Notify author	ities if product enters sewers or public waters.	
6.3. Methods and material for containm	ent and cleaning up	
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.	
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.	
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
6.4. Reference to other sections		
No additional information available		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.	
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.	
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, includ	ing any incompatibilities	
Technical measures	: Comply with applicable regulations.	
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Air sensitive. Keep contents under inert gas.	
Incompatible materials	: Refer to Section 10 on Incompatible Materials.	
Storage area	: Store in dry, cool, well-ventilated area.	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

-

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information	on basic physical and chemical properties
Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.36 g/ml (@ 25 °C)
Molecular mass	: 220.15 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
No addi	itional information available
10.2.	Chemical stability
The pro	duct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions
No addi	tional information available
10.4.	Conditions to avoid
No addi	tional information available
10.5.	Incompatible materials
Strong	oxidizing agents.
10.6.	Hazardous decomposition products
	normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of Section 5.

SECTION 11: Toxicological information 11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity	 Causes skin irritation. Causes serious eye irritation. Not classified Not classified
Carcinogenicity	: Not classified
Reproductive toxicity Specific target organ toxicity (single exposure)	: Not classified : May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECT	SECTION 12: Ecological information			
12.1.	Toxicity			
No addi	itional information available			
12.2.	Persistence and degradability			
No addi	itional information available			
12.3.	Bioaccumulative potential			
No addi	itional information available			
12.4.	Mobility in soil			
No addi	itional information available			
12.5.	Other adverse effects			
No addi	itional information available			

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.		
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	: Recycle the material as far as possible.		

Department of Transportation (DOT)

SECTION 14: Transport information

In accordance with DOT Not regulated for transport

TDG

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

	2-Methoxy-5-(trifluoromethoxy)benzaldehyde	CAS No 145742-65-0	100%
--	--	--------------------	------

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A	
,		
Skin Irrit. 2	Skin corrosion/irritation Category 2	
STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
H315	Causes skin irritation	
H319	Causes serious eye irritation	
H335	May cause respiratory irritation	
NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.	
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.	
NFPA reactivity	 Construction of the second seco	
HMIS III Rating		
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible	
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB) 	
Physical	ical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.