

# 2-Hydroxy-3-(trifluoromethoxy)benzaldehyde

Safety Data Sheet 2615348 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 11/18/2015 Version: 1.0

SECTION 1: Identification	
.1. Identification	
Product form	: Substance
Substance name	
	: 2-Hydroxy-3-(trifluoromethoxy)benzaldehyde
CAS No	: 497959-31-6
Product code	: 2615-3-48
formula	: C8H5F3O3
Other means of identification	: MFCD03788527
.2. Relevant identified uses of the sub	bstance or mixture and uses advised against
Jse of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
.3. Details of the supplier of the safety	y data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America F (386) 462-0788 - F (386) 462-7097 nfo@synquestlabs.com - www.synquestlabs.com	<u>:om</u>
.4. Emergency telephone number	
mergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identification	n
.1. Classification of the substance or	
lassification (GHS-US)	
TOT SE 3 H335 - May cause respiratory in full text of H-phrases: see section 16	rritation
GHS-US labeling	
Hazard pictograms (GHS-US)	: GHS07
Signal word (GHS-US)	: Warning
lazard statements (GHS-US)	: H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation
Precautionary statements (GHS-US)	<ul> <li>P261 - Avoid breathing fumes, mist, spray, vapors</li> <li>P264 - Wash skin thoroughly after handling</li> <li>P271 - Use only outdoors or in a well-ventilated area</li> </ul>

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

y, March 26			
on on in	gredients		
: Mono	o-constituent		
	Product identifier	%	Classification (GHS-US)
	(CAS No) 497959-31-6	<= 100	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
wher	e possible). Move the affected personnel	away from the	contaminated area.
		able for breathir	ng. If not breathing, give artificial
: Imme prese	ediately flush eyes thoroughly with water ent and easy to do. Continue rinsing. Get	for at least 15 n medical advice	ninutes. Remove contact lenses, if /attention.
			unconscious person. Rinse
ects, both	acute and delayed		
	aoato ana aolayoa		
	most important known symptoms and effe	ects are describ	ed in the labelling (see section
2.2) a	most important known symptoms and effe	ects are describ	ed in the labelling (see section
2.2) a	most important known symptoms and effe and/or in section 11.	ects are describ	ed in the labelling (see section
2.2) a	most important known symptoms and effe and/or in section 11.	ects are describ	ed in the labelling (see section
2.2) a	most important known symptoms and effe and/or in section 11.	ects are describ	ed in the labelling (see section
2.2) al attentic	most important known symptoms and effe and/or in section 11. on and special treatment needed		
2.2) a al attentio	most important known symptoms and effe and/or in section 11.		
2.2) ; al attentic : Alcol appro	most important known symptoms and effe and/or in section 11. In and special treatment needed nol resistant foam. Carbon dioxide. Dry p		
2.2) a al attentic : Alcol appro ubstance	most important known symptoms and effe and/or in section 11. on and special treatment needed nol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire.	owder. Water st	oray. Use extinguishing media
2.2) ; al attentic : Alcol appro ubstance : Ther : Risk	most important known symptoms and effe and/or in section 11. on and special treatment needed nol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture	owder. Water sp ides. Hydrogen . Use water spr	oray. Use extinguishing media fluoride.
2.2) ; al attentic : Alcol appro ubstance : Ther : Risk	most important known symptoms and effe and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture mal decomposition generates: Carbon ov of explosion if heated under confinement	owder. Water sp ides. Hydrogen . Use water spr	oray. Use extinguishing media fluoride.
2.2) a al attentic : Alcol appro ubstance : Then : Risk conta	most important known symptoms and effe and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture mal decomposition generates: Carbon ov of explosion if heated under confinement	owder. Water sp ides. Hydrogen . Use water spr por-air mixture.	bray. Use extinguishing media fluoride. ay or fog for cooling exposed
2.2) ; al attentic : Alcol appro ubstance : Ther : Risk conta : In ca : Wea	most important known symptoms and effe and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture mal decomposition generates: Carbon ox of explosion if heated under confinement ainers. May form flammable/explosive va	owder. Water sp ides. Hydrogen . Use water spr por-air mixture. iely due to the ri n combination v	bray. Use extinguishing media fluoride. ay or fog for cooling exposed isk of explosion. with self contained breathing
2.2) a al attentic : Alcof appro ubstance : Then : Risk conta : Risk conta : In ca : Wea appa	most important known symptoms and effe and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture mal decomposition generates: Carbon ox of explosion if heated under confinement ainers. May form flammable/explosive vap se of fire: Evacuate area. Fight fire removing r gas tight chemically protective clothing in ratus. For further information refer to sec	owder. Water sp ides. Hydrogen . Use water spr por-air mixture. iely due to the ri n combination v	bray. Use extinguishing media fluoride. ay or fog for cooling exposed isk of explosion. with self contained breathing
2.2) ; al attentic : Alcol appro ubstance : Then : Risk conta : Risk conta : In ca : Wea appa asures quipment	most important known symptoms and effe and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture mal decomposition generates: Carbon ox of explosion if heated under confinement ainers. May form flammable/explosive va se of fire: Evacuate area. Fight fire removing r gas tight chemically protective clothing in ratus. For further information refer to sect and emergency procedures	owder. Water sp ides. Hydrogen . Use water spr por-air mixture. tely due to the ri n combination v tion 8: "Exposu	bray. Use extinguishing media fluoride. ay or fog for cooling exposed isk of explosion. with self contained breathing re controls/personal protection".
2.2) ; al attentic : Alcol appro ubstance : Then : Risk conta : Risk conta : In ca ; Wea appa asures quipment : Evac	most important known symptoms and effe and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture mal decomposition generates: Carbon ox of explosion if heated under confinement ainers. May form flammable/explosive vap se of fire: Evacuate area. Fight fire removing r gas tight chemically protective clothing in ratus. For further information refer to sec	owder. Water sp ides. Hydrogen . Use water spr por-air mixture. tely due to the ri n combination v tion 8: "Exposu	bray. Use extinguishing media fluoride. ay or fog for cooling exposed isk of explosion. with self contained breathing re controls/personal protection".
2.2) ; al attentic : Alcol appro ubstance : Then : Risk conta : Risk conta : In ca ; Wea appa asures quipment : Evac	most important known symptoms and effe and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture mal decomposition generates: Carbon ox of explosion if heated under confinement ainers. May form flammable/explosive va se of fire: Evacuate area. Fight fire removing r gas tight chemically protective clothing in ratus. For further information refer to sect and emergency procedures suate unnecessary personnel. Ensure adde	owder. Water sp ides. Hydrogen . Use water spr por-air mixture. tely due to the ri n combination v tion 8: "Exposu	bray. Use extinguishing media fluoride. ay or fog for cooling exposed isk of explosion. with self contained breathing re controls/personal protection".
2.2) a al attention : Alcol appro ubstance : Them : Risk conta : Risk conta : In ca : Wea appa asures quipment : Evac vapo	most important known symptoms and effe and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture mal decomposition generates: Carbon ox of explosion if heated under confinement ainers. May form flammable/explosive va se of fire: Evacuate area. Fight fire removing r gas tight chemically protective clothing in ratus. For further information refer to sect and emergency procedures suate unnecessary personnel. Ensure adde	owder. Water sp ides. Hydrogen . Use water spr por-air mixture. tely due to the ri n combination v tion 8: "Exposu equate air ventil	bray. Use extinguishing media fluoride. ay or fog for cooling exposed isk of explosion. with self contained breathing re controls/personal protection".
2.2) a al attention : Alcol appro ubstance : Them : Risk conta : Risk conta : In ca : Wea appa asures quipment : Evac vapo	most important known symptoms and effe and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture mal decomposition generates: Carbon ox of explosion if heated under confinement ainers. May form flammable/explosive vag se of fire: Evacuate area. Fight fire remov r gas tight chemically protective clothing iratus. For further information refer to sec and emergency procedures suate unnecessary personnel. Ensure add r or spray.	owder. Water sp ides. Hydrogen . Use water spr por-air mixture. tely due to the ri n combination v tion 8: "Exposu equate air ventil	bray. Use extinguishing media fluoride. ay or fog for cooling exposed isk of explosion. with self contained breathing re controls/personal protection".
2.2) a al attention : Alcoh appro ubstance : Them : Risk conta : Risk conta : Risk conta : In ca : Wea appa asures quipment : Evac vapo : Only	most important known symptoms and effe and/or in section 11. on and special treatment needed hol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture mal decomposition generates: Carbon ox of explosion if heated under confinement ainers. May form flammable/explosive vag se of fire: Evacuate area. Fight fire removing r gas tight chemically protective clothing iratus. For further information refer to sec and emergency procedures suate unnecessary personnel. Ensure addriver r or spray.	owder. Water sp ides. Hydrogen . Use water spr por-air mixture. tely due to the ri n combination v tion 8: "Exposu equate air ventil	bray. Use extinguishing media fluoride. ay or fog for cooling exposed isk of explosion. with self contained breathing re controls/personal protection". ation. Do not breathe gas, fumes, uipment may intervene.
	on on in : Mono : In ca wher : Rem respi : Wasi : Imma presa : Do N mout	on on ingredients         : Mono-constituent         Product identifier         (CAS No) 497959-31-6         : In case of accident or if you feel unwell, seek where possible). Move the affected personnel         : Remove person to fresh air and keep comforts respiration. Get medical advice/attention.         : Wash with plenty of soap and water. Get med         : Immediately flush eyes thoroughly with water present and easy to do. Continue rinsing. Get         : Do NOT induce vomiting. Never give anything	Product identifier       %         (CAS No) 497959-31-6       <= 100

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

····· · · · · · · · · · · · · · · · ·			
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.		
6.2. Environmental precautions			
Avoid release to the environment. Notify authorities if product enters sewers or public waters.			
6.3. Methods and material for containme	nt and cleaning up		
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.		
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.		
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
6.4. Reference to other sections			
No additional information available			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.		
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.		
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, including any incompatibilities			
Technical measures	: Comply with applicable regulations.		
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Air sensitive. Keep contents under inert gas.		
Incompatible materials	: Refer to Section 10 on Incompatible Materials.		
Storage area	: Store in dry, cool, well-ventilated area.		

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

### SECTION 9: Physical and chemical properties

9.1.	Information on basi	ic physical and chemical properties
Physica	al state	: Liquid
Color		: No data available
Odor		: No data available
Odor th	nreshold	: No data available
pН		: No data available
Melting	g point	: No data available
Freezin	ng point	: No data available
Boiling	point	: No data available
Flash p	point	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 206.12 g/mol
Solubility	: No data available
Solubility Log Pow	: No data available : No data available
Log Pow	: No data available
Log Pow Auto-ignition temperature	<ul><li>No data available</li><li>No data available</li></ul>
Log Pow Auto-ignition temperature Decomposition temperature	<ul><li>No data available</li><li>No data available</li><li>No data available</li><li>No data available</li></ul>
Log Pow Auto-ignition temperature Decomposition temperature Viscosity	<ul> <li>No data available</li> </ul>

### 9.2. Other information

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
No additional information available
10.2. Chemical stability
The product is stable at normal handling and storage conditions.
10.3. Possibility of hazardous reactions
No additional information available
10.4. Conditions to avoid
No additional information available
10.5. Incompatible materials
Strong oxidizing agents.
10.6. Hazardous decomposition products
Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTI	SECTION 11: Toxicological information			
11.1.	Information on toxicological effects			
	· ·			

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

	EN (E. 11 + 110)	1/2
No additional information available		
12.1. Toxicity		
SECTION 12: Ecological inform	ation	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2.	Persistence and degradability			
No addit	No additional information available			
12.3.	Bioaccumulative potential			
No addit	ional information available			
12.4.	Mobility in soil			
No addit	ional information available			
12.5.	Other adverse effects			
No addit	ional information available			

<b>SECTION 13: Disposal considerat</b>	ions
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.
SECTION 14: Transport information	on

#### Department of Transportation (DOT)

In accordance with DOT Not regulated for transport

#### TDG

No additional information available

#### Transport by sea

No additional information available

#### Air transport

No additional information available

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

2-Hydroxy-3-(trifluoromethoxy)benzaldehyde CAS No 497959-31-6 100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

CANADA

No additional information available

**EU-Regulations** No additional information available

#### **National regulations**

No additional information available

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

### **SECTION 16: Other information**

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:		
	Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
	Skin Irrit. 2	Skin corrosion/irritation Category 2
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3
	H315	Causes skin irritation
	H319	Causes serious eye irritation
	H335	May cause respiratory irritation
NFPA health hazard		: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard		: 1 - Must be preheated before ignition can occur.
NFPA	reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS I	II Rating	
Health		: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability		<ul> <li>1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)</li> </ul>
Physical		: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
SDS US	GHS HazCom 2012)	

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.