

Safety Data Sheet 2616503 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 05/17/2021 Version: 1.0

1.1. Identification	
Product form	: Substance
Substance name	: 3-Methoxybenzoyl chloride
CAS No	: 1711-05-3
Product code	: 2616-5-03
Formula	: C8H7ClO2
Synonyms	: 3-Anisoyl chloride; m-Anisoyl chloride
Other means of identification	: MFCD00000673
1.2. Relevant identified uses of the su	ubstance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the safe	ety data sheet
SynQuest Laboratories, Inc.	
P.O. Box 309 Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097	a
info@synquestlabs.com - www.synquestlabs.	.com
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identification	on
2.1. Classification of the substance o	or mixture
Classification (GHS-US)	
Skin Corr. 1AH314 - Causes severe skinEye Dam. 1H318 - Causes serious eye	damage
Skin Corr. 1AH314 - Causes severe skinEye Dam. 1H318 - Causes serious eyeSTOT SE 3H335 - May cause respiratoFull text of H-phrases: see section 16	damage
Skin Corr. 1AH314 - Causes severe skinEye Dam. 1H318 - Causes serious eyeSTOT SE 3H335 - May cause respiratoFull text of H-phrases: see section 162.2.Label elements	damage
Skin Corr. 1A H314 - Causes severe skin Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	damage
Skin Corr. 1A H314 - Causes severe skin Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	damage by irritation
Skin Cori. 1A H314 - Causes severe skin Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	damage by irritation : : : Danger
Skin Corr. 1AH314 - Causes severe skinEye Dam. 1H318 - Causes serious eyeSTOT SE 3H335 - May cause respiratoFull text of H-phrases: see section 16	damage by irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- P403+P233 Store in a well-ventilated place. Keep container tightly closed
- P403+P235 Store in a well-ventilated place. Keep cool
- P405 Store locked up
- P501 Dispose of contents/container to an approved waste disposal plant

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Substance type : Mono-constituent

Name			Product identifier	%	Classification (GHS-US)
3-Methoxyben (Main constituen			(CAS No) 1711-05-3	<= 100	Flam. Liq. 4, H227 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-	phrases: see section 16				
3.2. Mix	ture				
Not applicable	9				
SECTION 4	4: First aid measures				
4.1. Des	scription of first aid measures				
First-aid meas	sures general		ase of accident or if you feel unwell, are possible). Move the affected personal		
First-aid meas	sures after inhalation		nove person to fresh air and keep co piration. Get immediate medical advic		hing. If not breathing, give artificial
First-aid meas	sures after skin contact		sh with plenty of soap and water. Rer dical advice/attention.	nove contaminated	d clothing and shoes. Get immediate
First-aid meas	sures after eye contact		nediately flush eyes thoroughly with v sent and easy to do. Continue rinsing		
First-aid meas	sures after ingestion		NOT induce vomiting. Never give any uth out with water. Get immediate me		
4.2. Mos	st important symptoms and ef	fects, bot	h acute and delayed		
Symptoms/inji	uries		most important known symptoms ar and/or in section 11.	nd effects are desci	ribed in the labelling (see section
Symptoms/inji	uries after inhalation		erial is destructive to tissue of the murthesis of breath, headache, nausea.	ucuous membranes	s and upper respiratory tract. Cough
4.3. Indi	ication of any immediate medi	cal attenti	on and special treatment needed		
Treat symptor	matically.				
SECTION	5: Firefighting measures				
	inguishing media				
	guishing media		ohol resistant foam. Carbon dioxide. I ropriate for surrounding fire.	Dry powder. Water	spray. Use extinguishing media
5.2. Spe	cial hazards arising from the	substance	e or mixture		
Fire hazard	-	: The	rmal decomposition generates: Carb	on oxides. Hydroge	en chloride.
Explosion haz	ard		k of explosion if heated under confine tainers. May form flammable/explosiv		

: Reacts with water, generates gases or heat. Reacts on exposure to water with some metals to release highly explosive/flammable hydrogen gas.

5.3. Advice for firefighters	
Firefighting instructions	: In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.
Protection during firefighting	: Wear gas tight chemically protective clothing in combination with self contained breathing
	apparatus. For further information refer to section 8: "Exposure controls/personal protection".

Reactivity

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release meas	ures
6.1. Personal precautions, protective equ	
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.
6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.
6.2. Environmental precautions	
Avoid release to the environment. Notify authoritie	es if product enters sewers or public waters.
6.3. Methods and material for containment	nt and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includin	g any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Moisture sensitive. Keep contents under inert gas.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.
SECTION 8: Exposure controls/perso	anal protoction

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemica	
9.1. Information on basic physical and	
Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 123 - 125 °C (@ 0.15 mm Hg)
Flash point	: 92 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.214 g/ml (@ 25 °C)
Molecular mass	: 170.59 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
No additional information available	

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with water, generates gases or heat. Reacts on exposure to water with some metals to release highly explosive/flammable hydrogen gas.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTIO	ON 11: Toxicological information	on
11.1.	Information on toxicological effects	
	-	
Acute tox	icity	: Not classified
Skin corro	osion/irritation	: Causes severe skin burns and eye damage.

Serious eye damage/irritation

: Causes serious eye damage.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	· · · · · · · · · · · · · · · · · · ·
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECT	ON 12: Ecological information
12.1.	Toxicity
No addi	ional information available
12.2.	Persistence and degradability
No addi	ional information available
12.3.	Bioaccumulative potential
No addi	ional information available
12.4.	Mobility in soil
No addi	ional information available
12.5.	Other adverse effects

No additional information available

SECTION 13: Disposal considera	tions
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.
SECTION 14: Transport informati	0 7

SECTION	N 14: 1	ransport	information

Department of Transportation (DOT)
In accordance with DOT
Transport document description

UN-No.(DOT)
Proper Shipping Name (DOT)
Transport hazard class(es) (DOT)
Hazard labels (DOT)

Packing group (DOT)
DOT Packaging Non Bulk (49 CFR 173.xxx)
DOT Packaging Bulk (49 CFR 173.xxx)

- : UN1729 Anisoyl chloride, 8, II
- : UN1729
- : Anisoyl chloride
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



- : II Medium Danger
- : 212
- : 240

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	: B2 - MC 300, MC 301, MC 302, MC 303, MC 305, and MC 306 and DOT 406 cargo tanks are not authorized.
	B4 - MC 300, MC 301, MC 302, MC 303, MC 305, and MC 306 and DOT 406 cargo tanks are not authorized.
	IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid
	plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 20H2); Composite (11C, 11D and 11F); Flexible (13H1, 20H2); Composite (11C, 11D and 11F); Flexible (13H1, 20H2); Composite (11C, 2
	13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for
	transportation in a closed freight container or a closed transport vehicle.
	IP4 - Flexible, fiberboard or wooden IBCs must be sift-proof and water-resistant or be fitted with a sift-proof and water-resistant liner.
	T3 - 2.65 178.274(d)(2) Normal 178.275(d)(2)
	TP33 - The portable tank instruction assigned for this substance applies for granular and
	powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported
	or offered for transport above their melting point are authorized for transportation in portable
	tanks conforming to the provisions of portable tank instruction T4 for solid substances of
	packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable
	tank special provision TP3. Solids meeting the definition of an elevated temperature material
	must be transported in accordance with the applicable requirements of this subchapter.
OT Packaging Exceptions (49 CFR 173.xxx)	: 154
OOT Quantity Limitations Passenger aircraft/rail 49 CFR 173.27)	: 15 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 50 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
TDG	

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

3-Methoxybenzoyl chloride CAS No 1711-05-3 100%		
		100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1	
Flam. Liq. 4	Flammable liquids Category 4	
Skin Corr. 1A	Skin corrosion/irritation Category 1A	
STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
H227	Combustible liquid	
H314	Causes severe skin burns and eye damage	
H318	Causes serious eye damage	
H335	May cause respiratory irritation	
NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.	
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.	
NFPA reactivity	 O - Normally stable, even under fire exposure conditions, and are not reactive with water. 	
HMIS III Rating		
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given	
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB) 	
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.