

Safety Data Sheet 26167S2

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	cording to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations te of issue: 03/30/2016 Version: 1.0
SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: (S)-2-Methoxy-2-(trifluoromethyl)phenylacetyl chloride
CAS No	: 20445-33-4
Product code	: 2616-7-S2
Formula	: C10H8CIF3O2
Synonyms	: (+)-2-Methoxy-2-(trifluoromethyl)phenylacetyl chloride; (S)-Mosher's acid chloride
Other means of identification	: MFCD00067105
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the s	afety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ame T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestla	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identifica	tion
2.1. Classification of the substance	e or mixture
Classification (GHS-US)	
Flam. Liq. 4H227 - Combustible liquidSkin Corr. 1AH314 - Causes severe skEye Dam. 1H318 - Causes serious exSTOT SE 3H335 - May cause respiration	xin burns and eye damage ye damage
Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	CHS05 CHS07
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: H227 - Combustible liquid H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation
Precautionary statements (GHS-US)	: P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking

P260 - Do not breathe fumes, mist, spray, vapors P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting

P321 - Specific treatment (see supplemental first aid instructions on this label)

lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/ physician

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

skin with water/shower

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P37 P40 P40 P40	3 - Wash contaminated clothing b 0+P378 - In case of fire: Use dry s 3+P233 - Store in a well-ventilated 3+P235 - Store in a well-ventilated 5 - Store locked up 1 - Dispose of contents/container	sand, dry d place. K d place. K	chemical or ald eep container eep cool	tightly closed
2.3. Other hazards					
Other hazards not contributing to the classification	: Lac	nrymator.			
2.4. Unknown acute toxicity (GHS US)					
Not applicable					
SECTION 3: Composition/informatio	n on i	ngredients			
3.1. Substance					
Substance type	: Mor	o-constituent			
Name		Product identifier		%	Classification (GHS-US)
(S)-2-Methoxy-2-(trifluoromethyl)phenylacetyl chloride (Main constituent)		(CAS No) 20445-33-4		<= 100	Flam. Liq. 4, H227 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16					
3.2. Mixture					
Not applicable					
SECTION 4: First aid measures					
4.1. Description of first aid measures First-aid measures general	· In o	ase of accident or if you feel unwe	ll sook m	edical advice i	mmediately (show the label
-	whe	re possible). Move the affected pe	ersonnel a	way from the o	contaminated area.
First-aid measures after inhalation	resp	nove person to fresh air and keep viration. Get immediate medical ac	dvice/atter	ntion.	
First-aid measures after skin contact	meo	lical advice/attention.			othing and shoes. Get immediate
First-aid measures after eye contact		ediately flush eyes thoroughly wit ent and easy to do. Continue rins			inutes. Remove contact lenses, if ical advice/attention.
First-aid measures after ingestion		NOT induce vomiting. Never give a th out with water. Get immediate			
4.2. Most important symptoms and effect	ts, bot	acute and delayed			
Symptoms/injuries		most important known symptoms and/or in section 11.	and effect	ts are describe	ed in the labelling (see section
Symptoms/injuries after inhalation		erial is destructive to tissue of the rtness of breath, headache, nause		membranes a	nd upper respiratory tract. Cough,
4.3. Indication of any immediate medical	attenti	on and special treatment neede	d		
Treat symptomatically.					
SECTION 5: Firefighting measures					
5.1. Extinguishing media					
Suitable extinguishing media		hol resistant foam. Carbon dioxid	e. Dry pov	wder. Water sp	ray. Use extinguishing media
5.2. Special hazards arising from the sul					
Fire hazard		rmal decomposition generates: Ca	arbon oxic	les. Hydroaen	chloride. Hydrogen fluoride.
Explosion hazard	: Risl	of explosion if heated under conf ainers. May form flammable/explo	inement.	Use water spra	
Reactivity	: Rea	cts with water, generates gases o ase highly explosive/flammable hy	r heat. Re	acts on expos	ure to water with some metals to
5.3. Advice for firefighters					
Firefighting instructions	: In c	ase of fire: Evacuate area. Fight fi	re remote	ly due to the ris	sk of explosion.
Protection during firefighting		ar gas tight chemically protective of aratus. For further information refe			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measure	lres	
6.1. Personal precautions, protective equi		
	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.	
6.1.1. For non-emergency personnel		
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.	
6.2. Environmental precautions		
Avoid release to the environment. Notify authoritie	s if product enters sewers or public waters.	
6.3. Methods and material for containmen	t and cleaning up	
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.	
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.	
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
6.4. Reference to other sections		
No additional information available		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.	
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.	
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, including any incompatibilities		
Technical measures	: Comply with applicable regulations.	
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Moisture sensitive. Keep contents under inert gas.	
Incompatible materials	: Refer to Section 10 on Incompatible Materials.	
Storage temperature	: -2510 °C Use explosion proof freezer	
Storage area	: Store in dry, well-ventilated area.	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and		
Physical state	: Liquid	
Color	: No data available	
Odor	: No data available	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: 80 °C (@ 14 mm Hg)	
Flash point	: 89 °C	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
Vapor pressure	: No data available	
Relative density	: No data available	
Relative vapor density at 20 °C	: No data available	
Specific gravity / density	: 1.35 g/ml (@ 25 °C)	
Molecular mass	: 252.62 g/mol	
Solubility	: No data available	
Log Pow	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
9.2. Other information		
Refractive index	: 1.469 (@ 20 °C)	
SECTION 10: Stability and reactivity		

10.1. Reactivity

Reacts with water, generates gases or heat. Reacts on exposure to water with some metals to release highly explosive/flammable hydrogen gas.

	, , , , , , , , , , , , , , , , , , , ,		3,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1	
10.2.	Chemical stability			
The prod	uct is stable at normal handling and stor	rage conditions.		
10.3.	Possibility of hazardous reactions			
No additi	onal information available			
10.4.	Conditions to avoid			
Keep aw	ay from heat, sparks and flame. Moistur	e.		
10.5.	Incompatible materials			
Alcohols	Oxidizing agents. Strong bases. Water.			
10.6.	Hazardous decomposition products			
	rmal conditions of storage and use, haz Section 5.	ardous decomposition products should not be	e produced. Hazardous decomposition products	in case of
SECTI	ON 11: Toxicological informati	ion		
11.1.	Information on toxicological effects			
Acute to	icity	: Not classified		
Skin corrosion/irritation		: Causes severe skin burns and eye dama	ge.	
Serious e	eye damage/irritation	: Causes serious eye damage.	-	
12/06/201	6	EN (English US)	SDS ID: 26167S2	4/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECT	ION 12: Ecological information		
12.1.	Toxicity		
No additional information available			
12.2.	Persistence and degradability		
No additional information available			
12.3.	Bioaccumulative potential		
No additional information available			
12.4.	Mobility in soil		
No additional information available			
12.5.	Other adverse effects		

No additional information available

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.		
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	: Recycle the material as far as possible.		
SECTION 14: Transport informat	ion		

Department of Transportation (DOT)

Bobaranoni er franoportation (B
In accordance with DOT
Transport document description

UN-No.(DOT)		
Proper Shipping Name (DOT)		
Transport hazard class(es) (DOT)		
Hazard labels (DOT)		

Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols

- : UN3265 Corrosive liquid, acidic, organic, n.o.s., 8, III
- : UN3265
- : Corrosive liquid, acidic, organic, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



- : III Minor Danger
- : 203
- : 241
- : G Identifies PSN requiring a technical name

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	 IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HD2, and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T7 - 4 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 154
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
Other information	: No supplementary information available.
TDG No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3265
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 3265
Proper Shipping Name (IATA)	: Corrosive liquid, acidic, organic, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger
SECTION 15: Regulatory information	

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic

Substances Control Act (13CA) Inventory exception.		
(S)-2-Methoxy-2-(trifluoromethyl)phenylacetyl chloride	CAS No 20445-33-4	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

Full text of H-phrases:

i un toxt of i priladed.		
Eye Dam. 1	Serious eye damage/eye irritation Category 1	
Flam. Liq. 4	Flammable liquids Category 4	
Skin Corr. 1A	Skin corrosion/irritation Category 1A	
STOT SE 3 Specific target organ toxicity (single exposure) Categ		
H227 Combustible liquid		
H314	H314 Causes severe skin burns and eye damage	
H318	H318 Causes serious eye damage	
H335	May cause respiratory irritation	
NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.	
NFPA fire hazard	: 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.	
NFPA reactivity	: 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.	
HMIS III Rating		
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given	
Flammability	 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA) 	
Physical	: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at hig temperatures and pressures. Materials may react non-violently with water or underge hazardous polymerization in the absence of inhibitors.	
SDS US (GHS HazCom 2012)		

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.