

Safety Data Sheet 2616F32 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 03/28/2016 Version: 1.0

SECTION 1: Identification		
1.1. Identification	- Substance	
Product form Substance name	: Substance : 3-Bromo-2-fluorobenzovl chloride	
CAS No Product code	: 374554-41-3 · 2616 E 22	
Product code	: 2616-F-32	
Formula	: C7H3BrCIFO	
Other means of identification	: MFCD09864687	
	stance or mixture and uses advised against	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development	
1.3. Details of the supplier of the safety	data sheet	
SynQuest Laboratories, Inc.		
P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097		
info@synquestlabs.com - www.synquestlabs.co	<u></u>	
1.4. Emergency telephone number	· (844) 522 4086 (25 Company Account 10060)	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)	
SECTION 2: Hazard(s) identification		
2.1. Classification of the substance or r		
Classification (GHS-US)		
Skin Corr. 1B H314 - Causes severe skin bu	rns and eve damage	
Eye Dam. 1 H318 - Causes serious eye da		
STOT SE 3 H335 - May cause respiratory irritation		
	irritation	
	irritation	
STOT SE 3 H335 - May cause respiratory Full text of H-phrases: see section 16	irritation	
STOT SE 3H335 - May cause respiratoryFull text of H-phrases: see section 162.2.Label elements	irritation	
STOT SE 3H335 - May cause respiratoryFull text of H-phrases: see section 162.2.Label elementsGHS-US labeling	irritation	
STOT SE 3H335 - May cause respiratoryFull text of H-phrases: see section 162.2.Label elements	irritation	
STOT SE 3H335 - May cause respiratoryFull text of H-phrases: see section 162.2.Label elementsGHS-US labeling	irritation	
STOT SE 3H335 - May cause respiratoryFull text of H-phrases: see section 162.2.Label elementsGHS-US labeling	irritation	
STOT SE 3H335 - May cause respiratoryFull text of H-phrases: see section 162.2.Label elementsGHS-US labeling		
STOT SE 3H335 - May cause respiratoryFull text of H-phrases: see section 162.2.Label elementsGHS-US labelingHazard pictograms (GHS-US)	: GHS05 GHS07	
STOT SE 3 H335 - May cause respiratory Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	: $i \mapsto i $	
STOT SE 3H335 - May cause respiratoryFull text of H-phrases: see section 162.2.Label elementsGHS-US labelingHazard pictograms (GHS-US)	: $i \\ GHS05$ $i \\ GHS05$ $i \\ GHS07$ : Danger : H314 - Causes severe skin burns and eye damage	
STOT SE 3H335 - May cause respiratoryFull text of H-phrases: see section 162.2.Label elementsGHS-US labelingHazard pictograms (GHS-US)Signal word (GHS-US)Hazard statements (GHS-US)	: Key Constant of the second	
STOT SE 3 H335 - May cause respiratory Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	: i = i = i = i = i = i = i = i = i = i =	
STOT SE 3H335 - May cause respiratoryFull text of H-phrases: see section 162.2.Label elementsGHS-US labelingHazard pictograms (GHS-US)Signal word (GHS-US)Hazard statements (GHS-US)	<ul> <li>: Vertical and the second se</li></ul>	
STOT SE 3H335 - May cause respiratoryFull text of H-phrases: see section 162.2.Label elementsGHS-US labelingHazard pictograms (GHS-US)Signal word (GHS-US)Hazard statements (GHS-US)	<ul> <li>: Vertical and the second se</li></ul>	
STOT SE 3H335 - May cause respiratoryFull text of H-phrases: see section 162.2.Label elementsGHS-US labelingHazard pictograms (GHS-US)Signal word (GHS-US)Hazard statements (GHS-US)	<ul> <li>: Vertical and the second se</li></ul>	
STOT SE 3H335 - May cause respiratoryFull text of H-phrases: see section 162.2.Label elementsGHS-US labelingHazard pictograms (GHS-US)Signal word (GHS-US)Hazard statements (GHS-US)	<ul> <li>: i i i i i i i i i i i i i i i i i i</li></ul>	
STOT SE 3H335 - May cause respiratoryFull text of H-phrases: see section 162.2.Label elementsGHS-US labelingHazard pictograms (GHS-US)Signal word (GHS-US)Hazard statements (GHS-US)	<ul> <li>: i i i i i i i i i i i i i i i i i i</li></ul>	
STOT SE 3H335 - May cause respiratoryFull text of H-phrases: see section 162.2.Label elementsGHS-US labelingHazard pictograms (GHS-US)Signal word (GHS-US)Hazard statements (GHS-US)	<ul> <li>: With the equation of the equation o</li></ul>	
STOT SE 3H335 - May cause respiratoryFull text of H-phrases: see section 162.2.Label elementsGHS-US labelingHazard pictograms (GHS-US)Signal word (GHS-US)Hazard statements (GHS-US)	<ul> <li>: i i i i i i i i i i i i i i i i i i</li></ul>	
STOT SE 3H335 - May cause respiratoryFull text of H-phrases: see section 162.2.Label elementsGHS-US labelingHazard pictograms (GHS-US)Signal word (GHS-US)Hazard statements (GHS-US)	<ul> <li>: i i i i i i i i i i i i i i i i i i</li></ul>	
STOT SE 3H335 - May cause respiratoryFull text of H-phrases: see section 162.2.Label elementsGHS-US labelingHazard pictograms (GHS-US)Signal word (GHS-US)Hazard statements (GHS-US)	<ul> <li>: i i i i i i i i i i i i i i i i i i</li></ul>	
STOT SE 3H335 - May cause respiratoryFull text of H-phrases: see section 162.2.Label elementsGHS-US labelingHazard pictograms (GHS-US)Signal word (GHS-US)Hazard statements (GHS-US)	<ul> <li>i i i i i i i i i i i i i i i i i i i</li></ul>	
STOT SE 3H335 - May cause respiratoryFull text of H-phrases: see section 162.2.Label elementsGHS-US labelingHazard pictograms (GHS-US)Signal word (GHS-US)Hazard statements (GHS-US)	<ul> <li>: i i i i i i i i i i i i i i i i i i</li></ul>	

12/06/2016

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards				
Other hazards not contributing to the classification :	Lachrymator.			
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
SECTION 3: Composition/information	on ingredients			
3.1. Substance				
Substance type :	Mono-constituent			
Name	Product identifier	%	Classification (GHS-US)	
3-Bromo-2-fluorobenzoyl chloride (Main constituent)	(CAS No) 374554-41-3	<= 100	Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335	
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general	In case of accident or if you feel unwell, seek r where possible). Move the affected personnel			
First-aid measures after inhalation :	Remove person to fresh air and keep comforta respiration. Get immediate medical advice/atte		g. If not breathing, give artificial	
First-aid measures after skin contact :	Wash with plenty of soap and water. Remove medical advice/attention.	contaminated cl	othing and shoes. Get immediate	
First-aid measures after eye contact :	Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.			
First-aid measures after ingestion :	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.			
4.2. Most important symptoms and effects,				
	The most important known symptoms and effe	cts are describe	ed in the labelling (see section	
	2.2) and/or in section 11.		3 (******	
Symptoms/injuries after inhalation :	Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.			
4.3. Indication of any immediate medical at	tention and special treatment needed			
Treat symptomatically.				
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
000	Alcohol resistant foam. Carbon dioxide. Dry po appropriate for surrounding fire.	owder. Water sp	ray. Use extinguishing media	
5.2. Special hazards arising from the subst	ance or mixture			
Fire hazard :	Thermal decomposition generates: Carbon ox Hydrogen fluoride.	ides. Hydrogen I	bromide. Hydrogen chloride.	
Explosion hazard :	Risk of explosion if heated under confinement. containers.	. Use water spra	ay or fog for cooling exposed	
Reactivity :	Reacts with water, generates gases or heat. R release highly explosive/flammable hydrogen		ure to water with some metals to	
5.3. Advice for firefighters				
Firefighting instructions :	In case of fire: Evacuate area. Fight fire remot	ely due to the ris	sk of explosion.	
Protection during firefighting :	Wear gas tight chemically protective clothing in apparatus. For further information refer to sect			
SECTION 6: Accidental release measu	res			
6.1. Personal precautions, protective equip				
i ci conta pi contanto i pi ci contro oquip	Series provoudroo			

General measures : Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1. For non-emergency personnel Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.
6.2. Environmental precautions	

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containme	Methods and material for containment and cleaning up	
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.	
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.	
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
6.4. Reference to other sections		
No additional information available		

SECTION 7: Handling and storage			
To not handle until all safety precautions have been read and understood. Ensure good entilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal rotective equipment. Avoid contact with skin and eyes.			
landle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or moke when using this product. Always wash hands after handling the product.			
Conditions for safe storage, including any incompatibilities			
Comply with applicable regulations.			
keep container closed when not in use. Moisture sensitive. Keep contents under inert gas.			
Refer to Section 10 on Incompatible Materials.			
Store in dry, cool, well-ventilated area.			

SECTION 8. Ex	posure controls/	nersonal	protection
SLUTION 0. LA	posure controls/	personal	protection

8.1. **Control parameters** 

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physi	9.1. Information on basic physical and chemical properties	
Physical state	: Liquid	
Color	: No data available	
Odor	: No data available	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 237.45 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

#### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Reacts with water, generates gases or heat. Reacts on exposure to water with some metals to release highly explosive/flammable hydrogen gas.

### 10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

Keep away from heat, sparks and flame. Moisture.

### 10.5. Incompatible materials

Alcohols. Oxidizing agents. Strong bases. Water.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

# **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity	<ul> <li>Causes severe skin burns and eye damage.</li> <li>Causes serious eye damage.</li> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> </ul>
Reproductive toxicity Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated	<ul> <li>Not classified</li> <li>May cause respiratory irritation.</li> <li>Not classified</li> </ul>
exposure) Aspiration hazard Symptoms/injuries after inhalation	<ul> <li>Not classified</li> <li>Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.</li> </ul>

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information		
12.1.	Toxicity	
No additional information available		
12.2.	Persistence and degradability	
No additional information available		
12.3.	Bioaccumulative potential	
No additional information available		
12.4.	Mobility in soil	
No additional information available		
12.5.	Other adverse effects	
No add	itional information available	

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.		
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	: Recycle the material as far as possible.		

### **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

In accordance with DOT Transport document description

#### UN-No.(DOT)

Packing group (DOT)

DOT Symbols

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

- : UN3265 Corrosive liquid, acidic, organic, n.o.s., 8, III
- : UN3265
- : Corrosive liquid, acidic, organic, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



- : III Minor Danger
- DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx)

DOT Special Provisions (49 CFR 172.102)

- : 203 : 241
  - : G Identifies PSN requiring a technical name
- : IB3 Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154

DOT Quantity Limitations Passenger aircraft/rail : 5 L (49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75) DOT Vessel Stowage Location

ion : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3265
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 3265
Proper Shipping Name (IATA)	: Corrosive liquid, acidic, organic, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger

# SECTION 15: Regulatory information

### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

3-Bromo-2-fluorobenzoyl chloride	CAS No 374554-41-3	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

#### CANADA

No additional information available

#### **EU-Regulations**

No additional information available

#### **National regulations**

No additional information available

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

## **SECTION 16: Other information**

Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.	
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.	
NFPA reactivity	<ul> <li>1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.</li> </ul>	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	<ul> <li>1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)</li> </ul>
Physical	: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.