

2-lodobenzoyl chloride Safety Data Sheet 2616M02 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 07/13/2018 Version: 1.0

SECTION 1: Identification 1.1. Identification			
Product form	: Substance		
Substance name	: 2-lodobenzoyl chloride		
CAS No	: 609-67-6		
Product code	: 2616-M-02		
	: C7H4CIIO		
Formula Other means of identification	: MFCD00001040		
	substance or mixture and uses advi	sed against	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and develo	ppment	
1.3. Details of the supplier of the saf	ety data sheet		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs			
1.4. Emergency telephone number			
Emergency number	: (844) 523-4086 (3E Company	- Account 10069)	
SECTION 2: Hazard(s) identificati	ion		
2.1. Classification of the substance			
Classification (GHS-US)			
·			
GHS-US labeling			
2.2. Label elements GHS-US labeling	: GHS05 GHS07		
2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	: GHS05 : Danger		
2.2. Label elements	_		
2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 Danger H314 - Causes severe skin bi H335 - May cause respiratory P260 - Do not breathe dust, fr P264 - Wash skin thoroughly P271 - Use only outdoors or i P280 - Wear protective glove P301+P330+P331 - If swallov P303+P361+P353 - If on skin skin with water/shower P304+P340 - If inhaled: Rem P305+P351+P338 - If in eyes lenses, if present and easy to P310 - Immediately call a PO P321 - Specific treatment (se P363 - Wash contaminated cl P403+P233 - Store in a well-v P405 - Store locked up 	irritation umes, mist, spray, vapors after handling n a well-ventilated area s/protective clothing/eye protection/face protectio ved: rinse mouth. Do NOT induce vomiting (or hair): Take off immediately all contaminated ove person to fresh air and keep comfortable for : Rinse cautiously with water for several minutes do. Continue rinsing ISON CENTER or doctor/ physician e supplemental first aid instructions on this label)	clothing. Rinse breathing s. Remove contac
2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	 Danger H314 - Causes severe skin bi H335 - May cause respiratory P260 - Do not breathe dust, fr P264 - Wash skin thoroughly P271 - Use only outdoors or i P280 - Wear protective glove P301+P330+P331 - If swallov P303+P361+P353 - If on skin skin with water/shower P304+P340 - If inhaled: Rem P305+P351+P338 - If in eyes lenses, if present and easy to P310 - Immediately call a PO P321 - Specific treatment (se P363 - Wash contaminated cl P403+P233 - Store in a well-v P405 - Store locked up 	irritation umes, mist, spray, vapors after handling n a well-ventilated area s/protective clothing/eye protection/face protectio ved: rinse mouth. Do NOT induce vomiting (or hair): Take off immediately all contaminated ove person to fresh air and keep comfortable for : Rinse cautiously with water for several minutes do. Continue rinsing ISON CENTER or doctor/ physician e supplemental first aid instructions on this label) othing before reuse rentilated place. Keep container tightly closed	clothing. Rinse breathing s. Remove contac

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other hazards 2.3.

Other hazards not contributing to the	: Lachrymator.
classification	

Unknown acute toxicity (GHS US) 2.4.

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Substance type	: Mon	o-constituent		
Name		Product identifier	%	Classification (GHS-US)
2-lodobenzoyl chloride (Main constituent)		(CAS No) 609-67-6	<= 100	Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general		se of accident or if you feel unwell, seek re possible). Move the affected personnel		
First-aid measures after inhalation		ove person to fresh air and keep comforta iration. Get immediate medical advice/atte		g. If not breathing, give artificial
First-aid measures after skin contact		h with plenty of soap and water. Remove ical advice/attention.	contaminated cl	othing and shoes. Get immediate
First-aid measures after eye contact		ediately flush eyes thoroughly with water ent and easy to do. Continue rinsing. Get		
First-aid measures after ingestion		IOT induce vomiting. Never give anything th out with water. Get immediate medical		
4.2. Most important symptoms and effect	ts, both	acute and delayed		
Symptoms/injuries		most important known symptoms and effe and/or in section 11.	ects are describe	ed in the labelling (see section
Symptoms/injuries after inhalation		rial is destructive to tissue of the mucuou tness of breath, headache, nausea.	s membranes a	nd upper respiratory tract. Cough,

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SEC	TION 5: Firefighting measu	res	
5.1.	Extinguishing media		
Suitab	le extinguishing media	: Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.	
5.2.	Special hazards arising from the substance or mixture		
Fire hazard : Thermal decomposition generates: Carbon oxides. Hydrogen chloride. Hydrogen iodide.			
Reacti	vity	: Reacts with water, generates gases or heat. Reacts on exposure to water with some metals to release highly explosive/flammable hydrogen gas.	
5.3.	Advice for firefighters		
Firefig	hting instructions	: In case of fire: Evacuate area.	
Protec	tion during firefighting	: Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".	
SEC	TION 6: Accidental release	measures	
6.1.	Personal precautions, protect	tive equipment and emergency procedures	

General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe dust. Do not breathe gas, fumes, vapor or spray.
6.1.1. For non-emergency personnel Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.

6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
void release to the environment. Notify a	uthorities if product enters sewers or public waters.
5.3. Methods and material for con	tainment and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	: Minimize generation of dust. Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and stora	ige
7.1. Precautions for safe handling	
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, in	ncluding any incompatibilities
Fechnical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Moisture sensitive. Keep contents under inert gas.
ncompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area. Light sensitive.
SECTION 8: Exposure controls	personal protection
8.1. Control parameters	
No additional information available	
3.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.
SECTION 9: Physical and chem	ical properties
9.1. Information on basic physical	and chemical properties
Physical state	: Solid
Appearance	: Low melting solid.
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
•	

Melting point : 27 - 31 °C Freezing point : No data available Boiling point : 105 - 106 °C (@ 1 mm Hg)

Flash point : No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	-
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 266.46 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with water, generates gases or heat. Reacts on exposure to water with some metals to release highly explosive/flammable hydrogen gas.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Not classified

Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECTIO	DN 12: Ecological information
12.1.	Toxicity
No additio	onal information available

2-lodobenzoyl chloride Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2.	Persistence and degradability
No addit	tional information available
12.3.	Bioaccumulative potential
No addit	tional information available
12.4.	Mobility in soil
No addit	tional information available
10.5	
12.5.	Other adverse effects
No addit	tional information available

SECTION 13: Disposal consideration	S
13.1. Waste treatment methods Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.
SECTION 14: Transport information	
Department of Transportation (DOT)	
In accordance with DOT	
Transport document description	: UN3261 Corrosive solid, acidic, organic, n.o.s., 8, III
UN-No.(DOT)	: UN3261
Proper Shipping Name (DOT)	: Corrosive solid, acidic, organic, n.o.s.
Transport hazard class(es) (DOT)	: 8 - Class 8 - Corrosive material 49 CFR 173.136
Hazard labels (DOT)	: 8 - Corrosive
Packing group (DOT)	: III - Minor Danger
OOT Packaging Non Bulk (49 CFR 173.xxx)	: 213
DOT Packaging Bulk (49 CFR 173.xxx)	: 240
DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	 IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner. T1 - 1.5 178.274(d)(2) Normal 178.275(d)(2) TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group III or T7 for solid substances of packing group III or T7 for solid substances of packing group II or T7 for solid substances of packing group II or T7 for solid substances of packing group II or T7. Solids meeting the the provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 154
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 25 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 100 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
07/13/2018	EN (English US) SDS ID: 2616M02 5/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information

: No supplementary information available.

TDG

No additional information available

Transport by sea

UN-No. (IMDG) Proper Shipping Name (IMDG) Class (IMDG) Packing group (IMDG)	 3261 CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. 8 - Corrosive substances III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 3261
Proper Shipping Name (IATA)	: Corrosive solid, acidic, organic, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

2-lodobenzoyl chloride (609-67-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

2-lodobenzoyl chloride (609-67-6)

Listed on the Canadian DSL (Domestic Sustances List)

EU-Regulations

No additional information available

National regulations

2-lodobenzoyl chloride (609-67-6)

Listed on NZIOC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.