

2,4'-Dibromoacetophenone

Safety Data Sheet 2617901 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 06/12/2020 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: 2,4'-Dibromoacetophenone
CAS No	: 99-73-0
Product code	: 2617-9-01
Formula	: C8H6Br2O
Synonyms	: GSK-3b Inhibitor VII
Other means of identification	: MFCD0000200
1.2. Relevant identified uses of the su	ibstance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the safe	ty data sheet
SynQuest Laboratories, Inc.	
P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identification	n -
2.1. Classification of the substance of	
Classification (GHS-US)	
Skin Corr. 1BH314 - Causes severe skin bEye Dam. 1H318 - Causes serious eye oSTOT SE 3H335 - May cause respirator	damage
Full text of H-phrases: see section 16	·
2.2. Label elements	
GHS-US labeling Hazard pictograms (GHS-US)	GHS05 GHS07
Hazard pictograms (GHS-US)	GHS05 GHS07
•	: GHS05 GHS07 : Danger : H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P501 - Dispose of contents/container to an approved waste disposal plant

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3.	Other	hazards

Other hazards not contri classification	ibuting to the	: Lachrymator.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Substance type	: Mor	no-constituent		
Name		Product identifier	%	Classification (GHS-US)
2,4'-Dibromoacetophenone (Main constituent)		(CAS No) 99-73-0	<= 100	Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general		ase of accident or if you feel unwell, see are possible). Move the affected personn		
First-aid measures after inhalation		nove person to fresh air and keep comfo piration. Get immediate medical advice/a		ning. If not breathing, give artificial
First-aid measures after skin contact		sh with plenty of soap and water. Removidical advice/attention.	e contaminated	clothing and shoes. Get immediate
First-aid measures after eye contact		nediately flush eyes thoroughly with wate sent and easy to do. Continue rinsing. G		
First-aid measures after ingestion		NOT induce vomiting. Never give anythi uth out with water. Get immediate medic		
4.2. Most important symptoms and ef	fects, bot	h acute and delayed		
Symptoms/injuries		e most important known symptoms and e and/or in section 11.	ffects are descr	ibed in the labelling (see section
Symptoms/injuries after inhalation		rerial is destructive to tissue of the mucu rtness of breath, headache, nausea.	ous membranes	and upper respiratory tract. Cough,
4.3. Indication of any immediate med	ical attenti	ion and special treatment needed		
4.3. Indication of any immediate med	ical attenti	ion and special treatment needed		

Treat symptomatically.

SECTION 5: Firefighting measures	S	
5.1. Extinguishing media		
Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.	
5.2. Special hazards arising from the	substance or mixture	
Fire hazard : Thermal decomposition generates: Carbon oxides. Hydrogen bromide.		
5.3. Advice for firefighters		
Firefighting instructions	: In case of fire: Evacuate area.	
Protection during firefighting	: Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".	
SECTION 6: Accidental release me	easures	
6.1. Personal precautions, protective	equipment and emergency procedures	
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe dust.	
6.1.1. For non-emergency personnel		
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.	
6.1.2. For emergency responders		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions			
Avoid release to the environment. Notify aut	horities if product enters sewers or public waters.		
6.3. Methods and material for containment and cleaning up			
For containment	: Stop leak if safe to do so.		
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.		
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
6.4. Reference to other sections			
No additional information available			
SECTION 7: Handling and storage	e		
7.1. Precautions for safe handling			
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.		
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, inc	luding any incompatibilities		
Technical measures	: Comply with applicable regulations.		
Storage conditions	: Keep container closed when not in use. Moisture sensitive. Keep contents under inert gas.		
Incompatible materials	: Refer to Section 10 on Incompatible Materials.		
Storage area	: Store in dry, cool, well-ventilated area.		
SECTION 8: Exposure controls/p	ersonal protection		

8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical an	nd chemical properties
Physical state	: Solid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: 108 - 110 °C
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative vapor density at 20 °C	: No data available
Molecular mass	: 277.94 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Strong bases. Strong oxidizing agents. Strong reducing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information 11.1. Information on toxicological effects

	and a daries of a line		No. da estra d
A	cute toxicity	:	Not classified
S	kin corrosion/irritation	:	Causes severe skin burns and eye damage.
S	erious eye damage/irritation	:	Causes serious eye damage.
R	espiratory or skin sensitization	:	Not classified
G	erm cell mutagenicity	:	Not classified
С	arcinogenicity	:	Not classified
R	eproductive toxicity	:	Not classified
S	pecific target organ toxicity (single exposure)	:	May cause respiratory irritation.
	pecific target organ toxicity (repeated <pre>kposure)</pre>	:	Not classified
A	spiration hazard	:	Not classified
S	ymptoms/injuries after inhalation	:	Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECT	ION 12: Ecological information
12.1.	Toxicity
No addi	itional information available
12.2.	Persistence and degradability
No addi	itional information available
12.3.	Bioaccumulative potential
No addi	tional information available

06/12/2020

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

13.1. Waste treatment methods	
Waste treatment methods Waste disposal recommendations Additional information	 Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. Dispose of contents/container in accordance with licensed collector's sorting instructions. Recycle the material as far as possible.
SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT Transport document description	: UN3261 Corrosive solid, acidic, organic, n.o.s., 8, II
UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)	 : UN3261 : Corrosive solid, acidic, organic, n.o.s. : 8 - Class 8 - Corrosive material 49 CFR 173.136 : 8 - Corrosive
Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols DOT Special Provisions (49 CFR 172.102)	 II - Medium Danger 212 240 G - Identifies PSN requiring a technical name IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle. IP4 - Flexible, fiberboard or wooden IBCs must be sift-proof and water-resistant or be fitted wit a sift-proof and water-resistant liner. T3 - 2.65 178.274(d)(2) Normal 178.275(d)(2) TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tank sconforming to the provisions of portable tank instruction T4 for solid substances of packing group II or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction TP3. Solids meeting the definition of an elevated temperature material
DOT Packaging Exceptions (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	must be transported in accordance with the applicable requirements of this subchapter.15415 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 50 kg
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" or passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information

: No supplementary information available.

TDG

No additional information available

Transport by sea

UN-No. (IMDG) Proper Shipping Name (IMDG) Class (IMDG) Packing group (IMDG)	 : 3261 : CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. : 8 - Corrosive substances : II - substances presenting medium danger
Air transport UN-No. (IATA)	: 3261
Proper Shipping Name (IATA)	: Corrosive solid, acidic, organic, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: II - Medium Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

- 1	
	2.4'-Dibromoacetophenone

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

CAS No 99-73-0

15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

National regulations

No additional information available


15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm


SECTION 16: Other information

Full text of H-phrases:

Tui lext of H-philases.	
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation
NFPA health hazard	: 2 - Intense or continued exposure could cause temporary



: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



100%

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.