

SynQuest Laboratories, Inc.

PO Box 309, Alachua, FL 32616-0309 Tel. 386/462-0788; FAX 386/462-7097

# **Material Safety Data Sheet**

Transportation Emergency: 1-800-451-8346

Date last revised: February 25, 2008 Date printed: February 25, 2008

SECTION 1.----- CHEMICAL IDENTIFICATION------

CATALOG #: 2620-1-34 NAME: 4'-HYDROXYPROPIOPHENONE

SECTION 2. ---- COMPOSITION/INFORMATION ON INGREDIENTS -----

CAS #: 70-70-2 MF: C<sub>9</sub>H<sub>10</sub>O<sub>2</sub> = 150.18

SECTION 3.----- HAZARDS IDENTIFICATION ------

LABEL PRECAUTIONARY STATEMENTS IRRITANT. IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN. HMIS RATING HEALTH: 2 FLAMMABILITY: 0 REACTIVITY: 0

SECTION 4.-----FIRST-AID MEASURES------

ORAL EXPOSURE IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN. INHALATION EXPOSURE IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. DERMAL EXPOSURE IN CASE OF CONTACT, IMMEDIATELY WASH SKIN WITH SOAP AND COPIOUS AMOUNTS OF WATER. EYE EXPOSURE IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. INFORMATION FOR PHYSICIAN CONTAMINATION OF THE EYES SHOULD BE TREATED BY IMMEDIATE AND PROLONGED IRRIGATION WITH COPIOUS AMOUNTS OF WATER.

## SECTION 5. ----- FIRE FIGHTING MEASURES -----

#### EXTINGUISHING MEDIA

SUITABLE: WATER SPRAY. CARBON DIOXIDE, DRY CHEMICAL POWDER, OR APPROPRIATE FOAM.

FIREFIGHTING

PROTECTIVE EQUIPMENT: WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN AND EYES. SPECIFIC HAZARD(S): EMITS TOXIC FUMES UNDER FIRE CONDITIONS.

SECTION 6.----- ACCIDENTAL RELEASE MEASURES------

PROCEDURE(S) OF PERSONAL PRECAUTION(S) WEAR RESPIRATOR, CHEMICAL SAFETY GOGGLES, RUBBER BOOTS, AND HEAVY RUBBER GLOVES. METHODS FOR CLEANING UP SWEEP UP, PLACE IN A BAG AND HOLD FOR WASTE DISPOSAL. AVOID RAISING DUST. VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL

# SECTION 7.----- HANDLING AND STORAGE-----

HANDLING

USER EXPOSURE: DO NOT BREATHE DUST. AVOID CONTACT WITH EYES, SKIN, AND CLOTHING. AVOID PROLONGED OR REPEATED EXPOSURE. STORAGE SUITABLE: KEEP TIGHTLY CLOSED.

SECTION 8. ----- EXPOSURE CONTROLS/PERSONAL PROTECTION-----

ENGINEERING CONTROLS

PICKUP IS COMPLETE.

SAFETY SHOWER AND EYE BATH. MECHANICAL EXHAUST REQUIRED. PERSONAL PROTECTIVE EQUIPMENT RESPIRATORY: USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU). WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A DUST MASK TYPE N95 (US) OR TYPE P1 (EN 143) RESPIRATOR. HAND: COMPATIBLE CHEMICAL-RESISTANT GLOVES. EYE: CHEMICAL SAFETY GOGGLES. GENERAL HYGIENE MEASURES WASH THOROUGHLY AFTER HANDLING.

## SECTION 9. ----- PHYSICAL AND CHEMICAL PROPERTIES ------

APPEARANCE SOLID PHYSICAL PROPERTIES MELTING POINT: 148 °C SECTION 10. -----STABILITY AND REACTIVITY -----

STABILITY STABLE: STABLE. MATERIALS TO AVOID: BASES, ACID CHLORIDES, ACID ANHYDRIDES, OXIDIZING AGENTS. HAZARDOUS DECOMPOSITION PRODUCTS HAZARDOUS DECOMPOSITION PRODUCTS: CARBON MONOXIDE, CARBON DIOXIDE. HAZARDOUS POLYMERIZATION HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

SECTION 11. ----- TOXICOLOGICAL INFORMATION ------

ROUTE OF EXPOSURE SKIN CONTACT: CAUSES SKIN IRRITATION. SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH THE SKIN. EYE CONTACT: CAUSES EYE IRRITATION. INHALATION: MAY BE HARMFUL IF INHALED. MATERIAL IS IRRITATING TO MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT. INGESTION: MAY BE HARMFUL IF SWALLOWED. SIGNS AND SYMPTOMS OF EXPOSURE PROLONGED CONTACT CAN CAUSE: DAMAGE TO THE EYES. DEPENDING ON THE INTENSITY AND DURATION OF EXPOSURE, EFFECTS MAY VARY FROM MILD IRRITATION TO SEVERE DESTRUCTION OF TISSUE. TOXICITY DATA **INTRAPERITONEAL** MOUSE 200 mg/kg LD50 **SUBCUTANEOUS** MOUSE  $1130 \,\mu g/kg$ LD50 REMARKS: BEHAVIORAL: ALTERED SLEEP TIME (INCLUDING CHANGE IN RIGHTING REFLEX). PERIPHERAL NERVE AND SENSATION: FLACCID PARALYSIS WITHOUT ANESTHESIA (USUALLY NEUROMUSCULAR BLOCKAGE). LUNGS, THORAX, OR RESPIRATION: OTHER CHANGES. PARENTERAL FROG 91 mg/kgLD50 REMARKS: PERIPHERAL NERVE AND SENSATION: FLACCID PARALYSIS WITHOUT ANESTHESIA (USUALLY NEUROMUSCULAR BLOCKAGE). BEHAVIORAL: ALTERED SLEEP TIME (INCLUDING CHANGE IN RIGHTING REFLEX). LUNGS, THORAX, OR RESPIRATION: OTHER CHANGES. CHRONIC EXPOSURE - TERATOGEN SPECIES: RABBIT DOSE: 1600 MG/KG ROUTE OF APPLICATION: INTRAMUSCULAR EXPOSURE TIME: (15-30D PREG) RESULT: SPECIFIC DEVELOPMENTAL ABNORMALITIES: EYE, EAR. SPECIFIC DEVELOPMENTAL ABNORMALITIES: CRANIOFACIAL (INCLUDING NOSE AND

TONGUE). EFFECTS ON NEWBORN: STILLBIRTH.

SECTION 12. ----- ECOLOGICAL INFORMATION -----

DATA NOT YET AVAILABLE.

SECTION 13. ----- DISPOSAL CONSIDERATIONS ------

APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER. OBSERVE ALL FEDERAL, STATE, AND LOCAL ENVIRONMENTAL REGULATIONS.

SECTION 14.----- TRANSPORT INFORMATION ------

DOT

UNRESTRICTED

SECTION 15. ----- REGULATORY INFORMATION -----

EU ADDITIONAL CLASSIFICATION SYMBOL OF DANGER: Xi INDICATION OF DANGER: IRRITANT. R: 36/37/38 RISK STATEMENTS: IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN. S: 26-36 SAFETY STATEMENTS: IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE. WEAR SUITABLE PROTECTIVE CLOTHING. US CLASSIFICATION AND LABEL TEXT INDICATION OF DANGER: IRRITANT. RISK STATEMENTS: IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN. SAFETY STATEMENTS: IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE. WEAR SUITABLE PROTECTIVE CLOTHING. UNITED STATES REGULATORY INFORMATION TSCA INVENTORY ITEM: NO

SECTION 16. ----- OTHER INFORMATION-----

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. SYNQUEST LABS, INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT.