

5-Chloro-2-hydroxybenzaldehyde Safety Data Sheet 26205X7 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 05/24/2017 Version: 1.0

1.1. Identification		
Product form	: Substance	
Substance name	: 5-Chloro-2-hydroxybenzaldehyde	
CAS No	: 635-93-8	
Product code	: 2620-5-X7	
Formula	: C7H5ClO2	
Synonyms	: 5-Chlorosalicylaldehyde	
Other means of identification	: MFCD00003331	
1.2. Relevant identified uses of the	substance or mixture and uses advised against	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development	
1.3. Details of the supplier of the sa	afety data sheet	
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ameri T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlab		
1.4. Emergency telephone number		
Emergency number	: (844) 523-4086 (3E Company - Account 10069)	
SECTION 2: Hazard(s) identificat	tion	
2.1. Classification of the substance		
Classification (GHS-US)		
STOT SE 3H335 - May cause resAquatic Acute 1H400 - Very toxic to a	spiratory irritation	
STOT SE 3H335 - May cause resAquatic Acute 1H400 - Very toxic to aAquatic Chronic 1H410 - Very toxic to a	spiratory irritation aquatic life	
STOT SE 3 H335 - May cause restriction Aquatic Acute 1 H400 - Very toxic to a Aquatic Chronic 1 H410 - Very toxic to a Full text of H-phrases: see section 16	spiratory irritation aquatic life	
STOT SE 3 H335 - May cause res Aquatic Acute 1 H400 - Very toxic to a Aquatic Chronic 1 H410 - Very toxic to a Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	spiratory irritation aquatic life	
STOT SE 3 H335 - May cause rest Aquatic Acute 1 H400 - Very toxic to a Aquatic Chronic 1 H410 - Very toxic to a Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	spiratory irritation aquatic life aquatic life with long lasting effects	
STOT SE 3 H335 - May cause rest Aquatic Acute 1 H400 - Very toxic to a Aquatic Chronic 1 H410 - Very toxic to a Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	spiratory irritation aquatic life aquatic life with long lasting effects : : : : : : : : : : : : : : : : : : :	
STOT SE 3 H335 - May cause rest Aquatic Acute 1 H400 - Very toxic to a Aquatic Chronic 1 H410 - Very toxic to a Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	spiratory irritation aquatic life aquatic life with long lasting effects	
STOT SE 3H335 - May cause resAquatic Acute 1H400 - Very toxic to aAquatic Chronic 1H410 - Very toxic to aFull text of H-phrases: see section 162.2.Label elements	spiratory irritation aquatic life aquatic life with long lasting effects	contac

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- P362+P364 Take off contaminated clothing and wash it before reuse P391 - Collect spillage P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up P501 - Dispose of contents/container to an approved waste disposal plant Other hazards 2.3. No additional information available Unknown acute toxicity (GHS US) 2.4. Not applicable SECTION 3: Composition/information on ingredients 3.1. Substance Substance type : Mono-constituent Product identifier Name % **Classification (GHS-US)** 5-Chloro-2-hydroxybenzaldehyde (CAS No) 635-93-8 <= 100 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 (Main constituent) STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Full text of H-phrases: see section 16 3.2. **Mixture** Not applicable SECTION 4: First aid measures 4.1. **Description of first aid measures** First-aid measures general : In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area. : Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial First-aid measures after inhalation respiration. Get medical advice/attention. First-aid measures after skin contact : Wash with plenty of soap and water. Get medical advice/attention. : Immediately flush eves thoroughly with water for at least 15 minutes. Remove contact lenses, if First-aid measures after eve contact present and easy to do. Continue rinsing. Get medical advice/attention. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse First-aid measures after ingestion mouth out with water. Get medical advice/attention. 4.2. Most important symptoms and effects, both acute and delayed Symptoms/injuries The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11. 4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically. SECTION 5: Firefighting measures 5.1. **Extinguishing media** Suitable extinguishing media : Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire. 5.2. Special hazards arising from the substance or mixture : Thermal decomposition generates: Carbon oxides. Hydrogen chloride. Fire hazard 5.3. Advice for firefighters **Firefighting instructions** : In case of fire: Evacuate area. : Wear gas tight chemically protective clothing in combination with self contained breathing Protection during firefighting apparatus. For further information refer to section 8: "Exposure controls/personal protection". SECTION 6: Accidental release measures Personal precautions, protective equipment and emergency procedures 6.1. General measures : Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe dust.
- 6.1.1. For non-emergency personnel
 Emergency procedures

: Only qualified personnel equipped with suitable protective equipment may intervene.

Safety Data Sheet

0040 / 0

•	, , , , , , , , , , , , , , , , , , ,	, March 26, 2012 / Rules and Regulations
	mergency responders	
Protective equip	oment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Envir	onmental precautions	
Avoid release to	the environment. Notify authori	ties if product enters sewers or public waters.
6.3. Metho	ods and material for containm	ent and cleaning up
For containment	t	: Stop leak if safe to do so.
Methods for clea	aning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.
Other informatio	n	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Refer	ence to other sections	
No additional inf	formation available	
SECTION 7:	Handling and storage	
7.1. Preca	utions for safe handling	
Precautions for	safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measu	res	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Cond	itions for safe storage, includi	ng any incompatibilities
Technical meas	ures	: Comply with applicable regulations.
Storage condition	ons	: Keep container closed when not in use.
Incompatible ma	aterials	: Refer to Section 10 on Incompatible Materials.
Storage area		Store in dry cool well-ventilated area

Storage area : Store in dry, cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	chemical properties
Physical state	: Solid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: 100 - 103 °C
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 156.57 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. **Other information**

No additional information available

SECTI	ION 10: Stability and reactivity
10.1.	Reactivity
No addit	tional information available
10.2.	Chemical stability
The proc	duct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions
No addit	tional information available
10.4.	Conditions to avoid
Keep av	vay from heat, sparks and flame.
10.5.	Incompatible materials
Strong b	bases. Strong oxidizing agents.
10.6.	Hazardous decomposition products
Under n	ormal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of

fire, see Section 5.

SECTIO	N 11	: Toxico	logical	informati	ion

11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information			
12.1. Toxicity			
5-Chloro-2-hydroxybenzaldehyde (635-93-8)			
LC50 fish 1	0.71 - 0.83 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])		
12.2. Persistence and degradability			

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3.	Bioaccumulative potential		
No addi	tional information available		
12.4.	Mobility in soil		
No addi	tional information available		
12.5.	Other adverse effects		
	tional information available		

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Waste disposal recommendations Additional information : Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.

- Dispose of contents/container in accordance with licensed collector's sorting instructions.
 Recycle the material as far as possible.
- **SECTION 14: Transport information**

Department of Transportation (DOT)

In accordance with DOT

Not regulated for transport

TDG

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

5-Chloro-2-hydroxybenzaldehyde (635-93-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

5-Chloro-2-hydroxybenzaldehyde (635-93-8)

Listed on the Canadian NDSL (Non-Domestic Substances List)

EU-Regulations

No additional information available

National regulations

5-Chloro-2-hydroxybenzaldehyde (635-93-8) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

Full text of H-phrases:


Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects


NFPA health hazard

NFPA fire hazard

NFPA reactivity

: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given. : 0 - Materials that will not burn.





HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.