

3-Hydroxyphenacyl bromide Safety Data Sheet 26209X6 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 12/21/2016 Version: 1.0

Substance name	: Substance
CAS No	: 3-Hydroxyphenacyl bromide
	: 2491-37-4
	: 2620-9-X6
Product code	
Formula	: C8H7BrO2
Synonyms	: 2-Bromo-3'-hydroxyacetophenone; 2-Bromo-1-(3-hydroxyphenyl)ethan-1-one; 3- (Bromoacetyl)phenol
Other means of identification	: MFCD05664326
1.2. Relevant identified uses of the s	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the safe	ety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
·	
2.2. Label elements	
2.2. Label elements GHS-US labeling	
2.2. Label elements GHS-US labeling	HS05 GHS07
2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	: GHS05 GHS07 : Danger
Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	
2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	: Danger : H314 - Causes severe skin burns and eye damage

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday, I	March 26, 2012 / Rules and Regulations			
2.3. Other hazards				
Other hazards not contributing to the classification	: Lachrymator.			
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
SECTION 3: Composition/information	on ingredients			
3.1. Substance	i on ingredients			
Substance type	: Mono-constituent			
Name	Product identifier	%	Classification (GHS-US)	
3-Hydroxyphenacyl bromide (Main constituent)	(CAS No) 2491-37-4	<= 100	Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335	
Full text of H-phrases: see section 16	·		·	
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general	: In case of accident or if you feel unwell, seek where possible). Move the affected personne			
First-aid measures after inhalation	: Remove person to fresh air and keep comfor respiration. Get immediate medical advice/att		ng. If not breathing, give artificial	
First-aid measures after skin contact	: Wash with plenty of soap and water. Remove medical advice/attention.	contaminated c	lothing and shoes. Get immediate	
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water present and easy to do. Continue rinsing. Ge			
First-aid measures after ingestion	: Do NOT induce vomiting. Never give anything mouth out with water. Get immediate medica			
4.2. Most important symptoms and effect	s, both acute and delayed			
Symptoms/injuries	: The most important known symptoms and eff 2.2) and/or in section 11.	ects are describe	ed in the labelling (see section	
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuo shortness of breath, headache, nausea.	us membranes a	nd upper respiratory tract. Cough,	
4.3. Indication of any immediate medical attention and special treatment needed				
Treat symptomatically.				
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxide. Dry p appropriate for surrounding fire.	oowder. Water sp	oray. Use extinguishing media	
5.2. Special hazards arising from the sub	stance or mixture			
Fire hazard	: Thermal decomposition generates: Carbon o	xides. Hydrogen	bromide.	
5.3. Advice for firefighters				
Firefighting instructions	: In case of fire: Evacuate area.			
Protection during firefighting	: Wear gas tight chemically protective clothing apparatus. For further information refer to see			
SECTION 6: Accidental release measures				
6.1. Personal precautions, protective equ				
General measures	: Evacuate unnecessary personnel. Ensure ad	equate air ventila	ation. Do not breathe dust.	
6.1.1. For non-emergency personnel Emergency procedures	: Only qualified personnel equipped with suitable	ole protective equ	upment may intervene.	
		oq	,	
6.1.2. For emergency responders Protective equipment : Do not attempt to take action without suitable protective equipment. For further information				
	refer to section 8: "Exposure controls/persona	al protection".		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions			
Avoid release to the environment. Notify authorities if product enters sewers or public waters.			
6.3. Methods and material for containment and cleaning up			
For containment	: Stop leak if safe to do so.		
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.		
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
6.4. Reference to other sections			
No additional information available			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.		
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, including	ng any incompatibilities		
Technical measures	: Comply with applicable regulations.		
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Keep contents under inert gas.		
Incompatible materials	: Refer to Section 10 on Incompatible Materials.		
Storage area	: Store in dry, cool, well-ventilated area.		

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physic	al and chemical properties
Physical state	: Solid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: 69 - 72 °C
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate	=1) : No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 215.04 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. **Other information** No additional information available

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
No add	itional information available
10.2.	Chemical stability
The pro	duct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions
No add	itional information available
10.4.	Conditions to avoid
Keep a	way from heat, sparks and flame.
10.5.	Incompatible materials
Strong	bases. Strong oxidizing agents.
10.6.	Hazardous decomposition products
Under r	normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of

produced. Hazardous fire, see Section 5.

SECT	ION 11: Toxicological information		
11.1.	Information on toxicological effects		

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECTIO	ON 12: Ecological information
12.1.	Toxicity
No additi	onal information available
12.2.	Persistence and degradability
No additi	onal information available
12.3.	Bioaccumulative potential
No additi	onal information available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Mobility in soil 12.4.

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal consideration	
13.1. Waste treatment methods	
Waste treatment methods Waste disposal recommendations Additional information	 Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. Dispose of contents/container in accordance with licensed collector's sorting instructions. Recycle the material as far as possible.
SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT Transport document description	: UN3261 Corrosive solid, acidic, organic, n.o.s., 8, III
UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)	 : UN3261 : Corrosive solid, acidic, organic, n.o.s. : 8 - Class 8 - Corrosive material 49 CFR 173.136 : 8 - Corrosive
Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols DOT Special Provisions (49 CFR 172.102)	 III - Minor Danger 213 240 G - Identifies PSN requiring a technical name IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner. T1 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 154 : 25 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
TDG	
NO DOUTIONOL INTO MOTION OVOILOBIO	

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transport by sea

UN-No. (IMDG)	: 3261
Proper Shipping Name (IMDG)	: CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 3261
Proper Shipping Name (IATA)	: Corrosive solid, acidic, organic, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

3-Hydroxyphenacyl bromide	CAS No 2491-37-4	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1	
Skin Corr. 1B	Skin corrosion/irritation Category 1B	
STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
H314	Causes severe skin burns and eye damage	
H318	Causes serious eye damage	
H335	May cause respiratory irritation	

NFPA health hazard

NFPA fire hazard

NFPA reactivity

: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.

- : 1 Must be preheated before ignition can occur.
- : 0 Normally stable, even under fire exposure conditions, and are not reactive with water.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.