

Methyl 3-phenoxybenzoate Safety Data Sheet 26231Z3 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 12/17/2015 Version: 1.0

SECTION 1: Identification	
1.1. Identification	••••
Product form	: Substance
Substance name	: Methyl 3-phenoxybenzoate
CAS No	: 50789-43-0
Product code	: 2623-1-Z3
Formula	: C14H12O3
Other means of identification	: MFCD00017192
1.2. Relevant identified uses of the subs	tance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the safety of	data sheet
SynQuest Laboratories, Inc.	
P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097	
info@synquestlabs.com - www.synquestlabs.com	1
1.4. Emergency telephone number	(244) 502 (022 (05 0)
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or m	ixture
Classification (GHS-US)	
Skin Irrit. 2 H315 - Causes skin irritation	
Eye Irrit. 2A H319 - Causes serious eye irritat	ion
STOT SE 3 H335 - May cause respiratory irri	tation
Full text of H-phrases: see section 16	
Full text of H-phrases: see section 16	
Full text of H-phrases: see section 16      2.2.    Label elements	
Full text of H-phrases: see section 16      2.2.    Label elements      GHS-US labeling	
Full text of H-phrases: see section 16      2.2.    Label elements	
Full text of H-phrases: see section 16      2.2.    Label elements      GHS-US labeling	
Full text of H-phrases: see section 16      2.2.    Label elements      GHS-US labeling	
Full text of H-phrases: see section 16      2.2.    Label elements      GHS-US labeling	
Full text of H-phrases: see section 16      2.2.    Label elements      GHS-US labeling	: GHS07
Full text of H-phrases: see section 16      2.2.    Label elements      GHS-US labeling	
Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	: GHS07 : Warning : H315 - Causes skin irritation H319 - Causes serious eye irritation
Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	: GHS07 : Warning : H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation
Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	: GHS07 : Warning : H315 - Causes skin irritation H319 - Causes serious eye irritation
Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	<ul> <li>Final Structure</li> <li>Final Struct</li></ul>
Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	<ul> <li>GHS07</li> <li>GHS07</li> <li>Warning</li> <li>H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation</li> <li>H335 - May cause respiratory irritation</li> <li>P261 - Avoid breathing fumes, mist, spray, vapors P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection</li> </ul>
Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	<ul> <li>Final Structure S</li></ul>
Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	<ul> <li>Final Structure</li> <li>Final Struct</li></ul>
Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	<ul> <li>Final Structure S</li></ul>
Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	<ul> <li>Final Structure</li> <li>Final Struct</li></ul>
Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	<ul> <li>Final Structure S</li></ul>
Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	<ul> <li>: i i i i i i i i i i i i i i i i i i</li></ul>
Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	<ul> <li>: i i i i i i i i i i i i i i i i i i</li></ul>
Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	<ul> <li>For the end of the end o</li></ul>
Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	<ul> <li>: i i i i i i i i i i i i i i i i i i</li></ul>

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	March 26, 2012 / Rules and Regulations			
2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
SECTION 3: Composition/information	n on ingredients			
3.1. Substance				
Substance type	: Mono-constituent			
Name	Product identifier	%	Classification (GHS-US)	
Methyl 3-phenoxybenzoate (Main constituent)	(CAS No) 50789-43-0	<= 100	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335	
Full text of H-phrases: see section 16		·		
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
1.1. Description of first aid measures				
irst-aid measures general	: In case of accident or if you feel unv			
First-aid measures after inhalation	<ul> <li>where possible). Move the affected</li> <li>Remove person to fresh air and kee respiration. Get medical advice/atte</li> </ul>	p comfortable for breath		
First-aid measures after skin contact	: Wash with plenty of soap and water		ention.	
First-aid measures after eye contact	: Immediately flush eyes thoroughly v present and easy to do. Continue rin	vith water for at least 15	minutes. Remove contact lenses, if	
irst-aid measures after ingestion		Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get medical advice/attention.		
.2. Most important symptoms and effec	ts, both acute and delayed			
symptoms/injuries	: The most important known sympton 2.2) and/or in section 11.	ns and effects are descri	bed in the labelling (see section	
.3. Indication of any immediate medical	attention and special treatment need	lad		
Freat symptomatically.	attention and special reatment need			
SECTION 5: Firefighting measures				
SECTION 5: Firefighting measures	· Alcohol resistant feam. Carbon diax	ide Dry powder Water	spray Lise extinguishing modia	
<b>SECTION 5: Firefighting measures</b> <b>1. Extinguishing media</b> Suitable extinguishing media	: Alcohol resistant foam. Carbon diox appropriate for surrounding fire.	ide. Dry powder. Water	spray. Use extinguishing media	
SECTION 5: Firefighting measures         5.1.       Extinguishing media         Suitable extinguishing media         5.2.       Special hazards arising from the sub-	appropriate for surrounding fire.		spray. Use extinguishing media	
Section 5: Firefighting measures         Statistical and the set of the set	appropriate for surrounding fire. <b>ostance or mixture</b> : Thermal decomposition generates:	Carbon oxides.		
SECTION 5: Firefighting measures         Statinguishing media         Suitable extinguishing media         Statinguishing	appropriate for surrounding fire.	Carbon oxides.		
<b>SECTION 5: Firefighting measures 1. Extinguishing media 2. Special hazards arising from the sub 3. Special hazard 3. </b>	appropriate for surrounding fire. <b>ostance or mixture</b> : Thermal decomposition generates: : Risk of explosion if heated under co	Carbon oxides.		
SECTION 5: Firefighting measures         5.1.       Extinguishing media         Suitable extinguishing media         5.2.       Special hazards arising from the subtrine hazard         Fire hazard         Explosion hazard         5.3.       Advice for firefighters	appropriate for surrounding fire. <b>ostance or mixture</b> : Thermal decomposition generates: : Risk of explosion if heated under co	Carbon oxides. nfinement. Use water sp	bray or fog for cooling exposed	
SECTION 5: Firefighting measures         1.       Extinguishing media         Suitable extinguishing media         2.       Special hazards arising from the subtribute hazard         Sire hazard         3.       Advice for firefighters         Firefighting instructions	<ul> <li>appropriate for surrounding fire.</li> <li><b>ostance or mixture</b> <ul> <li>Thermal decomposition generates:</li> <li>Risk of explosion if heated under co containers.</li> </ul> </li> </ul>	Carbon oxides. nfinement. Use water sp fire remotely due to the	bray or fog for cooling exposed	
SECTION 5: Firefighting measures     Advice for firefighters     irefighting instructions	<ul> <li>appropriate for surrounding fire.</li> <li>stance or mixture <ul> <li>Thermal decomposition generates:</li> <li>Risk of explosion if heated under co containers.</li> </ul> </li> <li>In case of fire: Evacuate area. Fight</li> </ul>	Carbon oxides. nfinement. Use water sp fire remotely due to the clothing in combination	risk of explosion.	
SECTION 5: Firefighting measures         .1.       Extinguishing media         suitable extinguishing media         .2.       Special hazards arising from the subtrive hazard         size hazard         explosion hazard         .3.       Advice for firefighters         irrefighting instructions         Protection during firefighting	<ul> <li>appropriate for surrounding fire.</li> <li><b>ostance or mixture</b> <ol> <li>Thermal decomposition generates:</li> <li>Risk of explosion if heated under co containers.</li> </ol> </li> <li>In case of fire: Evacuate area. Fight <ol> <li>Wear gas tight chemically protective apparatus. For further information re</li> </ol> </li> </ul>	Carbon oxides. nfinement. Use water sp fire remotely due to the clothing in combination	risk of explosion.	
SECTION 5: Firefighting measures         5.1.       Extinguishing media         Suitable extinguishing media         5.2.       Special hazards arising from the subscript hazard         Fire hazard         Explosion hazard         5.3.       Advice for firefighters         Firefighting instructions         Protection during firefighting         SECTION 6: Accidental release meas	<ul> <li>appropriate for surrounding fire.</li> <li><b>ostance or mixture</b> <ol> <li>Thermal decomposition generates:</li> <li>Risk of explosion if heated under cocontainers.</li> </ol> </li> <li>In case of fire: Evacuate area. Fight <ol> <li>Wear gas tight chemically protective apparatus. For further information resurres</li> </ol> </li> </ul>	Carbon oxides. nfinement. Use water sp fire remotely due to the clothing in combination	risk of explosion.	
SECTION 5: Firefighting measures         5.1. Extinguishing media         Suitable extinguishing media         5.2. Special hazards arising from the subscript hazard         Fire hazard         Syplosion hazard         5.3. Advice for firefighters         Firefighting instructions         Protection during firefighting         SECTION 6: Accidental release mease         5.1. Personal precautions, protective equation	<ul> <li>appropriate for surrounding fire.</li> <li><b>ostance or mixture</b> <ol> <li>Thermal decomposition generates:</li> <li>Risk of explosion if heated under cocontainers.</li> </ol> </li> <li>In case of fire: Evacuate area. Fight <ol> <li>Wear gas tight chemically protective apparatus. For further information resurres</li> </ol> </li> </ul>	Carbon oxides. nfinement. Use water sp fire remotely due to the e clothing in combination efer to section 8: "Expos	oray or fog for cooling exposed risk of explosion. with self contained breathing ure controls/personal protection".	
SECTION 5: Firefighting measures         1.       Extinguishing media         Suitable extinguishing media         Suitable extinguishing media         2.       Special hazards arising from the suitable         Sire hazard         Explosion hazard         3.       Advice for firefighters         Tirefighting instructions         Protection during firefighting         SECTION 6: Accidental release meas         1.       Personal precautions, protective equiparent and precautions, p	appropriate for surrounding fire. <b>ostance or mixture</b> : Thermal decomposition generates: : Risk of explosion if heated under concontainers. : In case of fire: Evacuate area. Fight : Wear gas tight chemically protective apparatus. For further information resources <b>Sures</b> <b>uipment and emergency procedures</b> : Evacuate unnecessary personnel. E	Carbon oxides. nfinement. Use water sp fire remotely due to the e clothing in combination efer to section 8: "Expos	bray or fog for cooling exposed risk of explosion. with self contained breathing ure controls/personal protection".	
SECTION 5: Firefighting measures           1.         Extinguishing media           auitable extinguishing media           auitable extinguishing media           .2.         Special hazards arising from the sub           ire hazard           xplosion hazard           .3.         Advice for firefighters           irefighting instructions           Protection during firefighting           SECTION 6: Accidental release meas           .1.         Personal precautions, protective equision           Seneral measures           .1.1.         For non-emergency personnel	appropriate for surrounding fire. <b>ostance or mixture</b> : Thermal decomposition generates: : Risk of explosion if heated under concontainers. : In case of fire: Evacuate area. Fight : Wear gas tight chemically protective apparatus. For further information resures <b>sures</b> <b>uipment and emergency procedures</b> : Evacuate unnecessary personnel. Evapor or spray.	Carbon oxides. nfinement. Use water sp fire remotely due to the e clothing in combination efer to section 8: "Expos	bray or fog for cooling exposed risk of explosion. with self contained breathing ure controls/personal protection".	
SECTION 5: Firefighting measures         Suitable extinguishing media	appropriate for surrounding fire. <b>ostance or mixture</b> : Thermal decomposition generates: : Risk of explosion if heated under concontainers. : In case of fire: Evacuate area. Fight : Wear gas tight chemically protective apparatus. For further information resources <b>Sures</b> <b>uipment and emergency procedures</b> : Evacuate unnecessary personnel. E	Carbon oxides. nfinement. Use water sp fire remotely due to the e clothing in combination efer to section 8: "Expos	bray or fog for cooling exposed risk of explosion. with self contained breathing ure controls/personal protection".	
SECTION 5: Firefighting measures         1.       Extinguishing media         Suitable extinguishing media         Suitable extinguishing media         .2.       Special hazards arising from the suitable         Sire hazard         Explosion hazard         .3.       Advice for firefighters         Tirefighting instructions         Protection during firefighting         SECTION 6: Accidental release meas         .1.       Personal precautions, protective equipmental measures         .1.1.       For non-emergency personnel measures	<ul> <li>appropriate for surrounding fire.</li> <li><b>ostance or mixture</b> <ul> <li>Thermal decomposition generates:</li> <li>Risk of explosion if heated under concontainers.</li> </ul> </li> <li>In case of fire: Evacuate area. Fight <ul> <li>Wear gas tight chemically protective apparatus. For further information restricts</li> </ul> </li> <li><b>Sures</b> <ul> <li>Evacuate unnecessary personnel. Evapor or spray.</li> </ul> </li> <li>Conly qualified personnel equipped versions</li> </ul>	Carbon oxides. nfinement. Use water sp fire remotely due to the e clothing in combination efer to section 8: "Expos insure adequate air vent with suitable protective e	bray or fog for cooling exposed risk of explosion. with self contained breathing ure controls/personal protection". tilation. Do not breathe gas, fumes, quipment may intervene.	
SECTION 5: Firefighting measures         5.1.       Extinguishing media         Suitable extinguishing media         Suitable extinguishing media         S.2.       Special hazards arising from the sub-         Fire hazard         Explosion hazard         S.3.       Advice for firefighters         Firefighting instructions         Protection during firefighting         SECTION 6: Accidental release meas         S.1.       Personal precautions, protective equal         General measures         S.1.1.       For non-emergency personnel         Emergency procedures	appropriate for surrounding fire. <b>ostance or mixture</b> : Thermal decomposition generates: : Risk of explosion if heated under concontainers. : In case of fire: Evacuate area. Fight : Wear gas tight chemically protective apparatus. For further information resures <b>sures</b> <b>uipment and emergency procedures</b> : Evacuate unnecessary personnel. Evapor or spray.	Carbon oxides. nfinement. Use water sp fire remotely due to the e clothing in combination efer to section 8: "Expos insure adequate air vent with suitable protective equ s/personal protection".	bray or fog for cooling exposed risk of explosion. with self contained breathing ure controls/personal protection". tilation. Do not breathe gas, fumes, quipment may intervene.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5 5		
6.2. Environmental precautions		
Avoid release to the environment. Notify author	prities if product enters sewers or public waters.	
3. Methods and material for containment and cleaning up		
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.	
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.	
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
6.4. Reference to other sections		
No additional information available		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.	
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, inclu	ding any incompatibilities	
Technical measures	: Comply with applicable regulations.	
Storage conditions	: Keep container closed when not in use.	
Incompatible materials : Refer to Section 10 on Incompatible Materials.		
Storage area	: Store in dry, cool, well-ventilated area.	

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

#### SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties Physical state : Liquid Color : No data available : No data available Odor Odor threshold : No data available : No data available pН : No data available Melting point Freezing point : No data available Boiling point : No data available Flash point : No data available Relative evaporation rate (butyl acetate=1) : No data available : No data available Flammability (solid, gas) Explosion limits : No data available Explosive properties : No data available Oxidizing properties : No data available Vapor pressure : No data available 12/06/2016 EN (English US) SDS ID: 26231Z3

3/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 228.24 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

# **9.2.** Other information No additional information available

SECTION 10: Stability and reactivity			
10.1. Reactivity			
No additional information available			
10.2. Chemical stability			
The product is stable at normal handling and storage conditions.			
10.3. Possibility of hazardous reactions			
No additional information available			
10.4. Conditions to avoid			
Keep away from heat, sparks and flame.			
10.5. Incompatible materials			
Strong oxidizing agents.			
10.6. Hazardous decomposition products			
Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.			

SECT	ON 11: Toxicological information		
11.1.	Information on toxicological effects		

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECT	SECTION 12: Ecological information			
12.1.	Toxicity			
No add	itional information available			
12.2.	Persistence and degradability			
No add	itional information available			
12.3.	Bioaccumulative potential			

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerat	ions	
13.1. Waste treatment methods		
Waste treatment methods	: Remove to an authorized incinerator equipped with	an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with li	censed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.	
SECTION 14: Transport information	on	
Department of Transportation (DOT)		
In accordance with DOT		
Not regulated for transport		
TDG		
No additional information available		
Transport by sea		
No additional information available		
Air transport		
No additional information available		
<b>SECTION 15: Regulatory informat</b>	ion	
15.1. US Federal regulations		
All components of this product are listed, or Substances Control Act (TSCA) inventory e	excluded from listing, on the United States Environmental ccept for:	Protection Agency Toxic
Methyl 3-phenoxybenzoate	CAS No 50789-43-0	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

CANADA

No additional information available

#### **EU-Regulations**

No additional information available

#### **National regulations**

#### Methyl 3-phenoxybenzoate (50789-43-0)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

### **SECTION 16: Other information**

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:		
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A	
Skin Irrit. 2	Skin corrosion/irritation Category 2	
STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
H315	Causes skin irritation	
H319	Causes serious eye irritation	
H335	May cause respiratory irritation	
NFPA health hazard	: 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.	
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.	
NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.		
HMIS III Rating		
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible	
Flammability	<ul> <li>1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)</li> </ul>	
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	
SDS US (GHS HazCom 2012)		

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.