

Methyl 5-acetyl-2-hydroxybenzoate Safety Data Sheet 2629160 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 02/11/2016 Version: 1.0

lenses, if present and easy to do. Continue rinsing P312 - Call a POISON CENTER or doctor/physician if you feel unwell P321 - Specific treatment (see supplemental first aid instructions on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention	SECTION 1: Identification		
idebiance name : Methyl 5-acetyl-2-hydroxybenzoate AS No : 18475-90-4 Yockuct code : 26229-1-60 Yormuna : C10H1004 Yoromyms : Methyl 5-acetylsalexylate Wethyl 5-acetylsalexylate Wethyl 6-acetylsalexylate Wethyl 6-acetylsalexylate	.1. Identification		
AS No : 19475-00-4 troduct code : 2629-1-60 ormula : C1041004 yronyms : Methyl 5-acetylsalcylate Her means of identification : MrCD00040824 2. Relevant identified uses of the substance or mixture and uses advised against See of the substance/mixture : Laboratory chemicals Manufacture of substances Scientific research and development 3. Details of the supplier of the safety data sheet yrolymet Laboratories, Inc. 0. Deb 200 Jackhas, FL 32615 - United States of America (369) 442-078 - F (369) 442-078 Jackhas, FL 32615 - United States of America (369) 442-078 - F (369) 442-078 Jackhas, FL 32615 - United States of America (369) 442-078 - F (369) 442-078 Jackhas, FL 32615 - United States of America (369) 442-078 - F (369) 442-078 Jackhas, Scientific research and development 4. Emergency talephone number mergency number : (844) 523-4086 (3E Company - Account 10069) EECTION 21 Hazard(5) Identification 4. Classification of the substance or mixture itassification (HS-US) Kirlmt 2. H315 - Causes skin initiation yright JAC AH39 - Causes skin initiation yright JAC AH39 - Causes skin initiation yright JAC AH39 - Causes skin unitiation H335 - May cause respiratory initiation H336 - May cause respiratory initiation H337 - May cause respiratory initiation H338 - May cause respiratory initiation H339 - Causes skin initiation H330 - May cause respiratory initiation H330 - May cause respirato	roduct form	: Substance	
raduct code : 2629-1-60 cmula : C10411004 yonyms : Methy 5-acces/sale/glate ther means of identification : MFCD00040524 2. Relevant identified uses of the substance or mixture and uses advised against set of the substance/mixture : Laboratory chemicals Manufacture of substances Scientific research and development 3. Details of the supplier of the salety data sheet ynCuest Laboratories, Inc. (), Box 300 Laborator, PMC 200 Laborator, PMC 200 Labor	ubstance name	: Methyl 5-acetyl-2-hydroxybenzoate	
ormula : C10H1004 ynonyms : Methyl 5-acetylsalicylate ther means of identification : Microbiologyad 2. Relevant identified uses of the substance or mixture and uses advised against se of the substance/mixture : Laboratory chemicals Manufacture of substances Scientific research and development 3. Details of the suppler of the safety data sheet ynQuesi Laboratories, Inc. 0. Box 309 labular, FL 32615 - United States of America (386) 462-7078 + F (386) 462-7078 + (386) 462-7078 + F (386) 462-7078 + (386) 462-7078 + F (386) 462-7078 + C (Bassification of the substance or mixture Bergency unber : (844) 523-4086 (3E Company - Account 10069) ECTION 2: Hazard(s) Identification 4. Classification of the substance or mixture Issessification (0H5-US) kin Irtit 2 H315 - Causes skin irritation ye Irtit 2A H319 - Causes serious eye irritation 10 text of H-phrases: see section 16 2. Label elements H3-US labeling azard pictograms (GH5-US) if and issess serious eye irritation recautionary statements (GH5-US) : P315 - Causes skin irritation recautionary statements (GH5-US) : P315 - Causes skin irritation F21 - Label elements : P315 - Causes serious eye irritation T335 - May cause respiratory irritation H319 - Causes serious eye irritation T335 - May cause respiratory irritation : P319 - Causes serious eye irritation : P319 - Causes serious eye irritation : P319 - Causes serious eye irritation : P329 - P329 - I'ritation : P329 - P329 - I'ritation : P335 - May cause respiratory irritation : P335 - May cause respiratory irritation : P335 - May cause respiratory irritation : P336 - May cause respiratory irritation : P337 - P333 - I'ritation means irritation : P336 - May cause respiratory irritation : P337 - P333 - I'ritation means irritation means irritation : P337 - P333 - I'ritation means irritation means irritation : P337 - P333 - I'ritation means irritation : P337 - P333 - I'ritation means irritation mixing means irritation : P337 - P333 - I'ritation means irritation misi	AS No	: 16475-90-4	
ynonyms : Methyl 5-acetylsalicylate ther means of identification : MFCD00040924 2. Relevant identificatuses of the substance or mixture and uses advised against se of the substance/mixture :: Laboratory chemicals Manufacture of substances Scientific research and development 3. Details of the supplier of the safety data sheet ynQuest Laborators, Inc. O. Deo X99 lachua, FJ 32615 - United States of America (360) 462-0767 fotB synquestiabs.com - www.synquestiabs.com 4. Energy telephone number mergency number : (844) 523-4086 (3E Company - Account 10069) ECTION 2: Hazard(s) identification 1. Classification of the substance or mixture tassification (GHS-US) kin Irn 2. H315 - Causes schious explicitation 1. Classification of the substance or mixture tassification (GHS-US) kin Irn 2. H315 - Causes schious explicitation 1. Classification of the substance or mixture tassification (GHS-US) kin Irn 2. H315 - Causes schious explicitation 2. Label elements HS-US labeling azard pictograms (GHS-US) ignal word (GHS-US) is Waning azard statements (GHS-US) is Waning azard statements (GHS-US) is P261 - Avoid breaking dust, mist, stray P264 - Wash schi moroughy dust, mist, stray P264 - Wash schi moroughy dust printation P304-P305 - Horous verse respiratory irritation P304-P305 - Horous verse respiratory irritation P304-P305 - Horous verse respiratory irritation P304-P305 - H304 causes schi minitation P304-P305 - H304 causes explication dust, mist, stray P264 - Wash schi moroughy dust erhanding P271 - Use only outdoors or in a well-vertiated area P304-P305 - Horous verse prioratory irritation P304-P305 - Hindex: Remove or onto the subel) P304-P305 - Hindex: Remove or onto this babe) P304-P305 - Hindex: Remove or onto the subel) P304-P305 - Hindex: Remove or onto this adverse mainter on this babe) P337-P313 - H skin irritation course: Get medical advice/attention (B304-P337-P313 - H skin irritation course: Get medical advice/attention P304-P305 - H304 - H305 - H304 couse parks in the ou	roduct code	: 2629-1-60	
ther means of identification : MFCD00040924 2. Relevant identified uses of the substance or mixture and uses advised against se of the substance/mixture : Laboratory chemicals Manufacture of substances Scientific research and development 3. Details of the supplier of the safety data sheet ynOuest Laboratories, Inc. O, Box 309 lachua, FL 32615 - United States of America (369) (462.708 r (269) 462.708 r (269) (369) (462.708 r (269) 462.708 r (269) 462.709 r Magnature of autostances scientific research and development 4. Emergency telephone number mergency number mergency number telestification of the substance or mixture 1. Classification (GHS-US) scientific 2. Label elements HS-US labeling azard bit elements HS-US labeling azard statements (GHS-US) : Warning azard statements (GHS-US) : Pati - Avoid breathing dust, mist, spray P240 - Vace have infration H319 - Causes serion seve infration H319 - P21 - Void breathing dust, mist, spray P320 - Vace in the infrate or course (reprinty or course in a well-ventilated area P304-P304 - 1 inhabet: Remove proton to free areat mixtures. Remove co p304-P305 - 1 in habet: Remove proton to free infrate mixtures. Remove co p304-P305 - 1 in habet: Remove proton to free in and heave contoricated protection P3	ormula	: C10H10O4	
2. Relevant identified uses of the substance or mixture and uses advised against se of the substance/mixture is Laboratory chemicals Manufacture of substances Scientific research and development 3. Details of the supplier of the safety data sheet ynOuest Laboratories, Inc. O, Box 309 Iachua, FL 32615 - United States of America (386) 462-0789 - F (386) 462-7097 (386) 462-0789 - F (386) 462-0789 (386) 462-0789 - F (386) 462-078 (386) 462-0789 - F (386) 462-078 (386) 462-0789	vnonyms	: Methyl 5-acetylsalicylate	
2. Relevant identified uses of the substance or instrure and uses advised against se of the substance/mixture i Laboratory chemicals Manufacture of substances Scientific research and development 3. Details of the supplier of the safety data sheet yn/Quest Laboratories, Inc. O, Box 309 Iachua, FL 32615 - United States of America (366) 462-0789 - F (386) 462-7097 (366) 442-0789 - F (386) 462-7097 (367) 44 Emergency telephone number mergency number i (844) 523-4086 (3E Company - Account 10069) ECTION 2: Hazard(5) Identification 1. Classification of the substance or mixture Iassification (CHS-US) Kin Irrit, 2 H315 - Causes scinue repriration perform that the substance or performance of the substance or mixture Iassification (CHS-US) Kin Irrit, 2 H315 - Causes scinue repriration TOF 52 H 1353 - May cause respiratory inftation UI text of H-phrases: see section 16 2. Label elements HS-US labeling azard pictograms (GHS-US) i H315 - Causes skin inftation H319 - Causes skin inftation H319 - Causes skin unitation H319 - Causes skin unitati	, ,		
se of the substance/mixture : Laboratory chemicals Manufacture of substances Scientific research and development 3. Details of the supplier of the safety data sheet mQuest Laboratories, Inc. O, Dox 309 achua, FL 32615 - United States of America (389) 462-0785 - (789) 462-7097 for@synquestiabs.com - www.synquestiabs.com 4. Emergency telephone number mergency number : (844) 523-4086 (3E Company - Account 10069) ECTION 2: Hazard(s) identification 1. Classification of the substance or mixture lassification (GHS-US) kin Irit. 2. H315 - Causes skin irritation [etrit. 2A H319 - Causes skin irritation [etrit. 2A H319 - Causes serious eye irritation TOT SE 3 H335 - May cause respiratory irritation lite stot H-phrases: see section 16 2. Label elements HS-US labeling azard pictograms (GHS-US) : Warning azard pictograms (GHS-US) : Warning azard statements (GHS-US) : P261 - Avoid breating dust, mist, spray P264 - Wash skin throughly after handing P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protection/face protection/ P284 - Wash skin throughly after handing P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protection/face protection/ P304-P302 - I finale Pint Say and water for several minutes. Remove cor leness, if present and easy to do. Continue first aid instructions on this label) P334-P313 - If skin irritation persists: Get medical advice/attention P337+P31 - If skin irritation persists: Get medical advice/attention P337+P31 - If skin irritation persists: Get medical advice/attention			
Manufacture of substances Scientific research and development 3. Details of the supplier of the safety data sheet yrGuest Laboratories, Inc. O. Box 309 lachua, FL 32615 - United States of America (389) 462-0786 F (386) 462-0786 log_Synquestlabs.com + www.synquestlabs.com 4. Energency telephone number mergency number tergency number			
ynQuest Laboratories, Inc. (2) Box 309 lachua, FL 32015 - United States of America (386) 462-0788 - F (386) 462-7097 (386) 462-0788 - F (386) 462-7097 (387) 46240 States cont - www.svrquestlabs.com 4. Emergency telephone number mergency number (844) 523-4086 (3E Company - Account 10069) ECTION 2: Hazard(s) identification 1. Classification of the substance or mixture tassification (GHS-US) (HS-US) (HT, 2, H315 - Causes skini irritation yel Irrit. 2A H319 - Causes serious eye irritation UII text of H-phrases: see section 16 2. Label elements HS-US labeling azard pictograms (GHS-US) ignal word (GHS-US) ignal word (GHS-US) : Warning azard statements (GHS-US) : Warning recautionary statements (GHS-US) : Warning P264 - Wash skin throughly after handling P271 - Use only outdoors eyind with related area P280 - Wash skin throughly after handling P271 - Use on in a well-ventilated area P280 - Wash skin throughly after handling P271 - Use on in a well-ventilated area P280 - Wash skin throughly after handling P271 - Use on in a well-ventilated area P280 - Wear protective dothing/eye protection/face protection P302+P332 - If in eyes. Rine cautionary with water for several minutes. Remove or lenses, if present and easy to do. Continue rinsing P304 - P331 - If is with irritation partistics in first aid instructions on this label) P332+P313 - If is with irritation partistics. Get medical advice/attention P332+P313 - If is kin irritation partistics. Get medical advice/attention P332+P313 - If is kin irritation partistics. Get medical advice/attention P332+P313 - If is kin irritation partistics. Get medical advice/attention	se of the substance/mixture	Manufacture of substances	
(C) Box 309 Stachus, FJ. 32615 - United States of America (366) 462-0788 - F (386) 462-7097 fo@synquestlabs.com / www.synquestlabs.com 4. Emergency telephone number mergency number : (844) 523-4086 (3E Company - Account 10069) ECTION 2: Hazard(s) identification 1. Classification of the substance or mixture tassification (GHS-US) kin Inft. 2 H315 - Causes skin irritation ye Inft. 2A H319 - Causes serious eye irritation ye Inft. 2A H319 - Causes serious eye irritation ye Inft. 2A H319 - Causes serious eye irritation ye Inft. 2A H319 - Causes serious eye irritation ull text of H-phrases: see section 16 E 2. Label elements HS-US labeling E azard pictograms (GHS-US) : Warning azard statements (GHS-US) : Warning recautionary statements (GHS-US) : P261 - Avoid breathing dust, mist, spray P264 - Wash skin thoroughy after handling P271 - Use only outdoors or in a well-wentilated area P280 - Wear protective gloves/protective cloin/give protection/face protection P2924 - Wash skin thoroughy after han	3. Details of the supplier of the sa	ifety data sheet	
intergency number : (844) 523-4086 (3E Company - Account 10069) ECTION 2: Hazard(s) identification 1. Classification of the substance or mixture classification (GHS-US) kin Irit 2: H315 - Causes skin irritation YUP Irit 2: H315 - Causes serion is eviritation YUP Irit 2: H315 - Sauses serion is eviritation H319 - Causes serious ever irritation H319 - Causes serious ever irritation H319 - Causes serious ever irritation H319 - Causes serious ever irritation H315 - May cause respiratory irritation H315 - May cause respiratory irritation H319 - Causes serious ever espiratory irritation H319 - Causes All POISON CENTER or doctor/physician if you feel unwell P304-P340 - I inhaled: Remove person to fresh air and keep comfordable for breathing P304-P340 - I inhaled: Remove person to fresh air and keep comfordable for breathing P304-P340 - I inhaled: Remove person to fresh air and keep comfordable for breathing P304-P340 - I inhaled: Remove person to fresh air and keep comfordable for breathing P304-P340 - I inhaled: Remove person to fresh air and keep comfordable for breathing P304-P340 - I inhaled: Remove person to fresh air and keep comfordable for breathing P304-P340 - I inhaled: Remove person to fresh air and keep comfordable for breathing P304-P340 - I inhaled: Remove person to fresh air and keep comfordable for breathing P304-P340 - I inhaled: Remove	.O. Box 309 Jachua, FL 32615 - United States of Amer (386) 462-0788 - F (386) 462-7097		
ECTION 2: Hazard(s) identification 1. Classification of the substance or mixture Issification (GHS-US) In the substance or mixture Issification (GHS-US) Issification (GHS-US) Issification (GHS-US) <td colspa<="" td=""><td>4. Emergency telephone number</td><td></td></td>	<td>4. Emergency telephone number</td> <td></td>	4. Emergency telephone number	
1. Classification of the substance or mixture tassification (GHS-US) kin Irit. 2 H315 - Causes skin iritation ye Irit. 2A H319 - Causes serious eye irritation TOT SE 3 H335 - May cause respiratory irritation ull text of H-phrases: see section 16 Example Example Example 2. Label elements Example Example Example ignal word (GHS-US) : Image: Course skin irritation Example Example Example ignal word (GHS-US) : Warning Example <	mergency number	: (844) 523-4086 (3E Company - Account 10069)	
lazard pictograms (GHS-US) : ignal word (GHS-US) : ignal word (GHS-US) : lazard statements (GHS-US) : H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation recautionary statements (GHS-US) : P261 - Avoid breathing dust, mist, spray P264 - Wash skin throroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 - If on skin: Wash with plenty of soap and water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P304+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove ca lenses, if present and easy to do. Continue rinsing P312 - Call a POISON CENTER or doctor/physician if you feel unwell P321 - Specific treatment (see supplemental first aid instructions on this label) P321 - Specific treatment (see supplemental first aid instructions on this label) P337+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention	kin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye TOT SE 3 H335 - May cause respirato	irritation	
ignal word (GHS-US) : Warning lazard statements (GHS-US) : H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation rrecautionary statements (GHS-US) : P261 - Avoid breathing dust, mist, spray P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 - If on skin: Wash with plenty of scap and water P306+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove co lenses, if present and easy to do. Continue rinsing P312 - Call a POISON CENTER or doctor/physician if you feel unwell P321 - Specific treatment (see supplemental first aid instructions on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention	kin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye TOT SE 3 H335 - May cause respirato full text of H-phrases: see section 16	irritation	
 Hazard statements (GHS-US) H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation Precautionary statements (GHS-US) P261 - Avoid breathing dust, mist, spray P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 - If on skin: Wash with plenty of soap and water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove ca lenses, if present and easy to do. Continue rinsing P312 - Call a POISON CENTER or doctor/physician if you feel unwell P321 - Specific treatment (see supplemental first aid instructions on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention 	Skin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements SHS-US labeling	irritation	
 Hazard statements (GHS-US) H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation Precautionary statements (GHS-US) P261 - Avoid breathing dust, mist, spray P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 - If on skin: Wash with plenty of soap and water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove ca lenses, if present and easy to do. Continue rinsing P312 - Call a POISON CENTER or doctor/physician if you feel unwell P321 - Specific treatment (see supplemental first aid instructions on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention 	kin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye TOT SE 3 H335 - May cause respirato full text of H-phrases: see section 16 .2. Label elements SHS-US labeling	irritation bry irritation	
 recautionary statements (GHS-US) P261 - Avoid breathing dust, mist, spray P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 - If on skin: Wash with plenty of soap and water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove co lenses, if present and easy to do. Continue rinsing P312 - Call a POISON CENTER or doctor/physician if you feel unwell P321 - Specific treatment (see supplemental first aid instructions on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention 	kin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye TOT SE 3 H335 - May cause respirato ull text of H-phrases: see section 16 .2. Label elements HS-US labeling lazard pictograms (GHS-US)	irritation bry irritation : : : : : : : : : : : : : : : : : : :	
P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up	ikin Irrit. 2 H315 - Causes skin irritation eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato full text of H-phrases: see section 16 .2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	 irritation bry irritation : irritation : irritation : GHS07 : Warning : H315 - Causes skin irritation H319 - Causes serious eye irritation 	
	kin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye TOT SE 3 H335 - May cause respirato ull text of H-phrases: see section 16 2. Label elements HS-US labeling azard pictograms (GHS-US) gnal word (GHS-US) azard statements (GHS-US)	 irritation ny irritation irritation irr	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.2 Other herende				
2.3. Other hazards No additional information available				
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
SECTION 3: Composition/information of	on inc	uradiante		
3.1. Substance		redients		
	Mono	constituent		
			~	
Name Methyl 5-acetyl-2-hydroxybenzoate		Product identifier (CAS No) 16475-90-4	% <= 100	Classification (GHS-US) Skin Irrit. 2, H315
(Main constituent)		(CAS NO) 10473-90-4	<= 100	Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general :		e of accident or if you feel unwell, seek r possible). Move the affected personnel		, , , , , , , , , , , , , , , , , , , ,
First-aid measures after inhalation :		e person to fresh air and keep comforta tion. Get medical advice/attention.	ble for breathin	g. If not breathing, give artificial
First-aid measures after skin contact :	Wash	with plenty of soap and water. Get medi	cal advice/atten	tion.
First-aid measures after eye contact :		liately flush eyes thoroughly with water f t and easy to do. Continue rinsing. Get		
First-aid measures after ingestion :		T induce vomiting. Never give anything out with water. Get medical advice/atter	,	unconscious person. Rinse
4.2. Most important symptoms and effects,	both a	cute and delayed		
Symptoms/injuries :		ost important known symptoms and effe id/or in section 11.	cts are describe	ed in the labelling (see section
4.3. Indication of any immediate medical at	tention	and special treatment needed		
Treat symptomatically.				
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
• •		ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire.	wder. Water sp	ray. Use extinguishing media
5.2. Special hazards arising from the subst	ance o	r mixture		
Fire hazard :	Therm	al decomposition generates: Carbon oxi	des.	
5.3. Advice for firefighters				
Firefighting instructions :	In case	e of fire: Evacuate area.		
Protection during firefighting :	•••			
SECTION 6: Accidental release measures				
6.1. Personal precautions, protective equip	ment a	nd emergency procedures		
General measures :	Evacua	ate unnecessary personnel. Ensure ade	quate air ventila	ation. Do not breathe dust.
6.1.1. For non-emergency personnel				
Emergency procedures :	Only q	ualified personnel equipped with suitable	e protective equ	ipment may intervene.
6.1.2. For emergency responders				
Protective equipment :		attempt to take action without suitable p section 8: "Exposure controls/personal		ment. For further information
6.2. Environmental precautions				

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for contain	. Methods and material for containment and cleaning up			
For containment	: Stop leak if safe to do so.			
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.			
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".			
6.4. Reference to other sections				
No additional information available				
SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good			

-	ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	g any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.

Storage area	: Store in dry, cool, well-ventilated area.
Otoruge area	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1.	Information on basic physical a	nd chemical properties
Physic	al state	: Solid
Color		: No data available
Odor		: No data available
Odor th	hreshold	: No data available
pН		: No data available
Melting	g point	: 62 - 64 °C
Freezir	ng point	: No data available
Boiling	point	: No data available
Flash p	point	: No data available
Relativ	e evaporation rate (butyl acetate=1)	: No data available
Flamm	ability (solid, gas)	: No data available
Explos	ion limits	: No data available
Explos	ive properties	: No data available
Oxidizi	ng properties	: No data available
Vapor	pressure	: No data available
Relativ	e density	: No data available
Relativ	e vapor density at 20 °C	: No data available
Molecu	ular mass	: 194.18 g/mol

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available

SECT	ION 10: Stability and reactivity	
10.1.	Reactivity	
No add	itional information available	
10.2.	Chemical stability	
The pro	duct is stable at normal handling and sto	prage conditions.
10.3.	Possibility of hazardous reactions	
No add	itional information available	
10.4.	Conditions to avoid	
Keep a	way from heat, sparks and flame.	
10.5.	Incompatible materials	
Strong	oxidizing agents.	
10.6.	Hazardous decomposition products	3
	normal conditions of storage and use, haz e Section 5.	zardous decomposition products should not be produced. Hazardous decomposition products in case of
SECT	ION 11: Toxicological informat	ion
11.1.	Information on toxicological effects	
Acute to	oxicity	: Not classified
Skin co	rrosion/irritation	Causes skin irritation

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified

Aspiration hazard

: Not classified

SECT	ION 12: Ecological information	on		
12.1.	Toxicity			
No add	itional information available			
12.2.	Persistence and degradability			
No add	itional information available			
12.3.	Bioaccumulative potential			
No add	itional information available			
12.4.	Mobility in soil			
No add	itional information available			
12.5.	Other adverse effects			
No add	itional information available			
12/06/20	016	EN (English US)	SDS ID: 2629160	4/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerati	one	
13.1. Waste treatment methods		
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.	
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Additional information	: Recycle the material as far as possible.	
SECTION 14: Transport informatio	n	
Department of Transportation (DOT)		
In accordance with DOT		
Not regulated for transport		
TDG		
No additional information available		
Transport by sea		
No additional information available		
Air transport		
No additional information available		
SECTION 15: Regulatory informati	on	
15.1. US Federal regulations		
All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:		

Methyl 5-acetyl-2-hydroxybenzoate	CAS No 16475-90-4	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

Methyl 5-acetyl-2-hydroxybenzoate (16475-90-4)	
Listed on the Japanese ISHL (Industrial Safety and Health Law)	

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.	
NFPA fire hazard	: 0 - Materials that will not burn.	
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.	
HMIS III Rating		
Health	: 2 Moderate Hazard - Temporary or minor injury may occur	
Flammability	: 0 Minimal Hazard - Materials that will not burn	
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.