

Safety Data Sheet 2701HX3 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 05/17/2016 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: 3-lodobenzyl alcohol
CAS No	: 57455-06-8
Product code	: 2701-H-X3
Formula	: C7H7IO
Synonyms	: (3-lodophenyl)methanol
Other means of identification	: MFCD00004635
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the sa	afety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Amer T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlab 1.4. Emergency telephone number	
1.4. Emergency telephone number Emergency number	: (844) 523-4086 (3E Company - Account 10069)
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16	ritation
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirate Full text of H-phrases: see section 16 2.2. Label elements	ritation
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16	e irritation bry irritation
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	e irritation bry irritation : : GHS07
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	e irritation bry irritation
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	 irritation bry irritation : irritation : irritation : Warning : H315 - Causes skin irritation H319 - Causes serious eye irritation

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS U	IS)			
Not applicable				
SECTION 3: Composition/inform	ation on in	gredients		
3.1. Substance				
Substance type	: Mono	p-constituent		
Name		Product identifier	%	Classification (GHS-US)
3-lodobenzyl alcohol (Main constituent)		(CAS No) 57455-06-8	<= 100	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measure	es			
First-aid measures general		se of accident or if you feel unwell, seek e possible). Move the affected personne		
First-aid measures after inhalation		ove person to fresh air and keep comfor ration. Get medical advice/attention.	able for breathing	g. If not breathing, give artificial
First-aid measures after skin contact		n with plenty of soap and water. Get mee		
First-aid measures after eye contact	prese	ediately flush eyes thoroughly with water ent and easy to do. Continue rinsing. Ge	medical advice/a	attention.
First-aid measures after ingestion		OT induce vomiting. Never give anything h out with water. Get medical advice/atte		unconscious person. Rinse
4.2. Most important symptoms and	effects, both	acute and delayed		
Symptoms/injuries		nost important known symptoms and eff and/or in section 11.	ects are describe	d in the labelling (see section
4.3. Indication of any immediate me	dical attentio			
		n and special treatment needed		
Treat symptomatically.		n and special treatment needed		
		n and special treatment needed		
SECTION 5: Firefighting measure		n and special treatment needed		
SECTION 5: Firefighting measure	es : Alcoh	n and special treatment needed nol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire.	owder. Water sp	ray. Use extinguishing media
SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media	es : Alcoh appro	nol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire.	owder. Water sp	ray. Use extinguishing media
SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the	es : Alcoh appro	nol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire.		
SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard	es : Alcoh appro e substance : Therr : Risk	nol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture	kides. Hydrogen i	odide.
Suitable extinguishing media	es : Alcoh appro e substance : Therr : Risk	nol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture mal decomposition generates: Carbon o of explosion if heated under confinemen	kides. Hydrogen i	odide.
SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters	ES : Alcoh appro e substance : Therr : Risk conta	nol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture mal decomposition generates: Carbon o of explosion if heated under confinemen	ides. Hydrogen i t. Use water spra	odide. y or fog for cooling exposed
SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard	ES : Alcoh appro e substance : Therr : Risk conta : In cas : Wear	nol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture mal decomposition generates: Carbon of of explosion if heated under confinemen iners.	ides. Hydrogen i t. Use water spra tely due to the ris in combination w	odide. y or fog for cooling exposed sk of explosion. ith self contained breathing
SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release r	ES : Alcoh appro e substance : Therr : Risk conta : In ca : Wear appa neasures	nol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture nal decomposition generates: Carbon of of explosion if heated under confinemen iners. se of fire: Evacuate area. Fight fire remo gas tight chemically protective clothing ratus. For further information refer to sec	ides. Hydrogen i t. Use water spra tely due to the ris in combination w	odide. y or fog for cooling exposed sk of explosion. ith self contained breathing
SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release r 6.1. Personal precautions, protective	es : Alcoh appro e substance (: Therr : Risk (conta : In ca: : Wear appa neasures re equipment	nol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture mal decomposition generates: Carbon of of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remo- gas tight chemically protective clothing ratus. For further information refer to sec and emergency procedures	kides. Hydrogen i t. Use water spra tely due to the ris in combination w tion 8: "Exposure	odide. y or fog for cooling exposed sk of explosion. ith self contained breathing e controls/personal protection".
SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release r 6.1. Personal precautions, protective	es : Alcoh appro e substance (: Therr : Risk conta : In cas : Wear appa neasures re equipment : Evac	nol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture nal decomposition generates: Carbon of of explosion if heated under confinemen iners. se of fire: Evacuate area. Fight fire remo gas tight chemically protective clothing ratus. For further information refer to sec	kides. Hydrogen i t. Use water spra tely due to the ris in combination w tion 8: "Exposure	odide. y or fog for cooling exposed sk of explosion. ith self contained breathing e controls/personal protection".
SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release r 6.1. Personal precautions, protective General measures	es : Alcoh appro e substance (: Therr : Risk conta : In cas : Wear appa neasures re equipment : Evac	nol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture nal decomposition generates: Carbon of of explosion if heated under confinemen iners. se of fire: Evacuate area. Fight fire remo gas tight chemically protective clothing ratus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure ad	kides. Hydrogen i t. Use water spra tely due to the ris in combination w tion 8: "Exposure	odide. y or fog for cooling exposed sk of explosion. ith self contained breathing e controls/personal protection".
SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media Suitable extinguishing media S.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release r 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel	ES : Alcoh appro e substance of : Therr : Risk : Conta : In cas : Wear appa neasures /e equipment : Evac vapor	nol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture nal decomposition generates: Carbon of of explosion if heated under confinemen iners. se of fire: Evacuate area. Fight fire remo gas tight chemically protective clothing ratus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure ad	kides. Hydrogen i t. Use water spra tely due to the ris in combination w tion 8: "Exposure equate air ventila	odide. y or fog for cooling exposed sk of explosion. ith self contained breathing e controls/personal protection".
SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release r 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures	ES : Alcoh appro e substance of : Therr : Risk : Conta : In cas : Wear appa neasures /e equipment : Evac vapor	nol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture mal decomposition generates: Carbon or of explosion if heated under confinemen iners. se of fire: Evacuate area. Fight fire remo gas tight chemically protective clothing ratus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure ad r or spray.	kides. Hydrogen i t. Use water spra tely due to the ris in combination w tion 8: "Exposure equate air ventila	odide. y or fog for cooling exposed sk of explosion. ith self contained breathing e controls/personal protection". tion. Do not breathe gas, fumes,
SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release r 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures	ES : Alcoh appro- e substance of : Therr : Risk of conta : In cas : Wear appa neasures re equipment : Evac vapor : Only : Do no	nol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture mal decomposition generates: Carbon or of explosion if heated under confinemen iners. se of fire: Evacuate area. Fight fire remo gas tight chemically protective clothing ratus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure ad r or spray.	kides. Hydrogen i t. Use water spra tely due to the ris in combination w tion 8: "Exposure equate air ventila le protective equip	odide. y or fog for cooling exposed sk of explosion. ith self contained breathing e controls/personal protection". tion. Do not breathe gas, fumes, ipment may intervene.
SECTION 5: Firefighting measure 5.1. Extinguishing media Suitable extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release r 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders	es : Alcoh appro e substance of : Therr : Risk conta : In cas : Wear appa neasures /e equipment : Evac vapor : Only : Do no refer	nol resistant foam. Carbon dioxide. Dry propriate for surrounding fire. or mixture mal decomposition generates: Carbon or of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remo- gas tight chemically protective clothing ratus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure ad r or spray. qualified personnel equipped with suitate to section 8: "Exposure controls/persona- yapor heavier than air. May accumulate	kides. Hydrogen i t. Use water spra tely due to the ris in combination w etion 8: "Exposure equate air ventila le protective equip al protection".	odide. y or fog for cooling exposed k of explosion. ith self contained breathing c controls/personal protection". tion. Do not breathe gas, fumes, ipment may intervene. ment. For further information

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precau	itions
Avoid release to the environment	Notify authorities if product enters sewers or public waters.
6.3. Methods and material	for containment and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other se	ctions
No additional information availab	e
SECTION 7: Handling an	d storage
7.1. Precautions for safe l	andling
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe st	orage, including any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

12/06/2016	EN (English LIS)	2/6
Vapor pressure	: No data available	
Oxidizing properties	: No data available	
Explosive properties	: No data available	
Explosion limits	: No data available	
Flammability (solid, gas)	: No data available	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flash point	: No data available	
Boiling point	: 254 - 255 °C (@ 711 mm Hg)	
Freezing point	: No data available	
Melting point	: No data available	
рН	: No data available	
Odor threshold	: No data available	
Odor	: No data available	
Color	: No data available	
Physical state	: Liquid	
9.1. Information on basic physical and	d chemical properties	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.842 g/ml (@ 25 °C)
Molecular mass	: 234.03 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Refractive index	· 1 6361 (@ 20 °C)

Refractive index

: 1.6361 (@ 20 °C)

SECT	ON 10: Stability and reactivity
10.1.	Reactivity
No addi	tional information available
10.2.	Chemical stability
The pro	duct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions
No addi	tional information available
10.4.	Conditions to avoid
Keep av	vay from heat, sparks and flame.
10.5.	Incompatible materials

Acids. Acid chlorides. Acid anhydrides. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	

SECTI	SECTION 12: Ecological information			
12.1.	Toxicity			
No addit	ional information available			
12.2.	Persistence and degradability			
No addit	ional information available			
12.3.	Bioaccumulative potential			
No addit	ional information available			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.
SECTION 14: Transport informa	tion
Department of Transportation (DOT)	
In accordance with DOT	
Not regulated for transport	
TDG	
No additional information available	
Transport by sea	
No additional information available	
Air transport	
No additional information available	
SECTION 15: Regulatory inform	ation

	3-lodobenzyl alcohol	CAS No 57455-06-8	100%
--	----------------------	-------------------	------

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.