

# **2-(2,5-Dimethylphenyl)hexafluoroisopropanol** Safety Data Sheet 2703325 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 02/09/2016 Version: 1.0

SECTION 1: Identification	
.1. Identification	
Product form	: Substance
Substance name	: 2-(2,5-Dimethylphenyl)hexafluoroisopropanol
AS No	: 28180-47-4
roduct code	: 2703-3-25
ormula	: C11H10F6O
ynonyms	: 2-(2-Hydroxyhexafluoroisopropyl)-p-xylene
ther means of identification	: MFCD00041490
	ubstance or mixture and uses advised against
se of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
.3. Details of the supplier of the safe	ety data sheet
SynQuest Laboratories, Inc. 2.O. Box 309 Nachua, FL 32615 - United States of America (386) 462-0788 - F (386) 462-7097 nfo@synguestlabs.com - www.synguestlabs.	
.4. Emergency telephone number	
mergency number	: (844) 523-4086 (3E Company - Account 10069)
Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation	
kin Irrit. 2 H315 - Causes skin irritation by Irrit. 2A H319 - Causes serious eye ir TOT SE 3 H335 - May cause respiratory full text of H-phrases: see section 16 .2. Label elements	
kin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye ir TOT SE 3 H335 - May cause respiratory full text of H-phrases: see section 16 .2. Label elements SHS-US labeling	
kin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye ir TOT SE 3 H335 - May cause respiratory full text of H-phrases: see section 16 .2. Label elements GHS-US labeling lazard pictograms (GHS-US)	
kin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye ir TOT SE 3 H335 - May cause respiratory full text of H-phrases: see section 16 .2. Label elements GHS-US labeling lazard pictograms (GHS-US)	y irritation
kin Irrit. 2 H315 - Causes skin irritation ye Irrit. 2A H319 - Causes serious eye ir TOT SE 3 H335 - May cause respiratory full text of H-phrases: see section 16 .2. Label elements SHS-US labeling	y irritation : : GHS07

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

0.0 Others harmonda					
2.3. Other hazards					
No additional information available 2.4. Unknown acute toxicity (GHS US)					
Not applicable					
SECTION 3: Composition/informat	ion on in	gredients			
3.1. Substance					
Substance type	: Mono	p-constituent			
Name		Product identifier	%	Classification (GHS-US)	
2-(2,5-Dimethylphenyl)hexafluoroisopropanol (Main constituent)		(CAS No) 28180-47-4	<= 100	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335	
Full text of H-phrases: see section 16					
3.2. Mixture					
Not applicable					
SECTION 4: First aid measures					
4.1. Description of first aid measures					
First-aid measures general		se of accident or if you feel unwell, seek e possible). Move the affected personnel			
First-aid measures after inhalation		ove person to fresh air and keep comfort ration. Get immediate medical advice/att		g. If not breathing, give artifici	al
First-aid measures after skin contact	: Wash	with plenty of soap and water. Get imm	ediate medical a	dvice/attention.	
First-aid measures after eye contact		ediately flush eyes thoroughly with water ent and easy to do. Continue rinsing. Get			s, if
First-aid measures after ingestion		OT induce vomiting. Never give anything h out with water. Get immediate medical		•	
4.2. Most important symptoms and eff	ects, both	acute and delayed			
Symptoms/injuries		nost important known symptoms and effo and/or in section 11.	ects are describe	ed in the labelling (see section	
4.3. Indication of any immediate media	cal attentio	n and special treatment needed			
<b>4.3. Indication of any immediate media</b> Treat symptomatically.	cal attentio	n and special treatment needed			
Treat symptomatically.	cal attentio	n and special treatment needed			
Treat symptomatically. SECTION 5: Firefighting measures	cal attentio	n and special treatment needed			
Treat symptomatically.	: Alcor	n and special treatment needed nol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire.	owder. Water sp	ray. Use extinguishing media	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media	: Alcoh appro	ol resistant foam. Carbon dioxide. Dry p priate for surrounding fire.	owder. Water sp	ray. Use extinguishing media	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media	: Alcoh appro	ol resistant foam. Carbon dioxide. Dry p priate for surrounding fire.			
Treat symptomatically.         SECTION 5: Firefighting measures         5.1.       Extinguishing media         Suitable extinguishing media         5.2.       Special hazards arising from the statement of the s	: Alcoh appro substance : Therr : Risk	ol resistant foam. Carbon dioxide. Dry p priate for surrounding fire. pr mixture	ides. Hydrogen	fluoride.	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the s Fire hazard	: Alcoh appro substance : Therr : Risk	ol resistant foam. Carbon dioxide. Dry p priate for surrounding fire. or mixture nal decomposition generates: Carbon ov of explosion if heated under confinement	ides. Hydrogen	fluoride.	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the s Fire hazard Explosion hazard	: Alcoh appro substance : Therr : Risk conta	ol resistant foam. Carbon dioxide. Dry p priate for surrounding fire. or mixture nal decomposition generates: Carbon ov of explosion if heated under confinement	ides. Hydrogen . Use water spra	fluoride. ay or fog for cooling exposed	
Treat symptomatically.         SECTION 5: Firefighting measures         5.1.       Extinguishing media         Suitable extinguishing media         5.2.       Special hazards arising from the second	: Alcoh appro substance : Therr : Risk conta : In cas : Wear	ol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture nal decomposition generates: Carbon ov of explosion if heated under confinement iners.	ides. Hydrogen . Use water spra tely due to the ris n combination w	fluoride. ay or fog for cooling exposed sk of explosion. <i>v</i> ith self contained breathing	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the s Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions	: Alcoh appro substance ( : Therr : Risk conta : Risk : In ca : Wear appa	ol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture nal decomposition generates: Carbon ov of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remo	ides. Hydrogen . Use water spra tely due to the ris n combination w	fluoride. ay or fog for cooling exposed sk of explosion. <i>v</i> ith self contained breathing	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the s Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting	: Alcoh appro substance : Therr : Risk conta : In cas : Wear appa asures equipment	ool resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture nal decomposition generates: Carbon ov of explosion if heated under confinement iners. Se of fire: Evacuate area. Fight fire remo gas tight chemically protective clothing ratus. For further information refer to sec and emergency procedures	tides. Hydrogen . Use water spra tely due to the ris n combination w tion 8: "Exposure	fluoride. ay or fog for cooling exposed sk of explosion. /ith self contained breathing e controls/personal protection	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the s Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release meters	: Alcoh appro substance : Therr : Risk conta : In cas : Wear appa asures equipment : Evac	ol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture nal decomposition generates: Carbon ov of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remo gas tight chemically protective clothing ratus. For further information refer to sec	tides. Hydrogen . Use water spra tely due to the ris n combination w tion 8: "Exposure	fluoride. ay or fog for cooling exposed sk of explosion. /ith self contained breathing e controls/personal protection	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the s Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release me 6.1. Personal precautions, protective of General measures	: Alcoh appro substance : Therr : Risk conta : In cas : Wear appa asures equipment : Evac	ool resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture nal decomposition generates: Carbon ov of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remo gas tight chemically protective clothing ratus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure add	tides. Hydrogen . Use water spra tely due to the ris n combination w tion 8: "Exposure	fluoride. ay or fog for cooling exposed sk of explosion. /ith self contained breathing e controls/personal protection	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the s Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release me 6.1. Personal precautions, protective of General measures	: Alcoh appro substance ( : Therr : Risk conta : In ca: : Wear appa asures equipment : Evac vapor	ool resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture nal decomposition generates: Carbon ov of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remo gas tight chemically protective clothing ratus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure add	ides. Hydrogen . Use water spra tely due to the ris n combination w tion 8: "Exposure equate air ventila	fluoride. ay or fog for cooling exposed sk of explosion. //ith self contained breathing e controls/personal protection ation. Do not breathe gas, fum	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the s Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release me 6.1. Personal precautions, protective of General measures 6.1.1. For non-emergency personnel	: Alcoh appro substance ( : Therr : Risk conta : In ca: : Wear appa asures equipment : Evac vapor	nol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture nal decomposition generates: Carbon ov of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remo gas tight chemically protective clothing ratus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure ade or spray.	ides. Hydrogen . Use water spra tely due to the ris n combination w tion 8: "Exposure equate air ventila	fluoride. ay or fog for cooling exposed sk of explosion. //ith self contained breathing e controls/personal protection ation. Do not breathe gas, fum	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the s Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release me 6.1. Personal precautions, protective of General measures 6.1.1. For non-emergency personnel Emergency procedures	: Alcoh appro substance d : Therr : Risk i conta : In cas : Wear appa asures equipment : Evac vapol : Only : Do no	nol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture nal decomposition generates: Carbon ov of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remo gas tight chemically protective clothing ratus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure ade or spray.	ides. Hydrogen . Use water spra tely due to the ris n combination w tion 8: "Exposure equate air ventila le protective equip	fluoride. ay or fog for cooling exposed sk of explosion. //ith self contained breathing e controls/personal protection ation. Do not breathe gas, fum	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the s Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release me 6.1. Personal precautions, protective of General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders	: Alcoh appro substance ( : Therr : Risk conta : In ca: : Wear appa asures equipment : Evac vapor : Only : Do no refer	nol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire. or mixture nal decomposition generates: Carbon over of explosion if heated under confinement iners. se of fire: Evacuate area. Fight fire remone gas tight chemically protective clothing ratus. For further information refer to sect and emergency procedures uate unnecessary personnel. Ensure add or spray. qualified personnel equipped with suitable to section 8: "Exposure controls/personal vapor heavier than air. May accumulate i	ides. Hydrogen . Use water spra tely due to the ris n combination w tion 8: "Exposur equate air ventila le protective equip protective equip l protection".	fluoride. ay or fog for cooling exposed sk of explosion. <i>v</i> ith self contained breathing e controls/personal protection ation. Do not breathe gas, fum upment may intervene.	es,

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions		
Avoid release to the environment. Notify auth	orities if product enters sewers or public waters.	
6.3. Methods and material for containment and cleaning up		
For containment : Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.		
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.	
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
6.4. Reference to other sections		
No additional information available		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.	
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, inclu	Iding any incompatibilities	
Technical measures	: Comply with applicable regulations.	
Storage conditions	: Keep container closed when not in use.	
Incompatible materials	: Refer to Section 10 on Incompatible Materials.	
Storage area	: Store in dry, cool, well-ventilated area.	
SECTION 8: Exposure controls/pe	rsonal protection	
8.1. Control parameters		
No additional information available		

8.2.	Exposure controls	
Approp	riate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand p	rotection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye pro	otection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin ar	nd body protection	: Wear suitable protective clothing.
Respira	atory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other i	nformation	: Safety shoes. 29 CFR 1910.136: Foot Protection.

#### **SECTION 9: Physical and chemical properties** 9.1. Information on basic physical and chemical properties Physical state : Liquid Color : No data available : No data available Odor Odor threshold : No data available : No data available pН : No data available Melting point Freezing point : No data available Boiling point : 82 - 83 °C (@ 10 mm Hg) Flash point : > 110 °C Relative evaporation rate (butyl acetate=1) : No data available : No data available Flammability (solid, gas) Explosion limits : No data available Explosive properties : No data available Oxidizing properties : No data available Vapor pressure : No data available 12/06/2016 EN (English US) SDS ID: 2703325

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: No data available
: No data available
: 272.19 g/mol
: No data available
: 1.4331 (@ 20 °C)

SECTIO	ON 10: Stability and reactivity			
10.1.	Reactivity			
No additio	onal information available			
10.2.	Chemical stability			
The produ	uct is stable at normal handling and storage conditions.			
10.3.	Possibility of hazardous reactions			
No additio	No additional information available			
10.4.	Conditions to avoid			
Keep away from heat, sparks and flame.				
10.5.	Incompatible materials			
Strong oxidizing agents.				
10.6.	Hazardous decomposition products			
Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.				

11.1. Information on toxicological effects	ion
Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

12.1.	Toxicity
No addit	onal information available
12.2.	Persistence and degradability
No addit	onal information available
12.3.	Bioaccumulative potential
No addit	onal information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

No additional information available

13.1. Waste treatment methods		
Waste treatment methods	: Remove to an authorized incinerator equipp	ed with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance	e with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.	
SECTION 14: Transport informa	ion	
Department of Transportation (DOT)		
In accordance with DOT		
Not regulated for transport		
TDG		
No additional information available		
Transport by sea		
No additional information available		
Air transport		
No additional information available		
SECTION 15: Regulatory inform	ation	
15.1. US Federal regulations		
All components of this product are listed, Substances Control Act (TSCA) inventor	or excluded from listing, on the United States Environ except for:	mental Protection Agency Toxic
2-(2,5-Dimethylphenyl)hexafluoroisoprop	•	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

CANADA

No additional information available

**EU-Regulations** 

No additional information available

**National regulations** 

No additional information available

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

### **SECTION 16: Other information**

Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 0 - Materials that will not burn.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

#### SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.