

4,6-Di-(tert-butyl)benzene-1,3-diol Safety Data Sheet 27041X3 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 07/02/2018 Version: 1.0

SECTION 1: Identification			
I.1. Identification			
Product form	: Substance		
Substance name		2 dial	
CAS No	: 4,6-Di-(tert-butyl)benzene-1,	5-0101	
	: 5374-06-1		
Product code	: 2704-1-X3		
formula	: C14H22O2		
synonyms	: 4,6-Di-tert-butylresorcinol		
Other means of identification	: MFCD00044513		
.2. Relevant identified uses of the s	substance or mixture and uses adv	ised against	
Jse of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and devel	opment	
.3. Details of the supplier of the saf	fety data sheet		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs 1.4. Emergency telephone number			
Emergency number	: (844) 523-4086 (3E Compan	y - Account 10069)	
	. (044) 323-4000 (3E Company	y - Account 10009)	
SECTION 2: Hazard(s) identificati	ion		
2.1. Classification of the substance	or mixture		
Skin Irrit. 2H315 - Causes skin irrEye Irrit. 2AH319 - Causes seriousSTOT SE 3H335 - May cause res	s eye irritation piratory irritation		
Skin Irrit. 2H315 - Causes skin irriye Irrit. 2AH319 - Causes seriousSTOT SE 3H335 - May cause resvquatic Chronic 4H413 - May cause long	s eye irritation piratory irritation		
Skin Irrit. 2H315 - Causes skin irrit.Eye Irrit. 2AH319 - Causes seriousSTOT SE 3H335 - May cause resAquatic Chronic 4H413 - May cause longFull text of H-phrases: see section 16	s eye irritation piratory irritation		
Skin Irrit. 2H315 - Causes skin irrit.Eye Irrit. 2AH319 - Causes seriousSTOT SE 3H335 - May cause restAquatic Chronic 4H413 - May cause longFull text of H-phrases: see section 162.2.Label elements	s eye irritation piratory irritation		
Skin Irrit. 2 H315 - Causes skin irrit. Eye Irrit. 2A H319 - Causes serious STOT SE 3 H335 - May cause restrict Aquatic Chronic 4 H413 - May cause long Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	s eye irritation piratory irritation g lasting harmful effects to aquatic life		
Skin Irrit. 2 H315 - Causes skin irr Eye Irrit. 2A H319 - Causes serious STOT SE 3 H335 - May cause res Aquatic Chronic 4 H413 - May cause long Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	s eye irritation piratory irritation g lasting harmful effects to aquatic life : : GHS07		
Eye Irrit. 2AH319 - Causes seriousSTOT SE 3H335 - May cause resAquatic Chronic 4H413 - May cause longFull text of H-phrases: see section 16	s eye irritation piratory irritation g lasting harmful effects to aquatic life	ritation	
Skin Irrit. 2 H315 - Causes skin irr Eye Irrit. 2A H319 - Causes serious STOT SE 3 H335 - May cause res Aquatic Chronic 4 H413 - May cause long Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	s eye irritation piratory irritation g lasting harmful effects to aquatic life GHS07 : Warning : H315 - Causes skin irritation H319 - Causes serious eye ii H335 - May cause respirator H413 - May cause long lastin : P261 - Avoid breathing dust, P264 - Wash skin thoroughly P271 - Use only outdoors or P273 - Avoid release to the e P280 - Wear protective glove P302+P352 - If on skin: Was P304+P340 - If inhaled: Rem P305+P351+P338 - If in eyes lenses, if present and easy to P312 - Call a POISON CENT P321 - Specific treatment (se P332+P313 - If skin irritation P337+P313 - If skin irritation	ritation y irritation g harmful effects to aquatic life mist, spray after handling in a well-ventilated area invironment s/protective clothing/eye protection/face protection h with plenty of soap and water ove person to fresh air and keep comfortable for b s: Rinse cautiously with water for several minutes.	preathing

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- P403+P233 Store in a well-ventilated place. Keep container tightly closed
- P405 Store locked up P501 Dispose of contents/container to an approved waste disposal plant

	P501 - Dispose of contents/container to an	approved waste	disposal plant
2.3. Other hazards			
No additional information available			
2.4. Unknown acute toxicity (GHS US)			
Not applicable			
SECTION 3: Composition/information	on ingredients		
3.1. Substance	<u> </u>		
Substance type :	Mono-constituent		
Name	Product identifier	%	Classification (GHS-US)
4,6-Di-(tert-butyl)benzene-1,3-diol (Main constituent)	(CAS No) 5374-06-1	<= 100	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 Aquatic Chronic 4, H413
Full text of H-phrases: see section 16		·	
3.2. Mixture			
Not applicable			
SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general :	In case of accident or if you feel unwell, se where possible). Move the affected person		
First-aid measures after inhalation	Remove person to fresh air and keep comprese respiration. Get medical advice/attention.	ortable for breath	ing. If not breathing, give artificial
First-aid measures after skin contact :	Wash with plenty of soap and water. Get m	edical advice/atte	ention.
First-aid measures after eye contact	Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.		
First-aid measures after ingestion :	: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get medical advice/attention.		
4.2. Most important symptoms and effects, both acute and delayed			
Symptoms/injuries :	The most important known symptoms and 2.2) and/or in section 11.	effects are descril	bed in the labelling (see section
4.3. Indication of any immediate medical a	ttention and special treatment needed		
Treat symptomatically.			
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media :	Alcohol resistant foam. Carbon dioxide. Dr appropriate for surrounding fire.	/ powder. Water s	spray. Use extinguishing media
5.2. Special hazards arising from the subs	tance or mixture		
Fire hazard :	Thermal decomposition generates: Carbor	oxides.	
5.3. Advice for firefighters			
	In case of fire: Evacuate area.		
Protection during firefighting :	Wear gas tight chemically protective clothin apparatus. For further information refer to a		
SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equi			
General measures :	Evacuate unnecessary personnel. Ensure	adequate air vent	ilation. Do not breathe dust.
6.1.1. For non-emergency personnel			
Emergency procedures :	Only qualified personnel equipped with sui	able protective ed	quipment may intervene.
6.1.2. For emergency responders			
Protective equipment :	Do not attempt to take action without suital refer to section 8: "Exposure controls/perso		ipment. For further information

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions		
Avoid release to the environment. Notify authorities if product enters sewers or public waters.		
6.3. Methods and material for contain	nent and cleaning up	
For containment	: Stop leak if safe to do so.	
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.	
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
6.4. Reference to other sections		
No additional information available		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.	
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, include	ding any incompatibilities	
Technical measures	: Comply with applicable regulations.	
Storage conditions	: Keep container closed when not in use.	
Incompatible materials	: Refer to Section 10 on Incompatible Materials.	
Storage area	: Store in dry, cool, well-ventilated area.	
CECTION & Evene controlotion		
SECTION 8: Exposure controls/personal protection		

8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical a	nd chemical properties
Physical state	: Solid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: 120 - 125 °C
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative vapor density at 20 °C	: No data available
Molecular mass	: 222.32 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Acid chlorides. Strong acids. Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECTI	ON 12: Ecological information
12.1.	Toxicity
No addit	ional information available
12.2.	Persistence and degradability
No addit	ional information available
12.3.	Bioaccumulative potential
No addit	ional information available
12.4.	Mobility in soil
No addit	ional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.	
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Additional information	: Recycle the material as far as possible.	
SECTION 14: Transport informat	ion	

Department of Transportation (DOT)

In accordance with DOT

Not regulated for transport

TDG

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

4,6-Di-(tert-butyl)benzene-1,3-diol (5374-06-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations	
CANADA	
4,6-Di-(tert-butyl)benzene-1,3-diol (5374-06-1)	
Listed on the Canadian NDSL (Non-Domestic Substances List)	

EU-Regulations

No additional information available

National regulations

4,6-Di-(tert-butyl)benzene-1,3-diol (5374-06-1) Listed on the Japanese ISHL (Industrial Safety and Health Law)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text	of H-phrases:	
	Aquatic Chronic 4	Hazardous to the aquatic environment - Chronic Hazard Category 4
	Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
	Skin Irrit. 2	Skin corrosion/irritation Category 2
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3
	H315	Causes skin irritation
	H319	Causes serious eye irritation
	H335	May cause respiratory irritation
	H413	May cause long lasting harmful effects to aquatic life
	ealth hazard re hazard eactivity	 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given. 1 - Must be preheated before ignition can occur. 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS II	Rating	
Health		: 2 Moderate Hazard - Temporary or minor injury may occur
Flamma	ability : 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)	
Physica	I	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.