

**4-Fluoro-3-methylanisole** Safety Data Sheet 2707302 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 05/09/2017 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: 4-Fluoro-3-methylanisole
CAS No	: 2338-54-7
Product code	: 2707-3-02
Formula	: C8H9FO
Synonyms	: 2-Fluoro-5-methoxytoluene; 1-Fluoro-4-methoxy-2-methylbenzene; 4-Fluoro-3-methylphenyl
Synonyme	methyl ether
Other means of identification	: MFCD00042293
.2. Relevant identified uses of the	substance or mixture and uses advised against
Jse of the substance/mixture	: Laboratory chemicals
	Manufacture of substances Scientific research and development
.3. Details of the supplier of the sa	fety data sheet
SynQuest Laboratories, Inc.	
P.O. Box 309	
Alachua, FL 32615 - United States of Ameri (386) 462-0788 - F (386) 462-7097	ca
(386) 462-0788 - F (386) 462-7097 nfo@synguestlabs.com - www.synguestlab	s.com
.4. Emergency telephone number	
mergency number	: (844) 523-4086 (3E Company - Account 10069)
ECTION 2: Hezerd(c) identifiest	ion
SECTION 2: Hazard(s) identificat	
2.1. Classification of the substance	or mixture
Classification (GHS-US)	
Classification (Gris-03)	
Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritatior	
Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye	irritation
Flam. Liq. 4H227 - Combustible liquidSkin Irrit. 2H315 - Causes skin irritationEye Irrit. 2AH319 - Causes serious eyeSTOT SE 3H335 - May cause respirator	irritation
Flam. Liq. 4H227 - Combustible liquidSkin Irrit. 2H315 - Causes skin irritationEye Irrit. 2AH319 - Causes serious eyeSTOT SE 3H335 - May cause respirator	irritation
Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16	irritation
Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements	irritation
Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	irritation
Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements	irritation
Flam. Liq. 4       H227 - Combustible liquid         Skin Irrit. 2       H315 - Causes skin irritation         Eye Irrit. 2A       H319 - Causes serious eye         STOT SE 3       H335 - May cause respirator         Full text of H-phrases: see section 16       16         2.2.       Label elements         GHS-US labeling       17	irritation
Flam. Liq. 4       H227 - Combustible liquid         Skin Irrit. 2       H315 - Causes skin irritation         Eye Irrit. 2A       H319 - Causes serious eye         STOT SE 3       H335 - May cause respirator         Full text of H-phrases: see section 16         2.2.       Label elements         SHS-US labeling	irritation
Iam. Liq. 4       H227 - Combustible liquid         ikin Irrit. 2       H315 - Causes skin irritation         iye Irrit. 2A       H319 - Causes serious eye         TOT SE 3       H335 - May cause respirator         full text of H-phrases: see section 16         .2.       Label elements         SHS-US labeling	irritation
Iam. Liq. 4 H227 - Combustible liquid ikin Irrit. 2 H315 - Causes skin irritation iye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirator full text of H-phrases: see section 16 .2. Label elements GHS-US labeling lazard pictograms (GHS-US)	irritation ry irritation
Flam. Liq. 4       H227 - Combustible liquid         Skin Irrit. 2       H315 - Causes skin irritation         Eye Irrit. 2A       H319 - Causes serious eye         STOT SE 3       H335 - May cause respirator         Full text of H-phrases: see section 16         Causes       Handle         Causes       Handle         SHS-US labeling         Hazard pictograms (GHS-US)	irritation ry irritation : CHS07 : Warning
Flam. Liq. 4       H227 - Combustible liquid         Skin Irrit. 2       H315 - Causes skin irritation         Eye Irrit. 2A       H319 - Causes serious eye         STOT SE 3       H335 - May cause respirator         Full text of H-phrases: see section 16         Causes       Handle         Causes       Handle         SHS-US labeling         Hazard pictograms (GHS-US)	<ul> <li>irritation ry irritation</li> <li>: irritation</li> <li>: irritation</li> <li>: irritation</li> <li>: irritation</li> <li>: irritation</li> <li>: H227 - Combustible liquid</li> </ul>
Flam. Liq. 4       H227 - Combustible liquid         Skin Irrit. 2       H315 - Causes skin irritation         Eye Irrit. 2A       H319 - Causes serious eye         STOT SE 3       H335 - May cause respirator         Full text of H-phrases: see section 16         Causes       Handle         Causes       Handle         SHS-US labeling         Hazard pictograms (GHS-US)	<ul> <li>irritation ry irritation</li> <li>: irritation</li> <li>: irritation</li> <li>: irritation</li> <li>: Warning</li> <li>: H227 - Combustible liquid H315 - Causes skin irritation</li> </ul>
Flam. Liq. 4       H227 - Combustible liquid         Skin Irrit. 2       H315 - Causes skin irritation         Eye Irrit. 2A       H319 - Causes serious eye         STOT SE 3       H335 - May cause respirator         Full text of H-phrases: see section 16         Causes       Handle         Causes       Handle         SHS-US labeling         Hazard pictograms (GHS-US)	<ul> <li>irritation ry irritation</li> <li>: irritation</li> <li>: irritation</li> <li>: irritation</li> <li>: irritation</li> <li>: H227 - Combustible liquid H315 - Causes skin irritation H319 - Causes serious eye irritation</li> </ul>
Flam. Liq. 4       H227 - Combustible liquid         Skin Irrit. 2       H315 - Causes skin irritation         Eye Irrit. 2A       H319 - Causes serious eye         STOT SE 3       H335 - May cause respirator         Full text of H-phrases: see section 16 <b>2.</b> Label elements <b>GHS-US labeling</b> Hazard pictograms (GHS-US)         Signal word (GHS-US)         Hazard statements (GHS-US)	<ul> <li>irritation</li> <li>ry irritation</li> <li>: irritation</li> <li>: irritation</li> <li>: Warning</li> <li>: H227 - Combustible liquid</li> <li>H315 - Causes skin irritation</li> <li>H319 - Causes serious eye irritation</li> <li>H335 - May cause respiratory irritation</li> </ul>
Flam. Liq. 4       H227 - Combustible liquid         Skin Irrit. 2       H315 - Causes skin irritation         Eye Irrit. 2A       H319 - Causes serious eye         STOT SE 3       H335 - May cause respirator         Full text of H-phrases: see section 16 <b>2.</b> Label elements <b>GHS-US labeling</b> Hazard pictograms (GHS-US)         Signal word (GHS-US)         Hazard statements (GHS-US)	<ul> <li>irritation ry irritation</li> <li>: irritation</li> <li>: irritation</li> <li>: irritation</li> <li>: GHS07</li> <li>: Warning</li> <li>: H227 - Combustible liquid H315 - Causes skin irritation H319 - Causes serious eye irritation</li> </ul>
Flam. Liq. 4       H227 - Combustible liquid         Skin Irrit. 2       H315 - Causes skin irritation         Eye Irrit. 2A       H319 - Causes serious eye         STOT SE 3       H335 - May cause respirator         Full text of H-phrases: see section 16 <b>2.</b> Label elements         GHS-US labeling         Hazard pictograms (GHS-US)         Hazard statements (GHS-US)	<ul> <li>irritation</li> <li>ry irritation</li> <li>irritation</li> <li>irritation</li></ul>
Flam. Liq. 4       H227 - Combustible liquid         Skin Irrit. 2       H315 - Causes skin irritation         Eye Irrit. 2A       H319 - Causes serious eye         STOT SE 3       H335 - May cause respirator         Full text of H-phrases: see section 16 <b>2.</b> Label elements         GHS-US labeling         Hazard pictograms (GHS-US)         Hazard statements (GHS-US)	<ul> <li>irritation</li> <li>ry irritation</li> <li>irritation</li> <li>irritation</li></ul>
Flam. Liq. 4 H227 - Combustible liquid skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 <b>2.2. Label elements</b> <b>GHS-US labeling</b> Hazard pictograms (GHS-US) Hazard statements (GHS-US)	<ul> <li>irritation</li> <li>ry irritation</li> <li>irritation</li> <li>irritation</li></ul>
Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 <b>2.2. Label elements</b> <b>GHS-US labeling</b> Hazard pictograms (GHS-US) Hazard statements (GHS-US)	<ul> <li>irritation</li> <li>ry irritation</li> <li>irritation</li> <li>irritation</li></ul>
Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 <b>2.2. Label elements</b> <b>GHS-US labeling</b> Hazard pictograms (GHS-US) Hazard statements (GHS-US)	<ul> <li>irritation</li> <li>ry irritation</li> <li>irritation</li> <li>irritation</li></ul>
Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 <b>2.2. Label elements</b> <b>GHS-US labeling</b> Hazard pictograms (GHS-US) Hazard statements (GHS-US)	<ul> <li>irritation ry irritation</li> <li>irritation</li> <li>irr</li></ul>
Flam. Liq. 4 H227 - Combustible liquid skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 <b>2.2. Label elements</b> <b>GHS-US labeling</b> Hazard pictograms (GHS-US) Hazard statements (GHS-US)	<ul> <li>irritation ry irritation</li> <li>irritation</li> <li>irr</li></ul>
Flam. Liq. 4 H227 - Combustible liquid Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 Label elements GHS-US labeling	<ul> <li>irritation ry irritation</li> <li>irritation</li> <li>irr</li></ul>
Flam. Liq. 4 H227 - Combustible liquid skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 <b>2.2. Label elements</b> <b>GHS-US labeling</b> Hazard pictograms (GHS-US) Hazard statements (GHS-US)	<ul> <li>irritation ry irritation</li> <li>irritation</li> <li>irr</li></ul>

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	o / Monday, March 20	, 2012 / Rules and Regulations		
	P370 P403 P403 P403 P405	2+P364 - Take off contaminated 0+P378 - In case of fire: Use dry 3+P233 - Store in a well-ventilate 3+P235 - Store in a well-ventilate 5 - Store locked up 1 - Dispose of contents/containe	/ sand, dry chemical o ed place. Keep contai ed place. Keep cool	r alcohol-resistant foam to extinguish ner tightly closed
2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (C	HS US)			
Not applicable				
SECTION 3: Composition/in	formation on in	aredients		
3.1. Substance	officiation official	igreatento		
Substance type	· Mon	o-constituent		
	. Mone			
Name		Product identifier	%	Classification (GHS-US)
4-Fluoro-3-methylanisole (Main constituent)		(CAS No) 2338-54-7	<= 100	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measu	res			
4.1. Description of first aid me	asures			
First-aid measures general		se of accident or if you feel unw re possible). Move the affected p		
First-aid measures after inhalation		ove person to fresh air and keep iration. Get medical advice/atter		thing. If not breathing, give artificial
First-aid measures after skin contact		: Wash with plenty of soap and water. Get medical advice/attention.		
First-aid measures after eye contact	prese	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.		
First-aid measures after ingestion		: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get medical advice/attention.		
4.2. Most important symptoms	and effects, both	acute and delayed		
Symptoms/injuries		most important known symptom and/or in section 11.	is and effects are desc	cribed in the labelling (see section
4.3. Indication of any immedia	te medical attentic	on and special treatment need	led	
Treat symptomatically.				
SECTION 5: Firefighting mea	asures			
5.1. Extinguishing media				
Suitable extinguishing media		hol resistant foam. Carbon dioxi opriate for surrounding fire.	de. Dry powder. Wate	r spray. Use extinguishing media
5.2. Special hazards arising fr	om the substance	or mixture		
Fire hazard	: Ther	mal decomposition generates: C	Carbon oxides. Hydrog	gen fluoride.
Explosion hazard		of explosion if heated under cor ainers. May form flammable/exp		spray or fog for cooling exposed re.
5.3. Advice for firefighters				
Firefighting instructions	: In ca	se of fire: Evacuate area. Fight	fire remotely due to th	e risk of explosion.
Protection during firefighting	: Wear appa	r gas tight chemically protective aratus. For further information re	clothing in combination for to section 8: "Expo	on with self contained breathing sure controls/personal protection".
SECTION 6: Accidental relea				
		and emergency procedures		
General measures		cuate unnecessary personnel. E pr or spray.	nsure adequate air ve	ntilation. Do not breathe gas, fumes,

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	-
6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.
6.2. Environmental precautions	
Avoid release to the environment. Notify authorit	ies if product enters sewers or public waters.
6.3. Methods and material for containme	ent and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includi	ng any incompatibilities
Technical measures	: Comply with applicable regulations.
	: Keep container closed when not in use. Keep away from ignition sources.
Storage conditions	. Reep container closed when not in dse. Reep away non ignition sources.
Storage conditions Incompatible materials	: Refer to Section 10 on Incompatible Materials.

#### **Control parameters** 8.1.

No additional information available

Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers
	should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

9.1.	Information on basic physical and chemical properties		
Physical	state : Liquid		
Color	: No data	a available	
Odor	: No data	a available	
Odor thre	eshold : No data	a available	
рН	: No data	a available	

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monda Melting point	: No data available
Freezing point	: No data available
Boiling point	: 174 - 5 °C
Flash point	: 62 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.07 g/ml (@ 20 °C)
Molecular mass	: 140.15 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Refractive index	: 1.492 20
SECTION 10: Stability and reactivit	ty
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
The product is stable at normal handling and s	torage conditions.
10.3. Possibility of hazardous reactions	
No additional information available	
10.4. Conditions to avoid	
Keep away from heat, sparks and flame.	
10.5. Incompatible materials	
Strong oxidizing agents.	
10.6. Hazardous decomposition produc	rts
Under normal conditions of storage and use, h fire, see Section 5.	azardous decomposition products should not be produced. Hazardous decomposition products in case of
<b>SECTION 11: Toxicological informa</b>	ation
11.1. Information on toxicological effec	ts
Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	· Not classified

exposure) 05/09/2017

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aspirati	on hazard	: Not classified
SECT	<b>ION 12: Ecological information</b>	
12.1.	Toxicity	
No addi	tional information available	
12.2.	Persistence and degradability	
No addi	tional information available	
12.3.	Bioaccumulative potential	
No addi	tional information available	
12.4.	Mobility in soil	
	tional information available	
12.5.	Other adverse effects	
No add	tional information available	

SECTION 13: Disposal consideration	ons
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.
<b>SECTION 14: Transport information</b>	h .
Department of Transportation (DOT)	
In accordance with DOT	
Transport document description	: NA1993 Combustible liquid, n.o.s., 3, III
UN-No.(DOT)	: NA1993
Proper Shipping Name (DOT)	: Combustible liquid, n.o.s.
Transport hazard class(es) (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT)	: III - Minor Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 241
DOT Symbols	: D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	<ul> <li>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).</li> <li>T1 - 1.5 178.274(d)(2) Normal</li></ul>

		during transport, and this the temperature in degrees celsius of the liquid during filling.
DOT Packaging Exceptions (49 CFR 173.xxx)	:	150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	:	60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	:	220 L
DOT Vessel Stowage Location	:	A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	:	No supplementary information available.

### TDG

No additional information available

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Transport by sea

No additional information available

### Air transport

No additional information available

SECTION 15: Regulatory information	
15.1. US Federal regulations	

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

4-Fluoro-3-methylanisole	CAS No 2338-54-7	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

#### CANADA

No additional information available

#### **EU-Regulations**

No additional information available

#### **National regulations**

No additional information available

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

### SECTION 16: Other information

Full text of H-phrases:

	Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A		
	Flam. Liq. 4	Flammable liquids Category 4		
	Skin Irrit. 2	Skin corrosion/irritation Category 2		
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3		
	H227	Combustible liquid		
	H315	Causes skin irritation		
	H319	Causes serious eye irritation		
	H335	May cause respiratory irritation		
	health hazard	<ul> <li>3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.</li> <li>2 Must be mederately beated or exposed to relatively bish</li> </ul>		
NFPA fire hazard		: 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.		
		: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.		
HMIS I	II Rating			
Health		: 2 Moderate Hazard - Temporary or minor injury may occur		
Flamm	ability	<ul> <li>2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II &amp; IIIA)</li> </ul>		
Physic	al	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.		
SDS US	S (GHS HazCom 2012)			

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.